




Empire Price List

January 1, 2021

1-816-774-4050

www.Hi5Furniture.com



How to Order

Email PO to Sales@Hi5Furniture.com with the below information:

		<u>LIST PRICE</u>
STEP 1		
List the Table Name	= Empire Table	
STEP 2		
List the Quantity of Tables	= Qty. 10	
STEP 3		
List the Width x Length x Height of Table	= 24 x 72 x 27.25" – 41.25	
STEP 4		
List the BASIC Model Code	= EET12472 REBNH (Beam Nesting, Hand Crank)	\$3615
STEP 5		
List the Shape of the Top	= Rectangle	Included Above
STEP 6		
List the Table Top Material and Color	= Laminate: Wilsonart Designer White	Included Above
STEP 7		
List the Edge Material and Color	= PVC: Designer White	Included Above
STEP 8		
List the Bases Color	= Silver	Included Above
STEP 9		
List the Options to Add to the Table	= Magnetic Wire Manager - WMAGS Silver	\$120 List Price each
	= Non-Powered Grommet - GS Silver	\$20 List Price each

List Price Per Table	\$3,755
x Qty	10
Sub-Total List Price for Order	\$37,550
Freight <i>(if applicable)</i>	\$ 0
Total List Price for Order	\$37,550

Metal Base Color Choices



Statement of Line



Round



Square



Rectangle



Rectangle

General Information



All sizes are nominal sizes.
 All tables ship knocked down and require assembly.
 One-year warranty on height adjustable base systems, including motors and moving parts

HAND CRANK SPECS

Adjust with manual crank handle at a rate of 6-1/3 turns per inch for infinite stop positions. Hand Crank Beam Nesting Tables have removable handle that is stored under table top. Other hand crank tables allow the handle to slide under table when not in use. Maximum lifting load of 180 pounds for T based tables. Optional locking casters are available which adds 2" to starting height.

PNEUMATIC SPECS

Pneumatic adjustment with easy lever release. Pneumatic cylinder assist with infinite stop positions with no-bounce cylinder stop. Steel roller glide system. Unintentional-release resistant lever with cable release. Table height range of 17.7", 27.25"h to 45"h. Range Lifting force of forty four (44) pounds standard. Additional lifting forces are available, contact factory for information. Available options include Flip-top and Locking Casters. Casters add 2" to starting height.

ELECTRIC SPECS


Electric motor adjustment at the touch of a switch. Infinite stop positions with adjustment speed of 1.97" per second (50mm/sec). Two table height ranges to choose from: 19.69" of range, 27.25"h to 46.94"h or 26" of range, 22.25"h to 48.25"h. Simple up and down buttons, control up to 12 columns from a single keypad. Maximum lifting force of 225 pounds for two columns. Options and accessories include: Built-in Key pad w/display, Built-in memory keypad with display, key pad cable extensions, motor cable extensions, Link Cables, and safety sensors.



Weight capacity is based on balanced load.
 Based on 210 lbs. per unit with 40 lbs. per additional leg.
 Electric Units reset at mid range rather than lowest point.

Preset Memory keypad slides in and out to store under surface when not in use. Digital display shows approximate height of table. Moves table UP | DOWN and allows 4 preset memory positions.

Digital keypad mounts in surface and displays approximate height of the table. If casters are added to the table, the digital keypad is not recommended. Moves table UP | DOWN and allows infinite stops.



WARNING

Empire height adjustable tables require a high level of installation and product knowledge. Caution should be taken at all times when assembling adjustable height products. There are warning labels and tags on items that require close attention. Please follow all assembly instructions and warnings when unpacking and assembling adjustable height productions. Miss-use or improper handling of product will result in voiding of warranty and possible injury to assembler/end-user. Hi5 Furniture, Inc. does not hold responsibility for any damage to product due to miss-use, lack of attention to instructions.

Round



Shown: X bases

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
24" round	29"	EEX1 2429 RDS	Stationary Seated Height	1615	1880
24" round	36"	EEX1 2436 RDS	Stationary Café Height	1760	2025
24" round	42"	EEX1 2442 RDS	Stationary Bar Height	1760	2025
24" round	29"	EEX1 2429 RDN	Nesting Seated Height	2150	2415
24" round	36"	EEX1 2436 RDN	Nesting Café Height	2295	2560
24" round	42"	EEX1 2442 RDN	Nesting Bar Height	2295	2560
24" round	27.25" - 45"	EEX1 24 RDH	Hand Crank	1835	2100
24" round	27.25" - 45"	EEX1 24 RDP**	Pneumatic (sit-stand)	2120	2385
24" round	18.75" - 28.5"	EEX1 24 RDP2**	Pneumatic (occasional-sit)	2120	2385
30" round	29"	EEX1 3029 RDS	Stationary Seated Height	1675	1975
30" round	36"	EEX1 3036 RDS	Stationary Café Height	1820	2120
30" round	42"	EEX1 3042 RDS	Stationary Bar Height	1820	2120
30" round	29"	EEX1 3029 RDN	Nesting Seated Height	2210	2510
30" round	36"	EEX1 3036 RDN	Nesting Café Height	2355	2655
30" round	42"	EEX1 3042 RDN	Nesting Bar Height	2355	2655
30" round	27.25" - 45"	EEX1 30 RDH	Hand Crank	1895	2195
30" round	27.25" - 45"	EEX1 30 RDP**	Pneumatic (sit-stand)	2180	2480
30" round	18.75" - 28.5"	EEX1 30 RDP2**	Pneumatic (occasional-sit)	2180	2480
36" round	29"	EEX1 3629 RDS	Stationary Seated Height	1780	2110
36" round	36"	EEX1 3636 RDS	Stationary Café Height	1925	2255
36" round	42"	EEX1 3642 RDS	Stationary Bar Height	1925	2255
36" round	29"	EEX1 3629 RDN	Nesting Seated Height	2315	2645
36" round	36"	EEX1 3636 RDN	Nesting Café Height	2460	2790
36" round	42"	EEX1 3642 RDN	Nesting Bar Height	2460	2790
36" round	27.25" - 45"	EEX1 36 RDH	Hand Crank	2000	2330
36" round	27.25" - 45"	EEX1 36 RDP**	Pneumatic (sit-stand)	2280	2610
36" round	18.75" - 28.5"	EEX1 36 RDP2**	Pneumatic (occasional-sit)	2280	2610
42" round	29"	EEX1 4229 RDS	Stationary Seated Height	1970	2380
42" round	36"	EEX1 4236 RDS	Stationary Café Height	2115	2525
42" round	42"	EEX1 4242 RDS	Stationary Bar Height	2115	2525
42" round	29"	EEX1 4229 RDN	Nesting Seated Height	2505	2915
42" round	36"	EEX1 4236 RDN	Nesting Café Height	2650	3060
42" round	42"	EEX1 4242 RDN	Nesting Bar Height	2650	3060
42" round	27.25" - 45"	EEX1 42 RDP**	Pneumatic (sit-stand)	2475	2885
42" round	18.75" - 28.5"	EEX1 42 RDP2**	Pneumatic (occasional-sit)	2475	2885
48" round	29"	EEX1 4829 RDS	Stationary Seated Height	2015	2430
48" round	36"	EEX1 4836 RDS	Stationary Café Height	2160	2575
48" round	42"	EEX1 4842 RDS	Stationary Bar Height	2160	2575
48" round	29"	EEX1 4829 RDN	Nesting Seated Height	2550	2965
48" round	36"	EEX1 4836 RDN	Nesting Café Height	2695	3110
48" round	42"	EEX1 4842 RDN	Nesting Bar Height	2695	3110
48" round	27.25" - 45"	EEX1 48 RDP**	Pneumatic (sit-stand)	2515	2930
48" round	18.75" - 28.5"	EEX1 48 RDP2**	Pneumatic (occasional-sit)	2515	2930

NOTE:

- Bases are available in black, silver and white powder coat
- Nesting tables come standard on locking casters
- Replace "**" with one of the following codes for lift capacity.
 - 44 1 - 44 lbs.
 - 55 15 - 55 lbs.
 - 66 26 - 66 lbs.
 - 77 37 - 77 lbs.
- One-year warranty on height adjustable system including motors and moving parts

Options Available to Add:

Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
 Non-Powered Grommet
 Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

WMAG? (Silver) or (Black) 120 list price each
 GS (Silver) or GB (Black) 30 list price each
 CS 20 list price each

Square



Shown: X base



Shown: T2 base for large electrical tables

W x L	Table Height	Model Code	Description	Weight Capacity	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
24" x 24"	29"	EEX1 242429 SQS	Stationary Seated Height		1510	1785
24" x 24"	36"	EEX1 242436 SQS	Stationary Café Height		1655	1930
24" x 24"	42"	EEX1 242442 SQS	Stationary Bar Height		1655	1930
24" x 24"	29"	EEX1 242429 SQN	Nesting Seated Height		2045	2320
24" x 24"	36"	EEX1 242436 SQN	Nesting Café Height		2190	2465
24" x 24"	42"	EEX1 242442 SQN	Nesting Bar Height		2190	2465
24" x 24"	27.25" - 45"	EEX1 2424 RDH	Hand Crank		1730	2005
24" x 24"	27.25" - 45"	EEX1 2424 SQP**	Pneumatic (sit-stand)		2015	2290
24" x 24"	18.75" - 28.5"	EEX1 2424 SQP2**	Pneumatic (occasional-sit)		2015	2290
30" x 30"	29"	EEX1 303029 SQS	Stationary Seated Height		1615	1915
30" x 30"	36"	EEX1 303036 SQS	Stationary Café Height		1760	2060
30" x 30"	42"	EEX1 303042 SQS	Stationary Bar Height		1760	2060
30" x 30"	29"	EEX1 303029 SQN	Nesting Seated Height		2150	2450
30" x 30"	36"	EEX1 303036 SQN	Nesting Café Height		2295	2595
30" x 30"	42"	EEX1 303042 SQN	Nesting Bar Height		2295	2595
30" x 30"	27.25" - 45"	EEX1 3030 SQH	Hand Crank		1835	2135
30" x 30"	27.25" - 45"	EEX1 3030 SQP**	Pneumatic (sit-stand)		2115	2415
30" x 30"	18.75" - 28.5"	EEX1 3030 SQP2**	Pneumatic (occasional-sit)		2115	2415
36" x 36"	29"	EEX1 363629 SQS	Stationary Seated Height		1725	2055
36" x 36"	36"	EEX1 363636 SQS	Stationary Café Height		1870	2200
36" x 36"	42"	EEX1 363642 SQS	Stationary Bar Height		1870	2200
36" x 36"	29"	EEX1 363629 SQN	Nesting Seated Height		2260	2590
36" x 36"	36"	EEX1 363636 SQN	Nesting Café Height		2405	2735
36" x 36"	42"	EEX1 363642 SQN	Nesting Bar Height		2405	2735
36" x 36"	27.25" - 45"	EEX1 3636 SQP**	Pneumatic (sit-stand)		2230	2560
36" x 36"	18.75" - 28.5"	EEX1 3636 SQP2**	Pneumatic (occasional-sit)		2230	2560
42" x 42"	29"	EEX1 424229 SQS	Stationary Seated Height		1955	2330
42" x 42"	36"	EEX1 424236 SQS	Stationary Café Height		2100	2475
42" x 42"	42"	EEX1 424242 SQS	Stationary Bar Height		2100	2475
42" x 42"	29"	EEX1 424229 SQN	Nesting Seated Height		2490	2865
42" x 42"	36"	EEX1 424236 SQN	Nesting Café Height		2635	3010
42" x 42"	42"	EEX1 424242 SQN	Nesting Bar Height		2635	3010
42" x 42"	27.25" - 45"	EEX1 4242 SQP**	Pneumatic (sit-stand)		2455	2830
42" x 42"	18.75" - 28.5"	EEX1 4242 SQP2**	Pneumatic (occasional-sit)		2455	2830
48" x 48"	27.25" - 47"	E2T2 4848 SQE2	Electric (Sit-Stand)	290 lbs.	8,050	8,475
48" x 48"	22.25" - 48.25"	E2T2 4848 SQE3	Electric (Occasional-Stand)	290 lbs.	9,425	9,855
60" x 60"	27.25" - 47"	E2T2 6060 SQE2	Electric (Sit-Stand)	290 lbs.	12,000	12,510
60" x 60"	22.25" - 48.25"	E2T2 6060 SQE3	Electric (Occasional-Stand)	290 lbs.	14,065	14,580

NOTE:

▪ Bases are available in black, silver and white powder coat

▪ Beam Nesting tables come standard on locking casters and include a beam

▪ Weight capacity is based on balanced load. Based on 210 lbs. per unit with 40 lbs. per additional leg.

▪ Electric Units reset at mid range rather than lowest point.

▪ Replace "**" with one of the following codes for lift capacity.

- 44 1 - 44 lbs.
- 55 15 - 55 lbs.
- 66 26 - 66 lbs.
- 77 37 - 77 lbs.

▪ One-year warranty on height adjustable system including motors and moving parts

Options Available to Add:

Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
 Non-Powered Grommet
 Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

WMAG? (Silver) or (Black) 120 list price each
 GS (Silver) or GB (Black) 30 list price each
 CS 20 list price each


Rectangle



Shown: Stationary T bases



Shown: Beam Nesting tables come standard on locking casters



Top View down of Beam Nesting tables

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
18 x 48	29"	EET1 184829 RES	Stationary Seated Height	1365	1675
18 x 48	36"	EET1 184836 RES	Stationary Café Height	1655	1965
18 x 48	42"	EET1 184842 RES	Stationary Bar Height	1655	1965
18 x 48	29"	EET1 184829 REBN	Beam Nesting	2470	2780
18 x 48	36"	EET1 184836 REBN	Beam Nesting	2760	3070
18 x 48	42"	EET1 184842 REBN	Beam Nesting	2760	3070
18 x 60	29"	EET1 186029 RES	Stationary Seated Height	1430	1760
18 x 60	36"	EET1 186036 RES	Stationary Café Height	1720	2050
18 x 60	42"	EET1 186042 RES	Stationary Bar Height	1720	2050
18 x 60	29"	EET1 186029 REBN	Beam Nesting	2535	2865
18 x 60	36"	EET1 186036 REBN	Beam Nesting	2825	3155
18 x 60	42"	EET1 186042 REBN	Beam Nesting	2825	3155
18 x 72	29"	EET1 187229 RES	Stationary Seated Height	1480	1840
18 x 72	36"	EET1 187236 RES	Stationary Café Height	1770	2130
18 x 72	42"	EET1 187242 RES	Stationary Bar Height	1770	2130
18 x 72	29"	EET1 187229 REBN	Beam Nesting	2825	3185
18 x 72	36"	EET1 187236 REBN	Beam Nesting	3115	3475
18 x 72	42"	EET1 187242 REBN	Beam Nesting	3115	3475
18 x 84	29"	EET1 188429 RES	Stationary Seated Height	1680	2070
18 x 84	36"	EET1 188436 RES	Stationary Café Height	1970	2360
18 x 84	42"	EET1 188442 RES	Stationary Bar Height	1970	2360
18 x 84	29"	EET1 188429 REBN	Beam Nesting	3025	3415
18 x 84	36"	EET1 188436 REBN	Beam Nesting	3315	3705
18 x 84	42"	EET1 188442 REBN	Beam Nesting	3315	3705
18 x 96	29"	EET1 189629 RES	Stationary Seated Height	1705	2095
18 x 96	36"	EET1 189636 RES	Stationary Café Height	1995	2385
18 x 96	42"	EET1 189642 RES	Stationary Bar Height	1995	2385
18 x 96	29"	EET1 189629 REBN	Beam Nesting	3050	3440
18 x 96	36"	EET1 189636 REBN	Beam Nesting	3340	3730
18 x 96	42"	EET1 189642 REBN	Beam Nesting	3340	3730

NOTE:

- Bases are available in black, silver and white powder coat
- Beam Nesting tables include a beam



Options Available to Add:

In alphabetical order, add option codes to the end of the Table Model Code

Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)	WMAG? (Silver) or (Black)	120	list price each
Non-Powered Grommet	GS (Silver) or GB (Black)	30	list price each
Locking Casters (Raises height of table by 2") Not available on Electric Tables	CS	20	list price each
Steel Horizontal Cable Trough: 12" x 34" long x 6" high, powder coated black	WT	150	list price per trough

Rectangle



Shown: T bases



Shown: Beam Nesting tables come standard on locking casters

NOTE:

- Bases are available in black, silver and white powder coat
- Beam Nesting tables include a beam
- Hand Crank Beam Nesting Tables have removable handle that is stored under table top
- Electric Units reset at mid range rather than lowest point.
- Pneumatic “**” with one of the following codes for lift capacity.

- 70 – 30-70 lbs.
- 82 – 42-82 lbs.
- 93 – 53-93 lbs.
- 104 – 64-104 lbs.
- 115 – 75-115 lbs.
- 138 – 98-138 lbs.
- 160 – 120-160 lbs.
- 183 – 143-183 lbs.

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
24 x 48	29"	EET1 244829 RES	Stationary Seated Height	1365	1675
24 x 48	36"	EET1 244836 RES	Stationary Café Height	1655	1965
24 x 48	42"	EET1 244842 RES	Stationary Bar Height	1655	1965
24 x 48	29"	EET1 244829 REBN	Beam Nesting	2470	2780
24 x 48	36"	EET1 244836 REBN	Beam Nesting	2760	3070
24 x 48	42"	EET1 244842 REBN	Beam Nesting	2760	3070
24 x 48	27.25" – 45"	EET12448 REH	Hand Crank	2455	2780
24 x 48	27.25" – 41.25"	EET12448 REBNH	Beam Nesting, Hand Crank	3475	3800
24 x 48	27.25" – 46.75"	EET12448 REP **	Pneumatic	4280	4605
24 x 48	27.25" – 48.25"	EET12448 REE2	Electric (sit-stand)	4515	4840
24 x 48	22.25" – 48.25"	EET12448 REE3	Electric (occasional-stand)	5595	5920
24 x 60	29"	EET1 246029 RES	Stationary Seated Height	1365	1675
24 x 60	36"	EET1 246036 RES	Stationary Café Height	1655	1965
24 x 60	42"	EET1 246042 RES	Stationary Bar Height	1655	1965
24 x 60	29"	EET1 246029 REBN	Beam Nesting	2470	2780
24 x 60	36"	EET1 246036 REBN	Beam Nesting	2760	3070
24 x 60	42"	EET1 246042 REBN	Beam Nesting	2760	3070
24 x 60	27.25" – 45"	EET12460 REH	Hand Crank	2455	2780
24 x 60	27.25" – 41.25"	EET12460 REBNH	Beam Nesting, Hand Crank	3475	3800
24 x 60	27.25" – 46.75"	EET12460 REP **	Pneumatic	4280	4605
24 x 60	27.25" – 48.25"	EET12460 REE2	Electric (sit-stand)	4515	4840
24 x 60	22.25" – 48.25"	EET12460 REE3	Electric (occasional-stand)	5595	5920
24 x 66	29"	EET1 246629 RES	Stationary Seated Height	1540	1900
24 x 66	36"	EET1 246636 RES	Stationary Café Height	1830	2190
24 x 66	42"	EET1 246642 RES	Stationary Bar Height	1830	2190
24 x 66	29"	EET1 246629 REBN	Beam Nesting	2645	3005
24 x 66	36"	EET1 246636 REBN	Beam Nesting	2935	3295
24 x 66	42"	EET1 246642 REBN	Beam Nesting	2935	3295
24 x 66	27.25" – 45"	EET12466 REH	Hand Crank	2590	2950
24 x 66	27.25" – 41.25"	EET12466 REBNH	Beam Nesting, Hand Crank	3610	3970
24 x 66	27.25" – 46.75"	EET12466 REP **	Pneumatic	4415	4775
24 x 66	27.25" – 48.25"	EET12466 REE2	Electric (sit-stand)	4650	5010
24 x 66	22.25" – 48.25"	EET12466 REE3	Electric (occasional-stand)	5730	6090
24 x 72	29"	EET1 247229 RES	Stationary Seated Height	1545	1615
24 x 72	36"	EET1 247236 RES	Stationary Café Height	1835	1905
24 x 72	42"	EET1 247242 RES	Stationary Bar Height	1835	1905
24 x 72	29"	EET1 247229 REBN	Beam Nesting	2890	3260
24 x 72	36"	EET1 247236 REBN	Beam Nesting	3180	3550
24 x 72	42"	EET1 247242 REBN	Beam Nesting	3180	3550
24 x 72	27.25" – 45"	EET12472 REH	Hand Crank	2595	2965
24 x 72	27.25" – 41.25"	EET12472 REBNH	Beam Nesting, Hand Crank	3615	3985
24 x 72	27.25" – 46.75"	EET12472 REP **	Pneumatic	4420	4790
24 x 72	27.25" – 48.25"	EET12472 REE2	Electric (sit-stand)	4655	5025
24 x 72	22.25" – 48.25"	EET12472 REE3	Electric (occasional-stand)	5735	6105
24 x 84	29"	EET1 248429 RES	Stationary Seated Height	1760	2165
24 x 84	36"	EET1 248436 RES	Stationary Café Height	2050	2455
24 x 84	42"	EET1 248442 RES	Stationary Bar Height	2050	2455
24 x 84	29"	EET1 248429 REBN	Beam Nesting	3105	3510
24 x 84	36"	EET1 248436 REBN	Beam Nesting	3395	3800
24 x 84	42"	EET1 248442 REBN	Beam Nesting	3395	3800
24 x 96	29"	EET1 249629 RES	Stationary Seated Height	1775	2195
24 x 96	36"	EET1 249636 RES	Stationary Café Height	2065	2485
24 x 96	42"	EET1 249642 RES	Stationary Bar Height	2065	2485
24 x 96	29"	EET1 249629 REBN	Beam Nesting	3120	3540
24 x 96	36"	EET1 249636 REBN	Beam Nesting	3410	3830
24 x 96	42"	EET1 249642 REBN	Beam Nesting	3410	3830

Options Available to Add:

- Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
- Non-Powered Grommet
- Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

- WMAG? (Silver) or (Black) 120 list price each
- GS (Silver) or GB (Black) 30 list price each
- CS 20 list price each

Rectangle



Shown: T bases



Shown: Beam Nesting tables come standard on locking casters

NOTE:

- Bases are available in black, silver and white powder coat
- Beam Nesting tables include a beam
- Hand Crank Beam Nesting Tables have removable handle that is stored under table top
- Electric Units reset at mid range rather than lowest point.
- Pneumatic “**” with one of the following codes for lift capacity.

- 70 – 30-70 lbs.
- 82 – 42-82 lbs.
- 93 – 53-93 lbs.
- 104 – 64-104 lbs.
- 115 – 75-115 lbs.
- 138 – 98-138 lbs.
- 160 – 120-160 lbs.
- 183 – 143-183 lbs.

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
30 x 48	29"	EET1 304829 RES	Stationary Seated Height	1500	1840
30 x 48	36"	EET1 304836 RES	Stationary Café Height	1790	2130
30 x 48	42"	EET1 304842 RES	Stationary Bar Height	1790	2130
30 x 48	29"	EET1 304829 REBN	Beam Nesting	2605	2945
30 x 48	36"	EET1 304836 REBN	Beam Nesting	2895	3235
30 x 48	42"	EET1 304842 REBN	Beam Nesting	2895	3235
30 x 48	27.25" – 45"	EET13048 REH	Hand Crank	2550	2890
30 x 48	27.25" – 41.25"	EET13048 REBNH	Beam Nesting, Hand Crank	3570	3910
30 x 48	27.25" – 46.75"	EET13048 REP**	Pneumatic	4380	4720
30 x 48	27.25" – 48.25"	EET13048 REE2	Electric (sit-stand)	4605	4945
30 x 48	22.25" – 48.25"	EET13048 REE3	Electric (occasional-stand)	5710	6050
30 x 60	29"	EET1 306029 RES	Stationary Seated Height	1575	1950
30 x 60	36"	EET1 306036 RES	Stationary Café Height	1655	1965
30 x 60	42"	EET1 306042 RES	Stationary Bar Height	1655	1965
30 x 60	29"	EET1 306029 REBN	Beam Nesting	2680	3055
30 x 60	36"	EET1 306036 REBN	Beam Nesting	2760	3070
30 x 60	42"	EET1 306042 REBN	Beam Nesting	2760	3070
30 x 60	27.25" – 45"	EET13060 REH	Hand Crank	2625	3000
30 x 60	27.25" – 41.25"	EET13060 REBNH	Beam Nesting, Hand Crank	3645	4020
30 x 60	27.25" – 46.75"	EET13060 REP**	Pneumatic	4455	4830
30 x 60	27.25" – 48.25"	EET13060 REE2	Electric (sit-stand)	4680	5055
30 x 60	22.25" – 48.25"	EET13060 REE3	Electric (occasional-stand)	5785	6160
30 x 66	29"	EET1 306629 RES	Stationary Seated Height	1645	2040
30 x 66	36"	EET1 306636 RES	Stationary Café Height	1935	2330
30 x 66	42"	EET1 306642 RES	Stationary Bar Height	1935	2330
30 x 66	29"	EET1 306629 REBN	Beam Nesting	2750	3145
30 x 66	36"	EET1 306636 REBN	Beam Nesting	3040	3435
30 x 66	42"	EET1 306642 REBN	Beam Nesting	3040	3435
30 x 66	27.25 – 45	EET1 3066 REH	Hand Crank	2695	3090
30 x 66	27.25 – 41.25	EET1 3066 REBNH	Beam Nesting, Hand Crank	3715	4110
30 x 66	27.25 – 46.75	EET1 3066 REP**	Pneumatic	4525	4920
30 x 66	27.25 – 48.25	EET1 3066 REE2	Electric (sit-stand)	4750	5145
30 x 66	22.25 – 48.25	EET1 3066 REE3	Electric (occasional-stand)	5855	6250
30 x 72	29	EET1 307229 RES	Stationary Seated Height	1655	2055
30 x 72	36	EET1 307236 RES	Stationary Café Height	1945	2345
30 x 72	42	EET1 307242 RES	Stationary Bar Height	1945	2345
30 x 72	29	EET1 307229 REBN	Beam Nesting	3000	3400
30 x 72	36	EET1 307236 REBN	Beam Nesting	3290	3690
30 x 72	42	EET1 307242 REBN	Beam Nesting	3290	3690
30 x 72	27.25 – 45	EET1 3072 REH	Hand Crank	2705	3105
30 x 72	27.25 – 41.25	EET1 3072 REBNH	Beam Nesting, Hand Crank	3725	4125
30 x 72	27.25 – 46.75	EET1 3072 REP**	Pneumatic	4535	4935
30 x 72	27.25 – 48.25	EET1 3072 REE2	Electric (sit-stand)	4760	5160
30 x 72	22.25 – 48.25	EET1 3072 REE3	Electric (occasional-stand)	5865	6265
30 x 84	29	EET1 308429 RES	Stationary Seated Height	1900	2335
30 x 84	36	EET1 308436 RES	Stationary Café Height	2190	2625
30 x 84	42	EET1 308442 RES	Stationary Bar Height	2190	2625
30 x 84	29	EET1 308429 REBN	Beam Nesting	3245	3680
30 x 84	36	EET1 308436 REBN	Beam Nesting	3535	3970
30 x 84	42	EET1 308442 REBN	Beam Nesting	3535	3970
30 x 96	29	EET1 309629 RES	Stationary Seated Height	1915	2365
30 x 96	36	EET1 309636 RES	Stationary Café Height	2205	2655
30 x 96	42	EET1 309642 RES	Stationary Bar Height	2205	2655
30 x 96	29	EET1 309629 REBN	Beam Nesting	3260	3710
30 x 96	36	EET1 309636 REBN	Beam Nesting	3550	4000
30 x 96	42	EET1 309642 REBN	Beam Nesting	3550	4000

Options Available to Add:

- Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
- Non-Powered Grommet
- Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

- WMAG? (Silver) or (Black) 120 list price each
- GS (Silver) or GB (Black) 30 list price each
- CS 20 list price each

01/01/2021

Rectangle



Shown: T bases



Shown: Beam Nesting tables come standard on locking casters

NOTE:

▪ Bases are available in black, silver and white powder coat

▪ Beam Nesting tables include a beam

▪ Hand Crank Beam Nesting Tables have removable handle that is stored under table top

▪ Electric Units reset at mid range rather than lowest point.

▪ Pneumatic “**” with one of the following codes for lift capacity.

- 70 – 30-70 lbs.
- 82 – 42-82 lbs.
- 93 – 53-93 lbs.
- 104 – 64-104 lbs.
- 115 – 75-115 lbs.
- 138 – 98-138 lbs.
- 160 – 120-160 lbs.
- 183 – 143-183 lbs.

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
36 x 48	29	EET1 364829 RES	Stationary Seated Height	1670	2030
36 x 48	36	EET1 364836 RES	Stationary Café Height	1960	2320
36 x 48	42	EET1 364842 RES	Stationary Bar Height	1960	2320
36 x 48	29	EET1 364829 REBN	Beam Nesting	2775	3135
36 x 48	36	EET1 364836 REBN	Beam Nesting	3065	3425
36 x 48	42	EET1 364842 REBN	Beam Nesting	3065	3425
36 x 48	27.25 – 45	EET1 3648 REH	Hand Crank	2635	2995
36 x 48	27.25 – 41.25	EET1 3648 REBNH	Beam Nesting, Hand Crank	3660	4020
36 x 48	27.25 – 46.75	EET1 3648 REP**	Pneumatic	4470	4830
36 x 48	27.25 – 48.25	EET1 3648 REE2	Electric (sit-stand)	4605	4945
36 x 48	22.25 – 48.25	EET1 3648 REE3	Electric (occasional-stand)	4695	5055

36 x 60	29	EET1 366029 RES	Stationary Seated Height	1755	2150
36 x 60	36	EET1 366036 RES	Stationary Café Height	2045	2440
36 x 60	42	EET1 366042 RES	Stationary Bar Height	2045	2440
36 x 60	29	EET1 366029 REBN	Beam Nesting	2860	3255
36 x 60	36	EET1 366036 REBN	Beam Nesting	3150	3545
36 x 60	42	EET1 366042 REBN	Beam Nesting	3150	3545
36 x 60	27.25 – 45	EET1 3660 REH	Hand Crank	2720	3115
36 x 60	27.25 – 41.25	EET1 3660 REBNH	Beam Nesting, Hand Crank	3745	4140
36 x 60	27.25 – 46.75	EET1 3660 REP**	Pneumatic	4555	4950
36 x 60	27.25 – 48.25	EET1 3660 REE2	Electric (sit-stand)	4780	5175
36 x 60	22.25 – 48.25	EET1 3660 REE3	Electric (occasional-stand)	5995	6390

36 x 66	29	EET1 366629 RES	Stationary Seated Height	1945	2355
36 x 66	36	EET1 366636 RES	Stationary Café Height	2235	2645
36 x 66	42	EET1 366642 RES	Stationary Bar Height	2235	2645
36 x 66	29	EET1 366629 REBN	Beam Nesting	3050	3460
36 x 66	36	EET1 366636 REBN	Beam Nesting	3340	3750
36 x 66	42	EET1 366642 REBN	Beam Nesting	3340	3750
36 x 66	27.25 – 45	EET1 3666 REH	Hand Crank	2910	3320
36 x 66	27.25 – 41.25	EET1 3666 REBNH	Beam Nesting, Hand Crank	3935	4345
36 x 66	27.25 – 46.75	EET1 3666 REP**	Pneumatic	4745	5155
36 x 66	27.25 – 48.25	EET1 3666 REE2	Electric (sit-stand)	4970	5380
36 x 66	22.25 – 48.25	EET1 3666 REE3	Electric (occasional-stand)	6185	6595

36 x 72	29	EET1 367229 RES	Stationary Seated Height	1950	2370
36 x 72	36	EET1 367236 RES	Stationary Café Height	2240	2660
36 x 72	42	EET1 367242 RES	Stationary Bar Height	2240	2660
36 x 72	29	EET1 367229 REBN	Beam Nesting	3535	3955
36 x 72	36	EET1 367236 REBN	Beam Nesting	3825	4245
36 x 72	42	EET1 367242 REBN	Beam Nesting	3825	4245
36 x 72	27.25 – 45	EET1 3672 REH	Hand Crank	2915	3335
36 x 72	27.25 – 41.25	EET1 3672 REBNH	Beam Nesting, Hand Crank	3940	4360
36 x 72	27.25 – 46.75	EET1 3672 REP**	Pneumatic	4535	4935
36 x 72	27.25 – 48.25	EET1 3672 REE2	Electric (sit-stand)	4760	5160
36 x 72	22.25 – 48.25	EET1 3672 REE3	Electric (occasional-stand)	5865	6265

Options Available to Add:

Magnetic Vertical Wire Manager Cover (18”L x 2”W x 1”D)
 Non-Powered Grommet
 Locking Casters (Raises height of table by 2”) Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

WMAG? (Silver) or (Black) 120 list price each
 GS (Silver) or GB (Black) 30 list price each
 CS 20 list price each

01/01/2021

Rectangle



Shown: T2 bases

W x L	Table Height	Model Code	Description	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
36 x 84	29"	EET2 368429 RES	Stationary Seated Height	2555	3025
36 x 84	36"	EET2 368436 RES	Stationary Café Height	2845	3315
36 x 84	42"	EET2 368442 RES	Stationary Bar Height	2845	3315
36 x 84	29"	EET2 368429 REBN	Beam Nesting	4235	4705
36 x 84	36"	EET2 368436 REBN	Beam Nesting	4525	4995
36 x 84	42"	EET2 368442 REBN	Beam Nesting	4525	4995
36 x 96	29"	EET2 369629 RES	Stationary Seated Height	2575	3055
36 x 96	36"	EET2 369636 RES	Stationary Café Height	2865	3345
36 x 96	42"	EET2 369642 RES	Stationary Bar Height	2865	3345
36 x 96	29"	EET2 369629 REBN	Beam Nesting	4255	4735
36 x 96	36"	EET2 369636 REBN	Beam Nesting	4545	5025
36 x 96	42"	EET2 369642 REBN	Beam Nesting	4545	5025
42 x 60	29"	EET2 426029 RES	Stationary Seated Height	2540	3060
42 x 60	36"	EET2 426036 RES	Stationary Café Height	3020	3540
42 x 60	42"	EET2 426042 RES	Stationary Bar Height	3020	3540
42 x 60	29"	EET2 426029 REBN	Beam Nesting	4220	4740
42 x 60	36"	EET2 426036 REBN	Beam Nesting	4700	5220
42 x 60	42"	EET2 426042 REBN	Beam Nesting	4700	5220
42 x 66	29"	EET2 426629 RES	Stationary Seated Height	2720	3200
42 x 66	36"	EET2 426636 RES	Stationary Café Height	3200	3680
42 x 66	42"	EET2 426642 RES	Stationary Bar Height	3200	3680
42 x 66	29"	EET2 426629 REBN	Beam Nesting	4400	4880
42 x 66	36"	EET2 426636 REBN	Beam Nesting	4880	5360
42 x 66	42"	EET2 426642 REBN	Beam Nesting	4880	5360
42 x 72	29"	EET2 427229 RES	Stationary Seated Height	2660	3215
42 x 72	36"	EET2 427236 RES	Stationary Café Height	3140	3695
42 x 72	42"	EET2 427242 RES	Stationary Bar Height	3140	3695
42 x 72	29"	EET2 427229 REBN	Beam Nesting	4340	4895
42 x 72	36"	EET2 427236 REBN	Beam Nesting	4820	5375
42 x 72	42"	EET2 427242 REBN	Beam Nesting	4820	5375
42 x 84	29"	EET2 428429 RES	Stationary Seated Height	2880	3490
42 x 84	36"	EET2 428436 RES	Stationary Café Height	3360	3970
42 x 84	42"	EET2 428442 RES	Stationary Bar Height	3360	3970
42 x 84	29"	EET2 428429 REBN	Beam Nesting	4560	5170
42 x 84	36"	EET2 428436 REBN	Beam Nesting	5040	5650
42 x 84	42"	EET2 428442 REBN	Beam Nesting	5040	5650
42 x 96	29"	EET2 429629 RES	Stationary Seated Height	2895	3520
42 x 96	36"	EET2 429636 RES	Stationary Café Height	3375	4000
42 x 96	42"	EET2 429642 RES	Stationary Bar Height	3375	4000
42 x 96	29"	EET2 429629 REBN	Beam Nesting	4575	5200
42 x 96	36"	EET2 429636 REBN	Beam Nesting	5055	5680
42 x 96	42"	EET2 429642 REBN	Beam Nesting	5055	5680

NOTE:

▪ Bases are available in black, silver and white powder coat

▪ Beam Nesting tables come standard on locking casters and include a beam

Options Available to Add:

Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
 Non-Powered Grommet
 Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

WMAG? (Silver) or (Black) 120 list price each
 GS (Silver) or GB (Black) 30 list price each
 CS 20 list price each

01/01/2021

Rectangle



Shown: T2 bases

W x L	Table Height	Model Code	Description	Weight Capacity	Flat PVC Laminate List Price Suffix - L3	Knife PVC Laminate List Price Suffix - L11
48 x 60	29"	EET2 486029 RES	Stationary Seated Height		2600	3125
48 x 60	36"	EET2 486036 RES	Stationary Café Height		3080	3605
48 x 60	42"	EET2 486042 RES	Stationary Bar Height		3080	3605
48 x 60	29"	EET2 486029 REBN	Beam Nesting		4280	4805
48 x 60	36"	EET2 486036 REBN	Beam Nesting		4760	5285
48 x 60	42"	EET2 486042 REBN	Beam Nesting		4760	5285
48 x 60	27.25" - 47"	E2T2 4860 REE2	Electric (Sit-Stand)	290 lbs.	8,280	8,855
48 x 60	22.25" - 48.25"	E2T2 4860 REE3	Electric (Occasional-Stand)	290 lbs.	9,660	10,235
48 x 66	29"	EET2 486629 RES	Stationary Seated Height		2720	3265
48 x 66	36"	EET2 486636 RES	Stationary Café Height		3200	3745
48 x 66	42"	EET2 486642 RES	Stationary Bar Height		3200	3745
48 x 66	29"	EET2 486629 REBN	Beam Nesting		4400	4945
48 x 66	36"	EET2 486636 REBN	Beam Nesting		4880	5425
48 x 66	42"	EET2 486642 REBN	Beam Nesting		4880	5425
48 x 72	29"	EET2 487229 RES	Stationary Seated Height		2715	3280
48 x 72	36"	EET2 487236 RES	Stationary Café Height		3195	3760
48 x 72	42"	EET2 487242 RES	Stationary Bar Height		3195	3760
48 x 72	29"	EET2 487229 REBN	Beam Nesting		4395	4960
48 x 72	36"	EET2 487236 REBN	Beam Nesting		4875	5440
48 x 72	42"	EET2 487242 REBN	Beam Nesting		4875	5440
48 x 72	27.25" - 47"	E2T2 4872 REE2	Electric (Sit-Stand)	290 lbs.	8,400	9,025
48 x 72	22.25" - 48.25"	E2T2 4872 REE3	Electric (Occasional-Stand)	290 lbs.	9,785	10,405
48 x 84	29"	EET2 488429 RES	Stationary Seated Height		2935	3490
48 x 84	36"	EET2 488436 RES	Stationary Café Height		3415	3970
48 x 84	42"	EET2 488442 RES	Stationary Bar Height		3415	3970
48 x 84	29"	EET2 488429 REBN	Beam Nesting		4615	5170
48 x 84	36"	EET2 488436 REBN	Beam Nesting		5095	5650
48 x 84	42"	EET2 488442 REBN	Beam Nesting		5095	5650
48 x 84	27.25" - 47"	E2T2 4884 REE2	Electric (Sit-Stand)	290 lbs.	8,650	9,225
48 x 84	22.25" - 48.25"	E2T2 4884 REE3	Electric (Occasional-Stand)	290 lbs.	10,025	10,605
48 x 96	29"	EET2 489629 RES	Stationary Seated Height		2960	3520
48 x 96	36"	EET2 489636 RES	Stationary Café Height		3440	4000
48 x 96	42"	EET2 489642 RES	Stationary Bar Height		3440	4000
48 x 96	29"	EET2 489629 REBN	Beam Nesting		4640	5200
48 x 96	36"	EET2 489636 REBN	Beam Nesting		5120	5680
48 x 96	42"	EET2 489642 REBN	Beam Nesting		5120	5680
48 x 96	27.25" - 47"	E2T2 4896 REE2	Electric (Sit-Stand)	290 lbs.	8,675	9,260
48 x 96	22.25" - 48.25"	E2T2 4896 REE3	Electric (Occasional-Stand)	290 lbs.	10,055	10,635
48 x 120	27.25" - 47"	E2T2 48120 REE2	Electric (Sit-Stand)	370 lbs.	12,445	13,110
48 x 120	22.25" - 48.25"	E2T2 48120 REE3	Electric (Occasional-Stand)	370 lbs.	14,515	15,180
60 x 72	27.25" - 47"	E2T2 6072 REE2	Electric (Sit-Stand)	290 lbs.	12,155	12,715
60 x 72	22.25" - 60.25"	E2T2 6072 REE3	Electric (Occasional-Stand)	290 lbs.	14,220	14,780
60 x 84	27.25" - 47"	E2T2 6084 REE2	Electric (Sit-Stand)	290 lbs.	12,455	13,090
60 x 84	22.25" - 60.25"	E2T2 6084 REE3	Electric (Occasional-Stand)	290 lbs.	14,525	15,155
60 x 96	27.25" - 47"	E2T2 6096 REE2	Electric (Sit-Stand)	290 lbs.	12,470	13,120
60 x 96	22.25" - 60.25"	E2T2 6096 REE3	Electric (Occasional-Stand)	290 lbs.	14,540	15,190
60 x 120	27.25" - 47"	E2T2 60120 REE2	Electric (Sit-Stand)	370 lbs.	12,800	13,550
60 x 120	22.25" - 60.25"	E2T2 60120 REE3	Electric (Occasional-Stand)	370 lbs.	14,870	15,620

NOTE:

▪ Bases are available in black, silver and white powder coat

▪ Beam Nesting tables come standard on locking casters and include a beam

▪ Weight capacity is based on balanced load. Based on 210 lbs. per unit with 40 lbs. per additional leg.

▪ Electric Units reset at mid range rather than lowest point.

▪ One-year warranty on height adjustable system including motors and moving parts

Options Available to Add:

Magnetic Vertical Wire Manager Cover (18"L x 2"W x 1"D)
 Non-Powered Grommet
 Locking Casters (Raises height of table by 2") Not available on Electric Tables

In alphabetical order, add option codes to the end of the Table Model Code

WMAG? (Silver) or (Black)	120	list price each
GS (Silver) or GB (Black)	30	list price each
CS	20	list price each