



Power + Options Price Book

January 1, 2021
www.Hi5Furniture.com



01/01/2021

TABLE OF CONTENTS

Power Overview Page 3

General Information & Linking System Page 4

Charm..... Page 5

Chirp Page 6

Cove..... Page 7-8

Flare..... Page 9

Glow..... Page 10

Halo..... Page 11

Jazz..... Page 12

Pearl..... Page 13

Slick..... Page 14

Spunk..... Page 15

TinyBrite..... Page 16

Volt..... Page 17

Wink..... Page 18

Zest Page 19

Zing..... Page 20

Modesty Panels..... Page 21

Wire Management Page 22-23

Table Gangers + Divider Panels..... Page 24

EDGE MOUNT



TINYBRITE

\$220

LINKING AVAIL



ZEST

\$280

LINKING AVAIL



CHIRP

\$370



SLICK

\$435

LINKING AVAIL


TABLE MOUNT



PEARL

\$315

LINKING AVAIL



GLOW

\$420

LINKING AVAIL



WINK

\$480

LINKING AVAIL



HALO

\$500

LINKING AVAIL



CHARM

\$530

LINKING AVAIL
F/K/A INTERACT G2



ZING

\$590

LINKING AVAIL



COVE

\$630

LINKING AVAIL



SPUNK

\$650



JAZZ

\$1,585

LINKING AVAIL
F/K/A REEF



FLARE

\$1,840

LINKING AVAIL



VOLT

\$3,130


LINKING AVAIL
F/K/A MINI-OASIS



General Information on the Daisy Link System



General Information on the Perimeter Linking System



General Information on the Pluggable Linking System





FEATURES

Door or Casing Material: Metal
 Spill resistant receptacles, 12A, 120 VAC, convenience outlet(s)
 USB-A ports are 2.1 AMP
 ETL Listed

NON-LINKING TIP

Comes standard as a single-circuit electrical system with 72" long soft-wired cord.
 When specified with the 72" long hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source.

TOP MATERIALS TIP

Standard attachment hardware is only compatible with laminate.
 Special attachment hardware is available for other materials upon request.

NETWORK + DATA JACKS

Data openings are for keystone jacks only, and can be purchased independently

WILL FULLY CHARGE



CHARGE SPEED


▪ 25 WATT

STEP 1 - LIST THE QUANTITY OF POWER BOXES PER TABLE

Description	# of Power Outlets	# of USB-A	# of USB-C	# of AV Plate Cutouts	Model Code	Color Suffix – B -W -S	List Price
1 OUTLET UNDER TABLE NON-LINKING ONLY							
Non-Linking	2	-	-	1	PIG2S	Black White Silver	\$530
Hardwired	2	-	-	1	PIG2H	Black White Silver	\$585
1 OUTLET UNDER TABLE NON-LINKING ONLY							
Non-Linking	2	2	-	-	PIG2USBS	Black White Silver	\$740
Hardwired	2	2	-	1	PIG2USBH	Black White Silver	\$800

STEP 2 - LIST THE AV PLATE NUMBER (IF APPLICABLE)

STEP 3 - LIST THE LOCATION CODES FOR EACH POWER BOX



IF APPLICABLE - LIST THE AV PLATE - CUSTOMS ARE AVAILABLE

Plate #	Description	Price
Plate #0		Add \$10 to power unit List Price
Plate #1	Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black	Add \$160 to power unit List Price
Plate #21	Includes: (1) HDMI with 36 patch cord attached (2) RJ-45 Punch Down Siemen Cat 6 Black	Add \$335 to power unit List Price
Plate #24	Includes: (1) HDMI with 36 patch cord attached	Add \$195 to power unit List Price
Plate #25	Includes: (2) HDMI with 36 patch cord attached	Add \$360 to power unit List Price
Plate #48	Includes: (1) HDMI with 36 patch cord attached (1) RJ-45 Punch Down Siemen Cat 6 Black	Add \$260 to power unit List Price



FEATURES

Door or Casing Material: Metal
 Spill resistant receptacles, 12A, 120 VAC, convenience outlet(s)
 USB-A ports are 2.1 AMP
 ETL Listed

NON-LINKING TIP

Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

LINKING TIP


If ordering linking units, a starter infeed cable is required and ordered separately. Use hardwire starter infeed cable if UL listed (not recognized) is required. When specified with the hardwired starter infeed cable, a licensed electrician is required to complete hardwire connections to building's power source.

Starter Infeed cables have a 20 amp plug end which requires a 20 amp wall receptacle adapter is required if using a standard 15 amp receptacle. The adapter is included.

If ordering multiple linking units, jumpers come standard and the lengths are determined by the number of units.

TOP MATERIALS TIP

Standard attachment hardware is only compatible with laminate. Special attachment hardware is available for other materials upon request.



WILL FULLY CHARGE



FAST CHARGE



- 60WATT UNITS ARE FAST CHARGE AND CHARGE LAPTOPS
- OTHER UNITS ARE 2.1 USB-A AND CHARGE CELL PHONES AND TABLETS

IF APPLICABLE - LIST THE AV PLATE - CUSTOMS ARE AVAILABLE



Plate#0

Add \$10 to power unit List Price



Plate#1

Add \$160 to power unit List Price. Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#21

Add \$335 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#24

Add \$195 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached



Plate#25

Add \$360 to power unit List Price. Includes: (2) HDMI with 36 patch cord attached



Plate#48

Add \$260 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (1) RJ-45 Punch Down Siemen Cat 6 Black

STEP 1 - LIST THE QUANTITY OF POWER BOXES PER TABLE





Description	# of Power Outlets	# of USB-A	# of USB-C	# of AV Plate Cutouts	Model Code	Color			List Price
						Suffix - B	-W	-S	
Non-Linking	2	-	-	-	PCVRD2	Black	White	Silver	\$400
Non-Linking	2	2	-	-	PCVRD2USB	Black	White	Silver	\$630
Non-Linking	2	-	-	-	PCV2	Black	White	Silver	\$455
Linking	2	-	-	-	PCVL2	Black	White	Silver	\$585
Non-Linking	2	2	-	-	PCV2USB	Black	White	Silver	\$630
Linking	2	2	-	-	PCVL2USB	Black	White	Silver	\$770
Non-Linking	2	2	-	1	PCV2USBAV	Black	White	Silver	\$630
Linking	2	2	-	1	PCVL2USBAV	Black	White	Silver	\$800
Non-Linking	2	2	-	1	PCV4USBAV	Black	White	Silver	\$800
Linking	-	-	-	-	PCVL4USBAV	Black	White	Silver	\$1120
Non-Linking	2	2	-	-	PCV2USBC2	Black	White	Silver	\$850

STEP 2 - LIST THE AV PLATE NUMBER (IF APPLICABLE)

STEP 3 - LIST QUANTITY OF STARTER CABLES NEEDED FOR ROOM LAYOUT (FOR LINKING ONLY).

72" Starter Cable (daisylink system)	PSTS72F	\$300
96" Starter Cable (daisylink system)	PSTS96F	\$440
120" Starter Cable (daisylink system)	PSTS120F	\$480
72" Hardwire Starter Cable	PSTH72F	\$200

STEP 4 - LIST THE LOCATION CODES FOR EACH POWER BOX






STEP 1 - LIST THE QUANTITY OF POWER BOXES PER TABLE

Description	# of Power Outlets	# of USB-A	# of USB-C	# of AV Plate Cutouts	Model Code	Color			List Price
						Suffix - B	-W	-S	
Non-Linking	2	1	1	-	PCOVE60-1	Black	White	Silver	\$920
Non-Linking	2	1	1	1	PCOVE60-2	Black	White	Silver	\$920
Non-Linking	4	1	1	-	PCOVE60-3	Black	White	Silver	\$1270
Non-Linking	4	1	1	1	PCOVE60-4	Black	White	Silver	\$1270

STEP 2 - LIST THE AV PLATE NUMBER (IF APPLICABLE)

STEP 3 - LIST THE LOCATION CODES FOR EACH POWER BOX





FEATURES

Door or Casing Material: Metal
 Spill resistant receptacles, 12A, 120 VAC, convenience outlet(s)
 USB-A ports are 2.1 AMP
 ETL Listed

NON-LINKING TIP

Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

LINKING TIP


If ordering linking units, a starter infeed cable is required and ordered separately.
 Use hardwire starter infeed cable if UL listed (not recognized) is required
 When specified with the hardwired starter infeed cable, a licensed electrician is required to complete hardwire connections to building's power source.

Starter Infeed cables have a 20 amp plug end which requires a 20 amp wall receptacle adapter is required if using a standard 15 amp receptacle. The adapter is included.

If ordering multiple linking units, jumpers come standard and the lengths are determine

TOP MATERIALS TIP

Standard attachment hardware is only compatible with laminate.
 Special attachment hardware is available for other materials upon request.



WILL FULLY CHARGE



CHARGE SPEED

■ 25 WATT

STEP 1 - LIST THE QUANTITY OF POWER BOXES PER TABLE



1 OUTLET
 UNDER TABLE
 NON-LINKING ONLY


Description	# of Power Outlets	# of USB-A	# of USB-C	# of AV Plate Cutouts	Model Code	Color Suffix - B -W -S	List Price
Non-Linking	2	-	-	1	PRF4USBAV	Black White Silver	\$1585
Linking	2	2	-	-	PRFL4USBAV	Black White Silver	\$2070

STEP 2 - LIST THE AV PLATE NUMBER (IF APPLICABLE)

STEP 3 - LIST QUANTITY OF STARTER CABLES NEEDED FOR ROOM LAYOUT (FOR LINKING ONLY).

72" Starter Cable (daisylink system)	PSTS72F	\$300
96" Starter Cable (daisylink system)	PSTS96F	\$440
120" Starter Cable (daisylink system)	PSTS120F	\$480
72" Hardwire Starter Cable	PSTH72F	\$200

STEP 4 - LIST THE LOCATION CODES FOR EACH POWER BOX



IF APPLICABLE - LIST THE AV PLATE - CUSTOMS ARE AVAILABLE



Plate# 0

Add \$10 to power unit List Price



Plate# 1

Add \$160 to power unit List Price. Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate# 21

Add \$335 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate# 24

Add \$195 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached



Plate# 25

Add \$360 to power unit List Price. Includes: (2) HDMI with 36 patch cord attached



Plate# 48

Add \$260 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (1) RJ-45 Punch Down Siemen Cat 6 Black



FEATURES

Door or Casing Material: Metal
 Spill resistant receptacles, 12A, 120 VAC, convenience outlet(s)
 USB-A ports are 2.1 AMP
 ETL Listed

NON-LINKING TIP

Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

LINKING TIP


If ordering linking units, a starter infeed cable is required and ordered separately.
 Use hardwire starter infeed cable if UL listed (not recognized) is required
 When specified with the hardwired starter infeed cable, a licensed electrician is required to complete hardwire connections to building's power source.

Starter Infeed cables have a 20 amp plug end which requires a 20 amp wall receptacle adapter is required if using a standard 15 amp receptacle. The adapter is included.

If ordering multiple linking units, jumpers come standard and the lengths are determined by the number of units.

TOP MATERIALS TIP

Standard attachment hardware is only compatible with laminate.
 Special attachment hardware is available for other materials upon request.




WILL FULLY CHARGE



CHARGE SPEED

▪ 25 WATT

STEP 1 - LIST THE QUANTITY OF POWER BOXES PER TABLE




Description	# of Power Outlets	# of USB-A	# of USB-C	# of AV Plate Cutouts	Model Code	Color Suffix - B -W -S	List Price
Linking	6	2	-	1	PML6USBAV	Black White Silver	\$3130

STEP 2 - LIST THE AV PLATE NUMBER (IF APPLICABLE)

STEP 3 - LIST QUANTITY OF STARTER CABLES NEEDED FOR ROOM LAYOUT (FOR LINKING ONLY).

72" Starter Cable (daisylink system)	PSTS72F	\$300
96" Starter Cable (daisylink system)	PSTS96F	\$440
120" Starter Cable (daisylink system)	PSTS120F	\$480
72" Hardwire Starter Cable	PSTH72F	\$200

STEP 4 - LIST THE LOCATION CODES FOR EACH POWER BOX



IF APPLICABLE - LIST THE AV PLATE - CUSTOMS ARE AVAILABLE



Plate#0

Add \$10 to power unit List Price



Plate#1

Add \$160 to power unit List Price. Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#21

Add \$335 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#24

Add \$195 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached



Plate#25

Add \$360 to power unit List Price. Includes: (2) HDMI with 36 patch cord attached



Plate#48

Add \$260 to power unit List Price. Includes: (1) HDMI with 36 patch cord attached (1) RJ-45 Punch Down Siemen Cat 6 Black



LAMINATED PANEL

¾" thick laminated panels are stationary.
They are not available on folding tables.
Panels are field Installed.

LAMINATED PANEL

L x H	Model Code	List Price
30" x 9"H	ML30	225
36" x 9"H	ML36	245
42" x 9"H	ML42	255
48" x 9"H	ML48	265
60" x 9"H	ML60	290
72" x 9"H	ML72	320



PERFORATED METAL PANEL

20 gauge perforated steel panels are free swinging.
They are not available on folding tables.
Panels are field Installed.
Ganging plates are provided for tables longer than 72".

PERFORATED METAL PANEL

L x H	Model Code	List Price
30" x 9"H	MM30	225
36" x 9"H	MM36	245
42" x 9"H	MM42	255
48" x 9"H	MM48	265
60" x 9"H	MM60	290
72" x 9"H	MM72	320



ARCHITECTURAL METAL PANEL

20 gauge perforated steel panels are free swinging.
They are not available on folding tables.
Panels are field Installed.
Ganging plates are provided for tables longer than 72".

ARCHITECTURAL METAL PANEL

L x H	Model Code	List Price
30" x 9"H	MA30	195
36" x 9"H	MA36	215
42" x 9"H	MA42	225
48" x 9"H	MA48	235
60" x 9"H	MA60	260
72" x 9"H	MA72	290



HORIZONTAL WIRE MANAGEMENT 4-TRACK


Size	Model Code	List Price
36" long	WH	80

HORIZONTAL WIRE MANAGEMENT 4-TRACK

3" x .75" 4-channel wire management track with double sided table. Cut to desired length in the field. Field Installed.

VERTICAL PLASTIC WIRE MANAGER

Half Round shaped 2.68" x 1" self-adhesive sticky tape. Available in Black or Silver. Field Installed.




LASER CUT HOLES

L x H	Model Code	List Price
30" x 9"H	ML30	185

LASER CUT HOLES

1.5" x 2.5 holes cut in top and bottom of column to feed wire(s) in and out of base.



MAGNETIC WIRE MANAGER

L x H	Model Code	List Price
17 3/4" x 2" wide	MAG	130

MAGNETIC WIRE MANAGER

1" deep 22 gauge steel magnetic wire manager. Easy installation and reposition to any metal surface.

01/01/2021



ANTI-SAG BAR

12 gauge steel bar attached to underside of table top prevents sagging. Black powder coat finish. Factory installed.

ANTI-SAG BAR

Size	Model Code	List Price
44" long	AS	100



STEEL WIRE TROUGH

18 gage steel trough with side access holes. Powder coated black. Field installed.

STEEL WIRE TROUGH

L x H	Model Code	List Price
34L x 12W x 6H	WT	150



NON-POWERED GROMMET

ABS plastic grommet. Tables are cut at factory for correct hole size. Field installed.

NON-POWERED GROMMET

L x H	Model Code	List Price
2.5" round	GS (Silver)	20
2.5" round	GB (Black)	20




TABLE GANGERS + ANTI-SAG BAR



TABLE GANGER

2-piece zinc die-cast table ganger. Simply twist and lock in place. Factory installed.
Not available on knife profile edges, solid surface or wood edged table tops.

TABLE GANGER

L x H	Model Code	List Price
3.5" round	TG	160



LEVELING GANGER

3" x 6" 11 gage steel plates are designed to level two table tops together. Simply loosen the hand knobs, slide tables together, tighten knobs and tops are joined level and secure. Inserts are factory installed, plate and knobs are field installed.
Not available on knife edge profiles.

LEVELING GANGER

L x H	Model Code	List Price
3" x 6"	QR	170



DIVIDER PANELS

.5" thick clear frosted acrylic Panels are 16 high and feature polished edges and through mount hardware. Tops are provided with pre-drilled holes. Field Installed.

DIVIDER PANELS

L x H	Model Code	List Price
24" x 16"H	DPA24	Contact Factory
30" x 16"H	DPA30	Contact Factory
36" x 16'H	DPA36	Contact Factory
42" x 16"H	DPA42	Contact Factory
48" x 16"H	DPA48	Contact Factory
60" x 16"H	DPA60	Contact Factory
72" x 16"H	DPA72	Contact Factory
84" x 16"H	DPA84	Contact Factory
96" x 16"H	DPA96	Contact Factory
120" x 16"H	DPA120	Contact Factory