


LINCOLN PRICE BOOK

Effective 03/01/2023



Freight Program



Yellow - Zone 1 Prepaid Freight on orders over \$3000 NET
Orders under \$3000 NET - Add \$300 NET to order

White - Zone 2 Prepaid Freight on orders over \$6000 NET
Orders under \$6000 NET - Add \$600 NET to order

Statement of Line



LM Model



LC Model



LT Model

Email PO to Sales@Hi5Furniture.com

LIST PRICE

STEP 1	List Model Code of Table	LT 369642.L3- 2	\$4,870
STEP 2	List Options		\$ 0
			\$4,870 List Price Per Table
STEP 3	List Finishes		
	Top Laminate Name & Number	WA Designer White D354-60	
	Top Edge Color	Designer White	
	Metal Color	Black [BK]	
STEP 4	List the Quantity of Tables	Qty. 10	
			x 10
			<u>\$48,700</u> Total List Price



Rectangle – 3.5' and 4' long tables



LM Model



LT Model



			BASE		MODEL CODE		
L X W	HEIGHT	PLACEMENT				L3 PRICE	L11 PRICE
42	24	29	Outset		LT 244229. ① - ②	2,760	3,450
42	30	29	Outset		LT 304229. ① - ②	2,960	3,710
	36	Outset			LT 304236. ① - ②	3,160	3,940
	42	Outset			LT 304242. ① - ②	3,360	4,170
42	36	29	Outset		LT 364229. ① - ②	3,280	4,100
	36	Outset			LT 364236. ① - ②	3,410	4,260
	42	Outset			LT 364242. ① - ②	3,540	4,410
48	24	29	Outset		LT 244829. ① - ②	2,770	3,460
48	30	29	Outset		LT 304829. ① - ②	2,970	3,720
	36	Outset			LT 304836. ① - ②	3,170	3,960
	42	Outset			LT 304842. ① - ②	3,370	4,190
48	36	29	Outset		LT 364829. ① - ②	3,290	4,120
	36	Outset			LT 364836. ① - ②	3,420	4,280
	42	Outset			LT 364842. ① - ②	3,550	4,430

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:
Top Edge Color:
Base Color:

4. Quantity of Tables

Rectangle – 5' long tables



LM Model



LT Model

BASE				MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT				
60 24	29	Inset		LM 246029. ①-②	2,700	3,390
		Outset		LT 246029. ①-②	2,830	3,550
	36	Outset		LT 246036. ①-②	3,220	4,020
		Outset		LT 246042. ①-②	3,220	4,020
60 30	29	Inset		LM 306029. ①-②	2,770	3,510
		Outset		LT 306029. ①-②	3,040	3,820
	36	Inset		LM 306036. ①-②	2,970	3,740
		Outset		LT 306036. ①-②	3,230	4,060
	42	Inset		LM 306042. ①-②	3,170	3,980
		Outset		LT 306042. ①-②	3,430	4,290
60 36	29	Inset		LM 366029. ①-②	2,850	3,630
		Outset		LT 366029. ①-②	3,380	4,260
	36	Inset		LM 366036. ①-②	3,050	3,870
		Outset		LT 366036. ①-②	3,510	4,410
	42	Inset		LM 366042. ①-②	3,250	4,100
		Outset		LT 366042. ①-②	3,640	4,570
60 42	29	Inset		LM 426029. ①-②	3,220	4,160
		Outset		LT 426029. ①-②	5,140	6,420
	36	Inset		LM 426036. ①-②	3,420	4,390
		Outset		LT 426036. ①-②	5,340	6,660
	42	Inset		LM 426042. ①-②	3,620	4,630
		Outset		LT 426042. ①-②	5,530	6,890
60 48	29	Inset		LM 486029. ①-②	3,220	4,160
		Outset		LT 486036. ①-②	5,530	6,890
	36	Inset		LM 486036. ①-②	3,420	4,390
		Outset		LT 486029. ①-②	5,340	6,660
	42	Inset		LM 486042. ①-②	3,620	4,630
		Outset		LT 486042. ①-②	5,730	7,120

To Order, Specify:


1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

CSI Industrial locking casters, add \$400 per table

GB Non-Powered Grommet (Black), add \$40 list each

GS Non-Powered Grommet (Silver), add \$40 list each
Select Location Code



WMAGB Magnetic Wire Manager (Black), add \$100 list

WMAGS Magnetic Wire Manager (Silver), add \$100 list

WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:

Top Edge Color:

Base Color:

4. Quantity of Tables

Rectangle – 5.5' long tables



LM Model



LT Model

		BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT				
66	24	Inset	LM	246629. ①-②	2,770	3,510
		Outset	LT	246629. ①-②	2,900	3,670
	36	Outset	LT	246636. ①-②	3,300	4,130
	42	Outset	LT	246642. ①-②	3,300	4,130
66	30	Inset	LM	306629. ①-②	2,850	3,630
		Outset	LT	306629. ①-②	3,250	4,100
	36	Inset	LM	306636. ①-②	3,050	3,870
		Outset	LT	306636. ①-②	3,440	4,340
	42	Inset	LM	306642. ①-②	3,250	4,100
	42	Outset	LT	306642. ①-②	3,640	4,570
66	36	Inset	LM	366629. ①-②	3,040	3,920
		Outset	LT	366629. ①-②	3,560	4,540
	36	Inset	LM	366636. ①-②	3,230	4,150
		Outset	LT	366636. ①-②	3,700	4,700
	42	Inset	LM	366642. ①-②	3,430	4,390
	42	Outset	LT	366642. ①-②	3,830	4,860
66	42	Inset	LM	426629. ①-②	3,330	4,330
		Outset	LT	426629. ①-②	5,250	6,590
	36	Inset	LM	426636. ①-②	3,530	4,560
		Outset	LT	426636. ①-②	5,450	6,830
	42	Inset	LM	426642. ①-②	3,730	4,800
	42	Outset	LT	426642. ①-②	5,640	7,060
66	48	Inset	LM	486629. ①-②	3,330	4,330
		Outset	LT	486629. ①-②	5,450	6,830
	36	Inset	LM	486636. ①-②	3,530	4,560
		Outset	LT	486636. ①-②	5,640	7,060
	42	Inset	LM	486642. ①-②	3,730	4,800
	42	Outset	LT	486642. ①-②	5,840	7,290

To Order, Specify:



1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

CSI Industrial locking casters, add \$400 per table

GB Non-Powered Grommet (Black), add \$40 list each

GS Non-Powered Grommet (Silver), add \$40 list each
Select Location Code



WMAGB Magnetic Wire Manager (Black), add \$100 list

WMAGS Magnetic Wire Manager (Silver), add \$100 list

WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:

Top Edge Color:

Base Color:

4. Quantity of Tables

Rectangle – 6' long tables



LM Model



LT Model

BASE				MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT				
72	24	29	Inset	LM 247229. ①-②	2,880	3,680
		29	Outset	LT 247229. ①-②	3,010	3,840
		36	Outset	LT 247236. ①-②	3,410	4,300
		42	Outset	LT 247242. ①-②	3,410	4,300
72	30	29	Inset	LM 307229. ①-②	2,970	3,820
		29	Outset	LT 307229. ①-②	3,370	4,280
		36	Inset	LM 307236. ①-②	3,170	4,050
		36	Outset	LT 307236. ①-②	3,560	4,520
		42	Inset	LM 307242. ①-②	3,370	4,280
		42	Outset	LT 307242. ①-②	3,760	4,750
72	36	29	Inset	LM 367229. ①-②	3,050	3,930
		29	Outset	LT 367229. ①-②	3,580	4,560
		36	Inset	LM 367236. ①-②	3,250	4,170
		36	Outset	LT 367236. ①-②	3,710	4,710
		42	Inset	LM 367242. ①-②	3,440	4,400
		42	Outset	LT 367242. ①-②	3,840	4,870
72	42	29	Inset	LM 427229. ①-②	3,330	4,330
		29	Outset	LT 427229. ①-②	5,250	6,590
		36	Inset	LM 427236. ①-②	3,530	4,560
		36	Outset	LT 427236. ①-②	5,450	6,830
		42	Inset	LM 427242. ①-②	3,730	4,800
		42	Outset	LT 427242. ①-②	5,640	7,060
72	48	29	Inset	LM 487229. ①-②	3,330	4,330
		29	Outset	LT 487229. ①-②	5,450	6,830
		36	Inset	LM 487236. ①-②	3,530	4,560
		36	Outset	LT 487236. ①-②	5,640	7,060
		42	Inset	LM 487242. ①-②	3,730	4,800
		42	Outset	LT 487242. ①-②	5,840	7,290
72	60	29	Inset	LM 607229. ①-②	3,650	5,070
		29	Outset	LT 607229. ①-②	5,830	7,640
		36	Inset	LM 607236. ①-②	3,850	5,300
		36	Outset	LT 607236. ①-②	6,030	7,880
		42	Inset	LM 607242. ①-②	4,050	5,540
		42	Outset	LT 607242. ①-②	6,230	8,110

To Order, Specify:



1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

CSI Industrial locking casters, add \$400 per table

GB Non-Powered Grommet (Black), add \$40 list each

GS Non-Powered Grommet (Silver), add \$40 list each
Select Location Code



WMAGB Magnetic Wire Manager (Black), add \$100 list

WMAGS Magnetic Wire Manager (Silver), add \$100 list

WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:

Top Edge Color:

Base Color:

4. Quantity of Tables

Rectangle – 7' long tables



			BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
84	24	29	Inset	LM	248429. ①-②	2,990	3,850
		29	Center Posts	LC	248429. ①-②	3,480	4,430
		29	Outset	LT	248429. ①-②	4,250	5,330
		36	Center Posts	LC	248436. ①-②	3,690	4,670
		36	Outset	LT	248436. ①-②	4,540	5,680
		42	Center Posts	LC	248442. ①-②	3,900	4,920
		42	Outset	LT	248442. ①-②	4,840	6,030
84	30	29	Inset	LM	308429. ①-②	3,100	4,020
		29	Center Posts	LC	308429. ①-②	3,720	4,750
		29	Outset	LT	308429. ①-②	4,550	5,730
		36	Inset	LM	308436. ①-②	3,300	4,250
		36	Center Posts	LC	308436. ①-②	3,930	5,000
		36	Outset	LT	308436. ①-②	4,850	6,080
		42	Inset	LM	308442. ①-②	3,500	4,490
		42	Center Posts	LC	308442. ①-②	4,140	5,250
		42	Outset	LT	308442. ①-②	5,150	6,440
84	36	29	Inset	LM	368429. ①-②	3,210	4,190
		29	Center Posts	LC	368429. ①-②	4,460	5,660
		29	Outset	LT	368429. ①-②	4,270	5,430
		36	Inset	LM	368436. ①-②	3,410	4,420
		36	Center Posts	LC	368436. ①-②	4,610	5,840
		36	Outset	LT	368436. ①-②	4,570	5,790
		42	Inset	LM	368442. ①-②	3,610	4,650
		42	Center Posts	LC	368442. ①-②	4,760	6,020
		42	Outset	LT	368442. ①-②	4,860	6,140

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 7' long tables




BASE					L3	L11	
L X W	HEIGHT	PLACEMENT	MODEL CODE		PRICE	PRICE	
84	42	29	Inset	LM 428429.	① - ②	3,550	4,670
		29	Center Posts	LC 428429.	① - ②	4,800	6,140
		29	Outset	LT 428429.	① - ②	5,470	6,930
	36	Inset	LM 428436.	① - ②	3,750	4,900	
		Center Posts	LC 428436.	① - ②	4,950	6,320	
		Outset	LT 428436.	① - ②	5,670	7,160	
	42	Inset	LM 428442.	① - ②	3,950	5,140	
		Center Posts	LC 428442.	① - ②	5,100	6,500	
		Outset	LT 428442.	① - ②	5,860	7,400	
84	48	29	Inset	LM 488429.	① - ②	3,550	4,670
		29	Center Posts	LC 488429.	① - ②	4,930	6,290
		29	Outset	LT 488429.	① - ②	5,670	7,160
	36	Inset	LM 488436.	① - ②	3,750	4,900	
		Center Posts	LC 488436.	① - ②	5,080	6,470	
		Outset	LT 488436.	① - ②	5,860	7,400	
	42	Inset	LM 488442.	① - ②	3,950	5,140	
		Center Posts	LC 488442.	① - ②	5,240	6,660	
		Outset	LT 488442.	① - ②	6,060	7,630	
84	60	29	Inset	LM 608429.	① - ②	3,930	5,560
		29	Center Posts	LC 608429.	① - ②	5,300	7,180
		29	Outset	LT 608429.	① - ②	6,110	8,130
	36	Inset	LM 608436.	① - ②	4,130	5,790	
		Center Posts	LC 608436.	① - ②	5,460	7,360	
		Outset	LT 608436.	① - ②	6,300	8,370	
	42	Inset	LM 608442.	① - ②	4,320	6,030	
		Center Posts	LC 608442.	① - ②	5,610	7,550	
		Outset	LT 608442.	① - ②	6,500	8,600	

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 8' long tables




BASE					L3	L11
L X W	HEIGHT	PLACEMENT	MODEL CODE		PRICE	PRICE
96	24	29 Inset	LM 249629. ①-②		3,000	3,870
	29	Center Posts	LC 249629. ①-②		3,490	4,450
	29	Outset	LT 249629. ①-②		4,260	5,350
	36	Center Posts	LC 249636. ①-②		3,700	4,690
	36	Outset	LT 249636. ①-②		4,550	5,700
	42	Center Posts	LC 249642. ①-②		3,910	4,940
	42	Outset	LT 249642. ①-②		4,850	6,050
96	30	29 Inset	LM 309629. ①-②		3,110	4,040
	29	Center Posts	LC 309629. ①-②		3,730	4,770
	29	Outset	LT 309629. ①-②		4,570	5,750
	36	Inset	LM 309636. ①-②		3,310	4,270
	36	Center Posts	LC 309636. ①-②		3,940	5,020
	36	Outset	LT 309636. ①-②		4,860	6,100
	42	Inset	LM 309642. ①-②		3,510	4,500
	42	Center Posts	LC 309642. ①-②		4,150	5,270
	42	Outset	LT 309642. ①-②		5,160	6,450
96	36	29 Inset	LM 369629. ①-②		3,220	4,210
	29	Center Posts	LC 369629. ①-②		4,470	5,670
	29	Outset	LT 369629. ①-②		4,280	5,450
	36	Inset	LM 369636. ①-②		3,420	4,440
	36	Center Posts	LC 369636. ①-②		4,620	5,860
	36	Outset	LT 369636. ①-②		4,580	5,800
	42	Inset	LM 369642. ①-②		3,620	4,670
	42	Center Posts	LC 369642. ①-②		4,770	6,040
	42	Outset	LT 369642. ①-②		4,870	6,160

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 8' long tables




			BASE				L3	L11
L X W	HEIGHT	PLACEMENT	MODEL CODE				PRICE	PRICE
96	42	29	Inset	LM 429629.	① - ②		3,580	4,700
		29	Center Posts	LC 429629.	① - ②		4,820	6,170
		29	Outset	LT 429629.	① - ②		5,490	6,960
	36		Inset	LM 429636.	① - ②		3,770	4,930
	36		Center Posts	LC 429636.	① - ②		4,970	6,350
	36		Outset	LT 429636.	① - ②		5,690	7,200
	42		Inset	LM 429642.	① - ②		3,970	5,170
	42		Center Posts	LC 429642.	① - ②		5,130	6,530
	42		Outset	LT 429642.	① - ②		5,890	7,430
96	48	29	Inset	LM 489629.	① - ②		3,580	4,700
		29	Center Posts	LC 489629.	① - ②		4,950	6,320
		29	Outset	LT 489629.	① - ②		5,690	7,200
	36		Inset	LM 489636.	① - ②		3,770	4,930
	36		Center Posts	LC 489636.	① - ②		5,100	6,510
	36		Outset	LT 489636.	① - ②		5,890	7,430
	42		Inset	LM 489642.	① - ②		3,970	5,170
	42		Center Posts	LC 489642.	① - ②		5,260	6,690
	42		Outset	LT 489642.	① - ②		6,080	7,660
96	60	29	Inset	LM 609629.	① - ②		3,940	5,580
		29	Center Posts	LC 609629.	① - ②		5,310	7,200
		29	Outset	LT 609629.	① - ②		6,120	8,150
	36		Inset	LM 609636.	① - ②		4,140	5,810
	36		Center Posts	LC 609636.	① - ②		5,470	7,380
	36		Outset	LT 609636.	① - ②		6,310	8,390
	42		Inset	LM 609642.	① - ②		4,330	6,050
	42		Center Posts	LC 609642.	① - ②		5,620	7,570
	42		Outset	LT 609642.	① - ②		6,510	8,620

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 9' long tables




			BASE		MODEL CODE		
L X W	HEIGHT	PLACEMENT				L3 PRICE	L11 PRICE
108 24	29	Inset	LM	2410829.	① - ②	3,480	4,710
		Center Posts	LC	2410829.	① - ②	3,610	4,870
		Outset	LT	2410829.	① - ②	4,380	5,770
	36	Center Posts	LC	2410836.	① - ②	3,820	5,120
		Outset	LT	2410836.	① - ②	4,680	6,120
	42	Center Posts	LC	2410842.	① - ②	4,030	5,360
		Outset	LT	2410842.	① - ②	4,970	6,470
108 30	29	Inset	LM	3010829.	① - ②	3,620	4,970
		Center Posts	LC	3010829.	① - ②	3,890	5,280
		Outset	LT	3010829.	① - ②	4,720	6,260
	36	Inset	LM	3010836.	① - ②	3,830	5,210
		Center Posts	LC	3010836.	① - ②	4,100	5,530
		Outset	LT	3010836.	① - ②	5,020	6,610
	42	Inset	LM	3010842.	① - ②	4,040	5,460
		Center Posts	LC	3010842.	① - ②	4,310	5,770
		Outset	LT	3010842.	① - ②	5,310	6,960
108 36	29	Inset	LM	3610829.	① - ②	4,110	5,620
		Center Posts	LC	3610829.	① - ②	4,640	6,250
		Outset	LT	3610829.	① - ②	5,250	6,960
	36	Inset	LM	3610836.	① - ②	4,330	5,880
		Center Posts	LC	3610836.	① - ②	4,800	6,430
		Outset	LT	3610836.	① - ②	5,450	7,200
	42	Inset	LM	3610842.	① - ②	4,550	6,140
		Center Posts	LC	3610842.	① - ②	4,950	6,610
		Outset	LT	3610842.	① - ②	5,640	7,430

To Order, Specify:

1. **①** List Model Code with either L3 or L11 Tabletop Edge

2. **②** Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:
Top Edge Color:
Base Color:

4. Quantity of Tables

Rectangle – 9' long tables




			BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
108 42	29	Inset	LM	4210829.	① - ②	4,510	6,250
		Center Posts	LC	4210829.	① - ②	5,040	6,870
		Outset	LT	4210829.	① - ②	5,710	7,660
	36	Inset	LM	4210836.	① - ②	4,730	6,510
		Center Posts	LC	4210836.	① - ②	5,190	7,050
		Outset	LT	4210836.	① - ②	5,910	7,900
	42	Inset	LM	4210842.	① - ②	4,950	6,770
		Center Posts	LC	4210842.	① - ②	5,350	7,230
		Outset	LT	4210842.	① - ②	6,110	8,130
108 48	29	Inset	LM	4810829.	① - ②	4,510	6,250
		Center Posts	LC	4810829.	① - ②	5,170	7,030
		Outset	LT	4810829.	① - ②	5,910	7,900
	36	Inset	LM	4810836.	① - ②	4,730	6,510
		Center Posts	LC	4810836.	① - ②	5,320	7,210
		Outset	LT	4810836.	① - ②	6,110	8,130
	42	Inset	LM	4810842.	① - ②	4,950	6,770
		Center Posts	LC	4810842.	① - ②	5,480	7,390
		Outset	LT	4810842.	① - ②	6,300	8,370
108 60	29	Inset	LM	6010829.	① - ②	4,920	6,890
		Center Posts	LC	6010829.	① - ②	5,580	7,670
		Outset	LT	6010829.	① - ②	6,380	8,620
	36	Inset	LM	6010836.	① - ②	5,140	7,150
		Center Posts	LC	6010836.	① - ②	5,730	7,850
		Outset	LT	6010836.	① - ②	6,580	8,850
	42	Inset	LM	6010842.	① - ②	5,360	7,410
		Center Posts	LC	6010842.	① - ②	5,890	8,030
		Outset	LT	6010842.	① - ②	6,780	9,090

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 10' long tables




		BASE		MODEL CODE		L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
120 24	29	Inset	LM	2412029.	① - ②	3,500	4,750
		Center Posts	LC	2412029.	① - ②	3,640	4,910
	29	Outset	LT	2412029.	① - ②	4,400	5,810
		Center Posts	LC	2412036.	① - ②	3,840	5,150
	36	Outset	LT	2412036.	① - ②	4,700	6,160
		Center Posts	LC	2412042.	① - ②	4,050	5,400
120 30	29	Inset	LM	3012029.	① - ②	3,640	4,990
		Center Posts	LC	3012029.	① - ②	3,900	5,300
	29	Outset	LT	3012029.	① - ②	4,730	6,280
		Inset	LM	3012036.	① - ②	3,840	5,230
	36	Center Posts	LC	3012036.	① - ②	4,110	5,540
		Outset	LT	3012036.	① - ②	5,030	6,630
120 36	29	Inset	LM	3612029.	① - ②	4,140	5,660
		Center Posts	LC	3612029.	① - ②	4,660	6,290
	29	Outset	LT	3612029.	① - ②	5,270	7,000
		Inset	LM	3612036.	① - ②	4,360	5,920
	36	Center Posts	LC	3612036.	① - ②	4,820	6,470
		Outset	LT	3612036.	① - ②	5,470	7,230
120 42	29	Inset	LM	3612042.	① - ②	4,580	6,180
		Center Posts	LC	3612042.	① - ②	4,970	6,650
	36	Outset	LT	3612042.	① - ②	5,670	7,470
		Inset	LM	3612042.	① - ②	4,580	6,180
	42	Center Posts	LC	3612042.	① - ②	4,970	6,650
		Outset	LT	3612042.	① - ②	5,670	7,470

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 10' long tables



			BASE		MODEL CODE		
L X W	HEIGHT	PLACEMENT				L3 PRICE	L11 PRICE
120	42	29	Inset	LM	4212029. ①-②	4,530	6,290
		29	Center Posts	LC	4212029. ①-②	5,060	6,910
		29	Outset	LT	4212029. ①-②	5,730	7,700
	36		Inset	LM	4212036. ①-②	4,750	6,550
	36		Center Posts	LC	4212036. ①-②	5,210	7,090
	36		Outset	LT	4212036. ①-②	5,930	7,940
	42		Inset	LM	4212042. ①-②	4,970	6,810
	42		Center Posts	LC	4212042. ①-②	5,370	7,270
	42		Outset	LT	4212042. ①-②	6,130	8,170
120	48	29	Inset	LM	4812029. ①-②	4,530	6,290
		29	Center Posts	LC	4812029. ①-②	5,190	7,070
		29	Outset	LT	4812029. ①-②	5,930	7,940
	36		Inset	LM	4812036. ①-②	4,750	6,550
	36		Center Posts	LC	4812036. ①-②	5,350	7,250
	36		Outset	LT	4812036. ①-②	6,130	8,170
	42		Inset	LM	4812042. ①-②	4,970	6,810
	42		Center Posts	LC	4812042. ①-②	5,500	7,430
	42		Outset	LT	4812042. ①-②	6,330	8,400
120	60	29	Inset	LM	6012029. ①-②	4,940	6,930
		29	Center Posts	LC	6012029. ①-②	5,600	7,710
		29	Outset	LT	6012029. ①-②	6,400	8,660
	36		Inset	LM	6012036. ①-②	5,160	7,190
	36		Center Posts	LC	6012036. ①-②	5,750	7,890
	36		Outset	LT	6012036. ①-②	6,600	8,890
	42		Inset	LM	6012042. ①-②	5,380	7,450
	42		Center Posts	LC	6012042. ①-②	5,910	8,070
	42		Outset	LT	6012042. ①-②	6,800	9,130

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

Rectangle – 11' long tables




			BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
132 30	29	Inset	LM	3013229.	① - ②	5,140	7,440
		Center Posts	LC	3013229.	① - ②	5,760	8,170
		Outset	LT	3013229.	① - ②	8,250	11,120
	36	Inset	LM	3013236.	① - ②	5,360	7,700
		Center Posts	LC	3013236.	① - ②	5,990	8,440
		Outset	LT	3013236.	① - ②	8,750	11,700
	42	Inset	LM	3013242.	① - ②	5,580	7,960
		Center Posts	LC	3013242.	① - ②	6,220	8,720
		Outset	LT	3013242.	① - ②	9,240	12,290
	29	Inset	LM	3613229.	① - ②	6,080	8,690
		Center Posts	LC	3613229.	① - ②	7,330	10,160
		Outset	LT	3613229.	① - ②	9,140	12,300
132 36	29	Inset	LM	3613236.	① - ②	6,330	8,980
		Center Posts	LC	3613236.	① - ②	7,520	10,390
		Outset	LT	3613236.	① - ②	9,470	12,690
	42	Inset	LM	3613242.	① - ②	6,570	9,260
		Center Posts	LC	3613242.	① - ②	7,720	10,630
		Outset	LT	3613242.	① - ②	9,800	13,080
	29	Inset	LM	4213229.	① - ②	6,500	9,350
		Center Posts	LC	4213229.	① - ②	7,740	10,820
		Outset	LT	4213229.	① - ②	9,760	13,200
	36	Inset	LM	4213236.	① - ②	6,740	9,640
		Center Posts	LC	4213236.	① - ②	7,940	11,060
		Outset	LT	4213236.	① - ②	10,090	13,590
132 42	29	Inset	LM	4213242.	① - ②	6,990	9,930
		Center Posts	LC	4213242.	① - ②	8,140	11,290
		Outset	LT	4213242.	① - ②	10,420	13,980

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has three bases
- LC model has four posts legs
- LT model has four bases

Rectangle – 11' long tables





			BASE		MODEL CODE		
L	X	W	HEIGHT	PLACEMENT		L3	L11
						PRICE	PRICE
132	48	29		Inset	LM 4813229. ① - ②	6,500	9,350
		29		Center Posts	LC 4813229. ① - ②	7,880	10,980
		29		Outset	LT 4813229. ① - ②	10,090	13,590
	36			Inset	LM 4813236. ① - ②	6,740	9,640
	36			Center Posts	LC 4813236. ① - ②	8,070	11,210
	36			Outset	LT 4813236. ① - ②	10,420	13,980
	42			Inset	LM 4813242. ① - ②	6,990	9,930
	42			Center Posts	LC 4813242. ① - ②	8,270	11,450
	42			Outset	LT 4813242. ① - ②	10,750	14,370
132	60	29		Inset	LM 6013229. ① - ②	7,100	10,330
		29		Center Posts	LC 6013229. ① - ②	8,470	11,950
		29		Outset	LT 6013229. ① - ②	10,880	14,800
	36			Inset	LM 6013236. ① - ②	7,340	10,610
	36			Center Posts	LC 6013236. ① - ②	8,670	12,190
	36			Outset	LT 6013236. ① - ②	11,210	15,190
	42			Inset	LM 6013242. ① - ②	7,580	10,900
	42			Center Posts	LC 6013242. ① - ②	8,870	12,420
	42			Outset	LT 6013242. ① - ②	11,540	15,580

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has three bases
- LC model has four posts legs
- LT model has four bases

Rectangle – 12' long tables




BASE				MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT				
144	24	29	Inset	LM 2414429. ① - ②	4,960	7,120
		29	Center Posts	LC 2414429. ① - ②	5,450	7,700
		29	Outset	LT 2414429. ① - ②	6,620	9,090
		36	Center Posts	LC 2414436. ① - ②	5,680	7,980
		36	Outset	LT 2414436. ① - ②	7,020	9,560
		42	Center Posts	LC 2414442. ① - ②	5,910	8,250
		42	Outset	LT 2414442. ① - ②	7,410	10,020
144	30	29	Inset	LM 3014429. ① - ②	5,190	7,530
		29	Center Posts	LC 3014429. ① - ②	5,810	8,270
		29	Outset	LT 3014429. ① - ②	8,310	11,210
		36	Inset	LM 3014436. ① - ②	5,410	7,790
		36	Center Posts	LC 3014436. ① - ②	6,040	8,540
		36	Outset	LT 3014436. ① - ②	8,800	11,800
		42	Inset	LM 3014442. ① - ②	5,630	8,050
		42	Center Posts	LC 3014442. ① - ②	6,280	8,810
		42	Outset	LT 3014442. ① - ②	9,300	12,380
144	36	29	Inset	LM 3614429. ① - ②	6,150	8,810
		29	Center Posts	LC 3614429. ① - ②	7,390	10,280
		29	Outset	LT 3614429. ① - ②	9,210	12,420
		36	Inset	LM 3614436. ① - ②	6,390	9,090
		36	Center Posts	LC 3614436. ① - ②	7,590	10,510
		36	Outset	LT 3614436. ① - ②	9,540	12,810
		42	Inset	LM 3614442. ① - ②	6,630	9,380
		42	Center Posts	LC 3614442. ① - ②	7,790	10,740
		42	Outset	LT 3614442. ① - ②	9,870	13,200

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has four bases
- LC model has six posts legs
- LT model has four bases

Rectangle – 12' long tables



			BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
144	42	29	Inset	LM	4214429. ①-②	6,580	9,490
		29	Center Posts	LC	4214429. ①-②	7,820	10,960
		29	Outset	LT	4214429. ①-②	9,830	13,340
		36	Inset	LM	4214436. ①-②	6,820	9,780
		36	Center Posts	LC	4214436. ①-②	8,020	11,190
		36	Outset	LT	4214436. ①-②	10,160	13,730
		42	Inset	LM	4214442. ①-②	7,060	10,060
		42	Center Posts	LC	4214442. ①-②	8,220	11,430
		42	Outset	LT	4214442. ①-②	10,490	14,120
144	48	29	Inset	LM	4814429. ①-②	6,580	9,490
		29	Center Posts	LC	4814429. ①-②	7,950	11,120
		29	Outset	LT	4814429. ①-②	10,160	13,730
		36	Inset	LM	4814436. ①-②	6,820	9,780
		36	Center Posts	LC	4814436. ①-②	8,150	11,350
		36	Outset	LT	4814436. ①-②	10,490	14,120
		42	Inset	LM	4814442. ①-②	7,060	10,060
		42	Center Posts	LC	4814442. ①-②	8,350	11,580
		42	Outset	LT	4814442. ①-②	10,820	14,510
144	60	29	Inset	LM	6014429. ①-②	7,190	10,500
		29	Center Posts	LC	6014429. ①-②	8,570	12,130
		29	Outset	LT	6014429. ①-②	10,980	14,980
		36	Inset	LM	6014436. ①-②	7,440	10,790
		36	Center Posts	LC	6014436. ①-②	8,770	12,360
		36	Outset	LT	6014436. ①-②	11,310	15,370
		42	Inset	LM	6014442. ①-②	7,680	11,080
		42	Center Posts	LC	6014442. ①-②	8,970	12,600
		42	Outset	LT	6014442. ①-②	11,640	15,760

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has four bases
- LC model has six posts legs
- LT model has four bases

Rectangle – 14' long tables




			BASE		MODEL CODE		
L X W	HEIGHT	PLACEMENT				L3 PRICE	L11 PRICE
168 30	29	Inset	LM	3016829.	① - ②	5,460	8,000
		Center Posts	LC	3016829.	① - ②	6,080	8,740
		Outset	LT	3016829.	① - ②	8,570	11,680
	36	Inset	LM	3016836.	① - ②	5,680	8,260
		Center Posts	LC	3016836.	① - ②	6,310	9,010
		Outset	LT	3016836.	① - ②	9,060	12,270
	42	Inset	LM	3016842.	① - ②	5,900	8,520
		Center Posts	LC	3016842.	① - ②	6,540	9,280
		Outset	LT	3016842.	① - ②	9,560	12,850
168 36	29	Inset	LM	3616829.	① - ②	7,170	10,200
		Center Posts	LC	3616829.	① - ②	7,700	10,820
		Outset	LT	3616829.	① - ②	9,520	12,970
	36	Inset	LM	3616836.	① - ②	7,440	10,510
		Center Posts	LC	3616836.	① - ②	7,900	11,060
		Outset	LT	3616836.	① - ②	9,850	13,360
	42	Inset	LM	3616842.	① - ②	7,700	10,820
		Center Posts	LC	3616842.	① - ②	8,100	11,290
		Outset	LT	3616842.	① - ②	10,180	13,750
168 42	29	Inset	LM	4216829.	① - ②	7,690	11,040
		Center Posts	LC	4216829.	① - ②	8,220	11,660
		Outset	LT	4216829.	① - ②	10,230	14,040
	36	Inset	LM	4216836.	① - ②	7,950	11,350
		Center Posts	LC	4216836.	① - ②	8,420	11,900
		Outset	LT	4216836.	① - ②	10,560	14,430
	42	Inset	LM	4216842.	① - ②	8,220	11,660
		Center Posts	LC	4216842.	① - ②	8,610	12,130
		Outset	LT	4216842.	① - ②	10,890	14,820

To Order, Specify:

1. **①** List Model Code with either L3 or L11 Tabletop Edge

2. **②** Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

Laminate Color:
Top Edge Color:
Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has four bases
- LC model has six posts legs
- LT model has four bases

Rectangle – 14' long tables




			BASE		MODEL CODE		
L X W	HEIGHT	PLACEMENT				L3 PRICE	L11 PRICE
168 48	29	Inset	LM	4816829.	① - ②	7,690	11,040
		Center Posts	LC	4816829.	① - ②	8,350	11,820
		Outset	LT	4816829.	① - ②	10,560	14,430
	36	Inset	LM	4816836.	① - ②	7,950	11,350
		Center Posts	LC	4816836.	① - ②	8,550	12,050
		Outset	LT	4816836.	① - ②	10,890	14,820
168 60	29	Inset	LM	6016829.	① - ②	8,400	12,230
		Center Posts	LC	6016829.	① - ②	9,060	13,010
		Outset	LT	6016829.	① - ②	11,470	15,850
	36	Inset	LM	6016836.	① - ②	8,670	12,540
		Center Posts	LC	6016836.	① - ②	9,260	13,240
		Outset	LT	6016836.	① - ②	11,800	16,240
42	42	Inset	LM	6016842.	① - ②	8,930	12,850
		Center Posts	LC	6016842.	① - ②	9,460	13,470
		Outset	LT	6016842.	① - ②	12,130	16,630

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has four bases
- LC model has six posts legs
- LT model has four bases

Rectangle – 16' long tables




		BASE		MODEL CODE		L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
192 36	29	Inset	LM	3619229.	① - ②	7,210	10,260
	29	Center Posts	LC	3619229.	① - ②	7,730	10,880
	29	Outset	LT	3619229.	① - ②	9,550	13,030
	36	Inset	LM	3619236.	① - ②	7,470	10,570
	36	Center Posts	LC	3619236.	① - ②	7,930	11,120
	36	Outset	LT	3619236.	① - ②	9,880	13,420
	42	Inset	LM	3619242.	① - ②	7,730	10,880
	42	Center Posts	LC	3619242.	① - ②	8,130	11,350
	42	Outset	LT	3619242.	① - ②	10,210	13,810
192 42	29	Inset	LM	4219229.	① - ②	7,720	11,100
	29	Center Posts	LC	4219229.	① - ②	8,250	11,720
	29	Outset	LT	4219229.	① - ②	10,260	14,100
	36	Inset	LM	4219236.	① - ②	7,990	11,410
	36	Center Posts	LC	4219236.	① - ②	8,450	11,950
	36	Outset	LT	4219236.	① - ②	10,590	14,490
	42	Inset	LM	4219242.	① - ②	8,250	11,720
	42	Center Posts	LC	4219242.	① - ②	8,650	12,190
	42	Outset	LT	4219242.	① - ②	10,920	14,880
192 48	29	Inset	LM	4819229.	① - ②	7,720	11,100
	29	Center Posts	LC	4819229.	① - ②	8,380	11,880
	29	Outset	LT	4819229.	① - ②	10,590	14,490
	36	Inset	LM	4819236.	① - ②	7,990	11,410
	36	Center Posts	LC	4819236.	① - ②	8,580	12,110
	36	Outset	LT	4819236.	① - ②	10,920	14,880
	42	Inset	LM	4819242.	① - ②	8,250	11,720
	42	Center Posts	LC	4819242.	① - ②	8,780	12,340
	42	Outset	LT	4819242.	① - ②	11,250	15,270
192 60	29	Inset	LM	6019229.	① - ②	8,440	12,290
	29	Center Posts	LC	6019229.	① - ②	9,100	13,070
	29	Outset	LT	6019229.	① - ②	11,510	15,910
	36	Inset	LM	6019236.	① - ②	8,700	12,600
	36	Center Posts	LC	6019236.	① - ②	9,300	13,300
	36	Outset	LT	6019236.	① - ②	11,840	16,300
	42	Inset	LM	6019242.	① - ②	8,970	12,910
	42	Center Posts	LC	6019242.	① - ②	9,490	13,530
	42	Outset	LT	6019242.	① - ②	12,170	16,690

To Order, Specify:

1. **①** List Model Code with either L3 or L11 Tabletop Edge

2. **②** Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has four bases
- LC model has six posts legs
- LT model has five bases

Rectangle – 18' long tables




BASE			MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT			
216 36	29	Inset	LM 3621629. ①-②	7,510	10,800
	29	Center Posts	LC 3621629. ①-②	8,040	11,430
	29	Outset	LT 3621629. ①-②	9,860	13,570
	36	Inset	LM 3621636. ①-②	7,780	11,120
	36	Center Posts	LC 3621636. ①-②	8,240	11,660
	36	Outset	LT 3621636. ①-②	10,190	13,960
	42	Inset	LM 3621642. ①-②	8,040	11,430
	42	Center Posts	LC 3621642. ①-②	8,440	11,900
	42	Outset	LT 3621642. ①-②	10,520	14,350
216 42	29	Inset	LM 4221629. ①-②	8,120	11,800
	29	Center Posts	LC 4221629. ①-②	8,650	12,420
	29	Outset	LT 4221629. ①-②	10,660	14,800
	36	Inset	LM 4221636. ①-②	8,380	12,110
	36	Center Posts	LC 4221636. ①-②	8,840	12,660
	36	Outset	LT 4221636. ①-②	10,990	15,190
	42	Inset	LM 4221642. ①-②	8,650	12,420
	42	Center Posts	LC 4221642. ①-②	9,040	12,890
	42	Outset	LT 4221642. ①-②	11,320	15,580
216 48	29	Inset	LM 4821629. ①-②	8,120	11,800
	29	Center Posts	LC 4821629. ①-②	8,780	12,580
	29	Outset	LT 4821629. ①-②	10,990	15,190
	36	Inset	LM 4821636. ①-②	8,380	12,110
	36	Center Posts	LC 4821636. ①-②	8,980	12,810
	36	Outset	LT 4821636. ①-②	11,320	15,580
	42	Inset	LM 4821642. ①-②	8,650	12,420
	42	Center Posts	LC 4821642. ①-②	9,170	13,050
	42	Outset	LT 4821642. ①-②	11,650	15,970
216 60	29	Inset	LM 6021629. ①-②	8,930	13,160
	29	Center Posts	LC 6021629. ①-②	9,590	13,940
	29	Outset	LT 6021629. ①-②	12,000	16,790
	36	Inset	LM 6021636. ①-②	9,200	13,470
	36	Center Posts	LC 6021636. ①-②	9,790	14,180
	36	Outset	LT 6021636. ①-②	12,330	17,180
	42	Inset	LM 6021642. ①-②	9,460	13,790
	42	Center Posts	LC 6021642. ①-②	9,990	14,410
	42	Outset	LT 6021642. ①-②	12,660	17,570

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has five bases
- LC model has six posts legs
- LT model has five bases

Rectangle – 20' long tables




			BASE		MODEL CODE	L3 PRICE	L11 PRICE
L X W	HEIGHT	PLACEMENT					
240 36	29	Inset	LM	3624029.	① - ②	7,550	10,860
	29	Center Posts	LC	3624029.	① - ②	8,070	11,490
	29	Outset	LT	3624029.	① - ②	9,890	13,630
	36	Inset	LM	3624036.	① - ②	7,810	11,170
	36	Center Posts	LC	3624036.	① - ②	8,270	11,720
	36	Outset	LT	3624036.	① - ②	10,220	14,020
	42	Inset	LM	3624042.	① - ②	8,070	11,490
	42	Center Posts	LC	3624042.	① - ②	8,470	11,950
	42	Outset	LT	3624042.	① - ②	10,550	14,410
240 42	29	Inset	LM	4224029.	① - ②	8,150	11,860
	29	Center Posts	LC	4224029.	① - ②	8,680	12,480
	29	Outset	LT	4224029.	① - ②	10,690	14,860
	36	Inset	LM	4224036.	① - ②	8,420	12,170
	36	Center Posts	LC	4224036.	① - ②	8,880	12,710
	36	Outset	LT	4224036.	① - ②	11,020	15,250
	42	Inset	LM	4224042.	① - ②	8,680	12,480
	42	Center Posts	LC	4224042.	① - ②	9,080	12,950
	42	Outset	LT	4224042.	① - ②	11,350	15,640
240 48	29	Inset	LM	4824029.	① - ②	8,150	11,860
	29	Center Posts	LC	4824029.	① - ②	8,810	12,640
	29	Outset	LT	4824029.	① - ②	11,020	15,250
	36	Inset	LM	4824036.	① - ②	8,420	12,170
	36	Center Posts	LC	4824036.	① - ②	9,010	12,870
	36	Outset	LT	4824036.	① - ②	11,350	15,640
	42	Inset	LM	4824042.	① - ②	8,680	12,480
	42	Center Posts	LC	4824042.	① - ②	9,210	13,100
	42	Outset	LT	4824042.	① - ②	11,680	16,030
240 60	29	Inset	LM	6024029.	① - ②	8,970	13,220
	29	Center Posts	LC	6024029.	① - ②	9,630	14,000
	29	Outset	LT	6024029.	① - ②	12,030	16,850
	36	Inset	LM	6024036.	① - ②	9,230	13,530
	36	Center Posts	LC	6024036.	① - ②	9,820	14,240
	36	Outset	LT	6024036.	① - ②	12,360	17,240
	42	Inset	LM	6024042.	① - ②	9,490	13,850
	42	Center Posts	LC	6024042.	① - ②	10,020	14,470
	42	Outset	LT	6024042.	① - ②	12,690	17,630

To Order, Specify:

1. **①** List Model Code with either L3 or L11 Tabletop Edge

2. **②** Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:

4. Quantity of Tables

NOTE:

- 132"+ long tables are two-piece Tabletops
- Two-piece Tabletops are not grain matched due to limitations of materials
- LM model has five bases
- LC model has eight posts legs
- LT model has six bases

Square




L X W	HEIGHT	MODEL CODE	L3 PRICE	L11 PRICE
36	36	29	LT 363629. ① - ②	3,200 3,980
	36		LT 363636. ① - ②	3,330 4,140
	42		LT 363642. ① - ②	3,470 4,300
42	42	29	LT 424229. ① - ②	3,530 4,450
	36		LT 424236. ① - ②	3,660 4,600
	42		LT 424242. ① - ②	3,800 4,760
48	48	29	LT 484829. ① - ②	3,670 4,620
	36		LT 484836. ① - ②	3,810 4,770
	42		LT 484842. ① - ②	3,940 4,930
60	60	29	LT 606029. ① - ②	4,170 5,600
	36		LT 606036. ① - ②	4,300 5,750
	42		LT 606042. ① - ②	4,430 5,910

To Order, Specify:

1. ① List Model Code with either L3 or L11 Tabletop Edge

2. ② Options (list in alphabetical order):

- CSI Industrial locking casters, add \$400 per table
- GB Non-Powered Grommet (Black), add \$40 list each
- GS Non-Powered Grommet (Silver), add \$40 list each
- Select Location Code



- WMAGB Magnetic Wire Manager (Black), add \$100 list
- WMAGS Magnetic Wire Manager (Silver), add \$100 list
- WMAGW Magnetic Wire Manager (White), add \$100 list

3. Finishes

- Laminate Color:
- Top Edge Color:
- Base Color:


4. Quantity of Tables

ACCESSORY PRICE BOOK

Effective 03/01/2023



Freight Program



Yellow - Zone 1 Prepaid Freight on orders over \$3000 NET
Orders under \$3000 NET - Add \$300 NET to order

White - Zone 2 Prepaid Freight on orders over \$6000 NET
Orders under \$6000 NET - Add \$600 NET to order


Credenza



W x L x H		MODEL CODE	LIST PRICE
24 x 36 x 29	2 Door	C ? 243629.L3. ① - ②	9,230
24 x 36 x 34	2 Door	C ? 243634.L3. ① - ②	9,580
24 x 53 x 29	3 Door	C ? 245329.L3 . ① - ②	11,380
24 x 53 x 34	3 Door	C ? 245334.L3 . ① - ②	11,780
24 x 72 x 29	4 Door	C ? 247229.L3 . ① - ②	14,030
24 x 72 x 34	4 Door	C ? 247234.L3 . ① - ②	15,030

①	Select Pull #	? = MODEL CODE
	1	Round Bar Pull: Steel, stainless steel look, .472diameter x 8.189 high
	2	Arched Bar Pull: Steel, dark oil-rubbed bronze, 6.02 high.
	3	Split Bar Pull: Zinc, polished chrome, 1.378" wide x 6.772 high.
	4	Square Bar Pull: Stainless steel, mat2e finish, .591" wide x 5.63 high.
	5	Flat Bar Pull: Zinc, silver aluminum finish, 6.693" wide x .315 high.
	6	L-Shape Aluminum Pull: Silver mat2e anodized, 6.614" wide x .748 high.
	Features: Two adjustable removable shelves	
	Cabinet is finished on all sides – inside is black	

②	CLP	Ventilation Panel, add \$200 list per panel
---	-----	---



Lectern



W x L x H		MODEL CODE	LIST PRICE
20 x 24 x 48		L202448L	10,500
20 x 24 x 48	Mobile	L202448L-CS	10,500

NOTE: Includes black swivel casters. Load rating of 130 pounds per caster, factory installed.

20 x 24 x 48	Flip-Up Shelf	L202448L-FS (L/R)	10,800
--------------	---------------	-------------------	--------

NOTE: Specify left or right side for the shelf

Lectern Flip-up Shelf - 12" w x 15" d flip-up shelf. Factory installed

20 x 24 x 48	Powered	L202448L-PCV2USBAV48	12,300
--------------	---------	----------------------	--------

NOTE: Powered Lectern - Features Power Box with two outlets, two USB-A ports and AV plate that includes one data jack and one HDMI jack. Power box includes 108" 15 Amp corded plug. Lectern also features a removable inner shelf which is notched to allow wires to pass through, a 2.5" wire management hole with black grommet is located on bottom fixed shelf to allow wires to pass through to power source.




Media Wall

D x W x H			MODEL CODE	LIST PRICE
6 x 36 x 54	Short Wall		MW 63654	3,565
6 x 48 x 54	Short Wall		MW 64854	4,165
6 x 36 x 72	Tall Wall		MW 63672	4,035
6 x 48 x 72	Tall Wall		MW 64872	5,025

NOTE: List pricing includes:

- Two fixed height brackets for Tabletop to mount to
- One powder coated access panel under Tabletop
- Two non-powered grommets
- Two removable self edged laminate panels
- Panels at2ach via key slots on the front and back




Carts for Folding Tables




W x L x H	MODEL CODE	LIST PRICE
31 x 82 x 37	FC-72RE.H	2,640

Flat stacks 6 tables: 18x60, 18x72, 24x60, 24x72
Side stacked 4 tables: 30x48, 30x60, 36x48, 36x60
Side stacked 5 tables: 30x72, 36x72



31 x 94 x 37	FC-84RE.H	2,720
--------------	-----------	-------

Flat stacks 6 tables: 18x84, 24x84
Side stacked 5 tables: 30x84, 36x84



31 x 106 x 37	FC-96RE.H	2,800
---------------	-----------	-------

Flat stacks 6 tables: 18x96, 24x96
Side stacked 5 tables: 30x96, 36x96



32 x 67 x 64	FC-60RD.H (60" Round tables)	2,295
--------------	------------------------------	-------


Holds 4 side stacked round tables.
Accommodates 48" and 60" round tables

32 x 67 x 64	FC-72RD.H (72" Round tables)	2,295
--------------	------------------------------	-------

Holds 4 side stacked 72" round tables.

32 x 67 x 64	FC-60SQ.H (60" Square tables)	2,295
--------------	-------------------------------	-------

Holds 4 side stacked 60" square tables.



All sizes are nominal sizes.

- 1,000 lbs. capacity
- Removable vertical supports
- Interchangeable push handle for pushing cart from either end
- Casters are locking omnidirectional for maneuvering small spaces.
- Cart stays in place while loading.
- Closed cell high impact foam to protect table surfaces and edges
- The frame is constructed of 2" x 2" x 14ga square tubular carbon ASTM-A513 steel

OPTIONS

Effective 03/01/2023



Modesty Panel Specification

9" high x 18GA steel laser cut steel panels

Free swinging

Modesty panels are not available on folding tables

Panels are field Installed



Code: M1



Code: M2



Code: M3



Code: M4



Code: M5



Code: M6

Grommet

3" round plastic grommet is provided with table tops that are cut at factory for correct hole size. Field installed.

Available in Black or Silver

Model Code: G

Industrial locking casters

Recommended for: Coby Apron, Coby Post, Coby Square, Lincoln and Union 2.0 tables.

Designed for both hard & soft floors to move table between areas without damaging the floors. Grey polyurethane wheel, 4" diameter with 1/2"-13 x 1.5" threaded stem with a height of 5" and has ball bearings. Weight capacity is 300 lbs. per caster.

Model Code: CSI

Swivel cup holder

Secured with screws, this cup holder is 8" x 5" 14GA steel, has 110° of swivel and fits two sizes of cups: standard 2.75" and larger 3.5". Available in black only

Model Code: CUP

Tablet holder

Secured with screws, this tablet holder is 6" x 8" 16GA steel, has a 2" flange that screws under the top. Available in Black, Silver or White

Model Code: TAB

Table gangers

Simply twist and lock in place. Not available on knife profile edges.

Model Code: TG

Leveling table gangers

3" x 6" 11GA steel plates. Simply loosen the knobs, slide plate over, and tighten knobs. Tops are joined and leveled. Inserts are factory installed, plate and knobs are field installed. Not available on knife edge profiles.

Model Code: QR

Bag Hook

Black 14GA bent steel hook holds up to 100 lbs. and can be placed anywhere under your table. Field installed.

Model Code: HOOK

Floor anchored bracket

Steel bracket provides way to fix the table to the floor. Screws to drill into the floor are not provided. Recommended on 18" wide tables that are taller than 30" high.

Model Code: FA

Apron to accept power

Recommended for: Union 2.0 Tables

3.25" high x 12GA steel apron beam to house power.

(Cove power units are sold separately)

Model Code: APU



Wire Management

Cable Base with holes

Recommended for: Coby Apron, Coby Post, Gateway, and Supreme

1.5" x 2.5" holes cut in the top and bottom of the base column to feed wire(s) in and out of base.

Model Code: WB

Magnetic wire manager

Recommended for: Coby Square, Empire, NiM, Jewel, Lincoln (square or rectangular bases only)

1" deep X 2" wide x 17.75" tall; 22GA steel with open slot to accommodate any cable. It weighs 1 lbs.

Available in Black, White or Silver.

Model Code: WMAG

Snap on vertical wire manager

Recommended for: Gateway "T2" bases and Gateway beam nesting tables

Easy steel Snap-on cover has the capacity for many cables. Standard 17 3/4" length.

Available in Black, Silver or White.



Loop Clips

Four clips are provided with every power box to secure cables under the Tabletop. Sets of 4 may also be purchased.

Model Code WLOOP

Steel Horizontal Cable Trough:

12" x 34" long x 6" high, black 18GA steel trough with side access holes.

Available in Black and field installed.

Model Code: WT

Power box pass through base

Recommended for: Island and Supreme "X" based tables

The base includes a formed steel box under the surface to house the power unit. The column is hollow and the bottom of the base includes an exit hole for the cables.

Model Code: WPP



POWER

Effective 03/01/2023



Power only sold with Hi5 products

AV PLATE CHOICES



Plate#0

Add \$10 to power unit List Price



Plate#1

Add \$180 to power unit List Price. Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#21

Add \$380 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#24

Add \$220 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached



Plate#25

Add \$420 to power unit List Price. Includes: (2) HDMI with 36 patch cord aT2ached



Plate#48

Add \$300 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached (1) RJ-45 Punch Down Siemen Cat 6 Black

	Under Top Edge Mount	Apron Mount	Top Flush Mount	Top Raised Mount	Linking Available	Number of Outlets per Box	Number of USB-A per box	Number of USB-C per box	AV Plates to add HDMI and/or Internet Jacks
Zest	•				•	2			
Chirp	•					2	1 or 2	1 or 2	•
TinyBrite	•				•	1 or 2	1	1	
Slick	•				•	2	2		
Cove		•	•		•	2 or 4	1 or 2	1	•
Pearl			•			1 or 2	2		
Charm			•			2	2		•
Wink			•		•	2 or 3	1	1	
Jazz			•		•	4	2		•
Volt			•		•	6	2		•
Halo				•	•	2 or 3	1	1	
Zing				•	•	2	2		
Spunk				•	•	1 or 2	1	1	
Glow				•	•	1	1	1	
Flare				•	•	4 or 6	2	2	

INTERNET CAT 5, CAT 6

USB TYPE A

NETWORK DATA JACK

USB TYPE C

DISPLAY PORT

HDMI

THUNDER BOLT

USB MICRO B

LIGHTNING

USB MINI B

USB TYPE MINI A



Power only sold with Hi5 products



CHARM

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2			1	PCM2S-1-2-3	500
Non-Linking	2	2		1	PCM2USBS-1-2-3	700
Hardwired	2			1	PCM2H-1-2-3	560
Hardwired	2	2		1	PCM2USBH-1-2-3	770

To Order, Specify:

- 1

List Model Code with the color code

B

Black

S

Silver

W

White
- 2

List the AV Plate code, if applicable:

0

Blank Plate to Cover Hole

1

2 Data Jacks

21

2 Data Jacks and 1 HDMI

24

1 HDMI

25

2 HDMI

48

1 Data Jacks and 1 HDMI
- 3

List the Location Code of your boxes

PbL

PaL

PcL

PeL

PdL

PfL

Hardwire Tip

- When specified with hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source.

- FEATURES:**
- 15A/120V AC Receptacles
 - 2.1A/5V Dual USB Charging Ports
 - Convenience Outlet
 - Cord Pass throughs for Cord Management
 - Standard Cord Lengths: 72"
 - ETL Listed for US and Canada

Power only sold with Hi5 products



CHIRP

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PCH1.- 1 -72- 2 - 3	350
Non-Linking	2	2	-	-	PCH2.- 1 -72- 2 - 3	550
Non-Linking	2	1	1	-	PCH3.- 1 -72- 2 - 3	630
Non-Linking	2	1	1	1	PCH4.- 1 -72- 2 - 3	630
Non-Linking	2	-	2	-	PCH5.- 1 -72- 2 - 3	650

60-WAT2 UNITS

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	1	1	-	PCH6.- 1 -72- 2 - 3	770
Non-Linking	2	1	1	1	PCH7.- 1 -72- 2 - 3	770

To Order, Specify:


1 List Model Code with the color code

B	Black
S	Silver
W	White

2 List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

3 List the Location Code of your boxes



FEATURES:

- 15A/120V AC Tamper-Resistant Receptacles
- 5A/5V Shared; USB & USB-C® Charging Ports
- Standard Cord Length: 72"
- ETL Listed for US and Canada

60 WAT2 UNITS FEATURES:

- 15A/120V AC Tamper-Resistant Receptacles
- 2.1A/5V USB Charging Port
- 60 Wat2 USB-C® Power-Delivery Enabled (USB-PD) Charging Port
- Standard Cord Length: 72" NEMA 5-15 Straight Plug
- ETL Listed for US and Canada

Power only sold with Hi5 products



COVE

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PC. ①-108-②-③	400
Non-Linking	2	2	-	-	PCU. ①-108-②-③	600
Non-Linking	2	2	-	1	PCUA. ①-108-②-③	600
Non-Linking	4	2	-	1	PC4UA. ①-108-②-③	770
Non-Linking	2	2	-	-	PCU22. ①-108-②-③	810

ROUND UNITS

Non-Linking	2	-	-	-	PCR2. ①-108-②-③	400
Non-Linking	2	2	-	-	PCR2U. ①-108-②-③	600

60-WAT2 UNITS

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	1	1	-	PC61. ①-108-②-③	880
Non-Linking	2	1	1	1	PC62. ①-108-②-③	880
Non-Linking	4	1	1	-	PC63. ①-108-②-③	1,210
Non-Linking	4	1	1	1	PC64. ①-108-②-③	1,210

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White


② List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



Use edge mounted locations to mount into
Coby Apron Tables



FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- Convenience Outlets on PCU22 Model
- Standard Cord Length: 108"
- ETL Listed for US and Canada

60 WAT2 UNITS FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V USB Charging Port
- 60 Wat2 USB-C® Power-Delivery Enabled (USB-PD) Charging Port
- Standard Cord Length: 108" with 90-Degree Plug
- ETL Listed for US and Canada

Power only sold with Hi5 products



COVE (link power boxes together)

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Linking	2	-	-	-	PCL.- ① - ② - ③ - ④	540
Linking	2	2	-	-	PCUL. ① - ② - ③ - ④	740
Linking	2	2	-	1	PCUAL. ① - ② - ③ - ④	740
Linking	4	2	-	1	PC4UAL. ① - ② - ③ - ④	1,040

To Order, Specify:

① List Model Code with the color code

B Black
S Silver
W White


② List the AV Plate code, if applicable:

0 Blank Plate to Cover Hole
1 2 Data Jacks
21 2 Data Jacks and 1 HDMI
24 1 HDMI
25 2 HDMI
48 1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



Use edge mounted locations to mount into
Coby Apron Tables



④ List the Qty and Length of Starter Cables


Code: PSTS72F
72" Starter Cable, add \$270 list per cable
Code: PSTS96F
96" Starter Cable, add \$390 list per cable
Code: PSTS120F
120" Starter Cable, add \$430 list per cable

Linking Tip

- No more than 8 units can link together
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

LINKING UNIT'S FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- ETL Listed for US and Canada



20 amp Receptacle

15 amp Receptacle

Power only sold with Hi5 products



FLARE

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	4	2	2	-	PF. ①-32-②-③	1,740
Non-Linking	6	2	2	-	PF2. ①-32-②-③	1,880
Linking	4	2	2	-	PFL. ①-32-②-③	1,870
Linking	6	2	2	-	PF2L. ①-32-②-③	2,000

To Order, Specify:

① List Model Code with the color code

B Black
S Stainless

② List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PLUG72

72" Starter Cable, add \$90 list per cable

Code: PLUG108

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Brushed stainless steel frame
- 4 Power Size: 6.1" x 8.6" long x .87" raised off the Tabletop
- 6 Power Size: 6.1" x 11.8" long x .87" raised off the Tabletop
- Secured with 4 x screw clamps, as standard, for surfaces 0.40"-1.18"
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



GLOW



	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	1	1	1		PG. ①-32-②-③	540
Non-Linking	1	1	1		PG. ①-32-②-③	540
Linking	1	1	1		PGL. ①-32-②-③	660
Linking	1	1	1		PGL. ①-32-②-③	660

To Order, Specify:

① List Model Code with the color code

WSL White with Silver Ring
BSL Black with Silver Ring

② List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Size: 4.25" diameter x .61" raised off the Tabletop
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- A single cable pass-thru feature is built - up to .35" knock-out in fascia
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



HALO

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	3	-	-		PH1. 1-12-2-3	410
Non-Linking	2	1	1		PH2. 1-12-2-3	660
Linking	3	-	-		PH1L. 1-12-2-3	530
Linking	2	1	1		PH2L. 1-12-2-3	780

To Order, Specify:

- 1

List Model Code with the color code

B

Black

W

White
- 2

List the Location Code of your boxes

PeL

PdL

PfL
- 3

List the Qty and Length of Starter Cables

Code: PLUG72

72" Starter Cable, add \$90 list per cable

Code: PLUG108

108" Starter Cable, add \$150 list per cable

- Tip

▪ Every non-linking unit needs a starter cable.

▪ Linking units need one starter cable per run of tables

▪ No more than 6 units can link together

- FEATURES:

▪ Size: 5.5" diameter x 2.85" raised off the Tabletop

▪ Secured to the table

▪ USB Charging: Twin USB Fast Charger maximum combined output of 25W.

▪ Reversible Type A USB

▪ Blue LED - 5V Standard Fast Charge

▪ Power and cord: 12" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM

▪ Certifications: cETLus Listed – UL962A/CSA22.2

Power only sold with Hi5 products



JAZZ

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	4	2	-	1	PJ. ①-108-②-③	1,510
Linking	4	2	-	1	PJL. ①-②-③-④	2,150

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White

② List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



④ List the Qty and Length of Starter Cables

Code: PSTS72F

72" Starter Cable, add \$270 list per cable

Code: PSTS96F

96" Starter Cable, add \$390 list per cable

Code: PSTS120F

120" Starter Cable, add \$430 list per cable

Non-Linking Tip


- Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately.
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

FEATURES:

- Size: 6.25" x 16.1"
- 15A/120V AC Spill-Resistant Receptacles
- 2A/5V Shared; Dual USB Ports
- Cord Pass through for Cord Management
- ETL Listed for US and Canada



20 amp Receptacle

15 amp Receptacle

Power only sold with Hi5 products



PEARL

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	1	-	-		PP1. 1-72-2	90
Non-Linking	-	2	-		PP2. 1-72-2	260
Non-Linking	2	2	-		PP3. 1-72-2	300

To Order, Specify:

- 1 List Model Code with the color code
- B

S

W

Black

Silver

White

- 2 List the Location Code of your boxes



- FEATURES:
- 15A, 120VAC Tamper Resistant Receptacles
 - 2.1A/10.5W USB Charging Ports
 - 72" Standard Cord with NEMA 5-15 Straight Plug
 - 3" Dimensions: 3.36" x 3.21"
 - 2" Dimensions (USB & Power Only): 2.62" x 3.51"
 - ETL Listed for US and Canada

Power only sold with Hi5 products



SLICK


	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	2	-	-	PSL1. ①-120-②	450
Linking	2	2	-	-	PSL1L. ①-12-②-③	560

To Order, Specify:

① List Model Code with the color code

B Black
S Silver
W White

② List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PER-72
72" Starter Cable, \$650 list per cable
Code: PER-108
108" Starter Cable, \$660 list per cable
Code: PER-120
120" Starter Cable, \$670 list per cable
Code: PER-132
132" Starter Cable, \$680 list per cable
Code: PER-144
144" Starter Cable, \$690 list per cable
Code: PER-168
168" Starter Cable, \$710 list per cable
Code: PER-180
180" Starter Cable, \$730 list per cable
Code: PER-204
204" Starter Cable, \$770 list per cable

Non-Linking Tip

- Comes standard with a 120" soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

FEATURES:

- Size: 2.3" x 6" long x 1.81 high
- 2 - 15A, 120V AC Power Outlets
- 2 - 2.1A/10.5W USB Charging Ports
- UL 962A and UL 111 Listed
- UL 1310 Recognized
- Meets UL Spill Requirements
- Class 2, FCC Part 15 A Approved
- Meets USB.org BaT2ery Charging 1.2 Specifications

Power only sold with Hi5 products



SPUNK

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PSP1.S-32-1	510
Non-Linking	1	1	1	-	PSP2.S-32-1	760
Linking	2	-	-	-	PSP1L.S-32-1-2	630
Linking	1	1	1	-	PSP2L.S-32-1-2	880

To Order, Specify:

1 List the Location Code of your boxes

PbL PaL PcL

PeL PdL PfL

2 List the Qty and Length of Starter Cables

Code: PLUG72
72" Starter Cable, add \$90 list per cable
Code: PLUG108
108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Construction: Brushed stainless steel
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed – UL962A/CSA22.2

Power only sold with Hi5 products



TINYBRITE


	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PT1. ①-32-②	280
Non-Linking	1	1	1	-	PT2. ①-32-②	530
Linking	2	-	-	-	PT1L. ①-32-②-③	400
Linking	1	1	1	-	PT2L. ①-32-②-③	650

To Order, Specify:

① List Model Code with the color code

B Black
W White

② List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable


Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Construction: polycarbonate & metal
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 12" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



VOLT

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Linking	6	2	-	1	PV. 1 - 2 - 3 - 4	3,340

To Order, Specify:

- 1

List Model Code with the color code

B

Black

S

Silver

W

White
- 2

List the AV Plate code, if applicable:

0

Blank Plate to Cover Hole

1

2 Data Jacks

21

2 Data Jacks and 1 HDMI

24

1 HDMI

25

2 HDMI

48

1 Data Jacks and 1 HDMI
- 3

List the Location Code of your boxes

PeL

PdL

PfL
- 4

List the Qty and Length of Starter Cables

Code: PSTS72F

72" Starter Cable, add \$270 list per cable

Code: PSTS96F

96" Starter Cable, add \$390 list per cable

Code: PSTS120F

120" Starter Cable, add \$430 list per cable

Non-Linking Tip


- Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately.
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

FEATURES:

- 11.2" x 15" x 5.29 high Outer Pan included
- 20A/120V AC Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- Circuit 1 and 2 Options - Link Up-to 6 Units across 2 Circuits
- Power Inserts - UL Listed for US and Canada



Power only sold with Hi5 products



WINK

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	3	-	-	-	PW1. ①-32-②-③	480
Non-Linking	2	1	1	-	PW2. ①-32-②-③	720
Linking	3	-	-	-	PW1L. ①-32-②-③	600
Linking	2	1	1	-	PW2L. ①-32-②-③	850

To Order, Specify:

① List Model Code with the color code

B	Black
S	Stainless Steel
W	White

② List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Size: 5.37 – 5.9" diameter
- Secured to table top
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed – UL962A/CSA22.2

Power only sold with Hi5 products



ZEST

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PZE1. 1-108- 2	200
Linking	2	-	-	-	PZE1L. 1-12- 2- 3	360

To Order, Specify:

- 1

List Model Code with the color code

B

Black

W

White
- 2

List the Location Code of your boxes

PrL

PpL

PoL

PsL

Edge mounted units

PnL

PjL

PkL

PmL
- 3

List the Qty and Length of Starter Cables

Code: PER-72

72" Starter Cable, \$650 list per cable

Code: PER-108

108" Starter Cable, \$660 list per cable

Code: PER-120

120" Starter Cable, \$670 list per cable

Code: PER-132

132" Starter Cable, \$680 list per cable

Code: PER-144

144" Starter Cable, \$690 list per cable

Code: PER-168

168" Starter Cable, \$710 list per cable

Code: PER-180

180" Starter Cable, \$730 list per cable

Code: PER-204

204" Starter Cable, \$770 list per cable

- Non-Linking Tip

Comes standard with a 108" soft-wired cord.
- Linking Tip

If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

- FEATURES:

Size: 3.70" x 2.30" x 1.80"

2- 15A, 120V AC Power Outlets

UL 962A Listed

UL 1363 Recognized

Meets UL Spill Requirements

Class 2, FCC Part A Approved

Power only sold with Hi5 products



ZING

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	2	-	-	PZ1. ①-120-②	590
Linking	2	2	-	-	PZ1L. ①-12-②-③	810

To Order, Specify:

① List Model Code with the color code

B Black
S Silver
W White

② List the Location Code of your boxes

PbL	PaL	PcL	PeL	PdL	PfL
-----	-----	-----	-----	-----	-----

③ List the Qty and Length of Starter Cables

Code: PER-72
72" Starter Cable, \$650 list per cable
Code: PER-108
108" Starter Cable, \$660 list per cable
Code: PER-120
120" Starter Cable, \$670 list per cable
Code: PER-132
132" Starter Cable, \$680 list per cable
Code: PER-144
144" Starter Cable, \$690 list per cable
Code: PER-168
168" Starter Cable, \$710 list per cable
Code: PER-180
180" Starter Cable, \$730 list per cable
Code: PER-204
204" Starter Cable, \$770 list per cable

Non-Linking Tip

- Comes standard with a 120" soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

FEATURES:

- Size: 5" x 7" x 1.57" high pop-up
- 2- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- Gas Strut Open/Close Mechanism
- UL 962A and UL 111 Listed
- UL 1310 Recognized
- Meets UL Spill Requirements
- Class 2, FCC Part 15 A Approved
- Meets USB.org BaT2ery Charging 1.2 Specifications

TERMS + CONDITIONS

Effective 03/01/2023





TERMS + CONDITIONS

Installing Dealership Responsibilities:

1. Designate non-commissioned employees (e.g., Project Manager) to be responsible for coordinating and administering inbound orders.
2. Manage all administrative responsibilities to ensure accuracy, completeness, and proper response time.
3. Provide insurance for public liability, including products, operations, and contractual liability; worker's compensation; property damage with minimum limits of \$1,000,000; transportation vehicles; and occupational disease. Insurance coverage should be maintained for any merchandise in their care or control. This period of responsibility extends from physical receipt of the product to installation and final approval (Sign-Off Agreement) by the customer.
4. Use high quality experienced installers if the Installing Dealer does not maintain their own installation crew and utilizes an outside installation company.
5. Maintain adequate warehouse storage space to accommodate at least one truckload of furniture.
6. Own a delivery vehicle (or available rentals) with appropriate furniture handling tools and equipment.
7. Maintain an inventory of tools and equipment, touch-up paint, wood touch-up capabilities, spare replacement parts, and other hardware normally required to properly install commercial furniture.
8. Maintain and use computer-aided design tools or have access to readily available contractors, if this service is required.
9. Conduct pre- and post-installation meetings with the customer and communicate any delivery requirement changes.
10. Confirm the delivery date with the customer 48 hours before delivery and deliver the product on the scheduled delivery date(s).
11. Communicate any state tax on services to the Selling Dealer as soon as possible.
12. Receive and inspect product. Coordinate and communicate any damaged or replacement product related information.
13. Take field measurements and inspect the site (accessibility, disposal facilities) within one week of receipt of the installation package.
14. Coordinate the involvement of other trades and aT2end construction trade meetings.
15. Install the product using the Hi5 provided installation instructions and dispose of all trash from the job site.
16. If the customer requests product orientation, review the request with the local Sales Rep.
17. Receive less than truckload (LTL) on orders that deliver to the job site.
18. Prepare a punch list.
19. Obtain the signature of the customer on the Sign-Off.
20. Provide any fee-based post-installation service required (e.g., add-on orders, maintenance, reconfiguration, warranty)

Selling Dealership Responsibilities:

1. Help the customer evaluate and specify the furniture.
2. Provide design consultation.
3. Select an Installing Dealer before order entry.
4. Get quote from the agreed upon fee for the installation services.
5. Procure mockups if necessary.
6. Use HI5 Furniture, Inc.'s Symbols Library and CET Designer, or another equivalent design software to prepare design specifications.
7. Close the sale.
8. Prepare purchase orders, including takeoffs.
9. Coordinate the submission of the purchase order.
10. Review the installation package with the Installing Dealer to ensure a complete understanding of its contents.
11. Verify all purchase orders and acknowledgments for accuracy.
12. Coordinate order changes and, if necessary, obtain and submit revised purchase orders.
13. Coordinate and communicate the shipping schedule with the Installing Dealer.
14. Prepare and forward an installation package to the Installing Dealer two weeks before shipment. The installation package should include:
 - Installation drawings
 - Packaging instructions
 - Copy of purchase order
 - Delivery instructions
 - Electrical plan/requirements
 - Contact names, phone number, and email address for your dealership's Dealer Coordinator and a customer contact person
 - All other information necessary to properly install the project
15. Coordinate any design changes and inform the Installing Dealer within 48 hours of the changes. Provide any backorder or shortage information to the Installing Dealer.
16. Expedite and coordinate add-on orders and, if necessary, obtain and submit revised purchase orders.
17. If the Selling Dealer holds the purchase order, they are to invoice the customer for products and services and pay the vendors.
18. File all freight claims and monitor the claim until complete.
19. File all warranty claims and monitor the claim until complete.

TERMS + CONDITIONS



These Terms of Sale are part of a quotation, bid response, or other sales document issued by Hi5 Furniture, Inc.

Ordering Information

Hi5 Furniture, Inc. sells its products on the terms set forth in these standard Terms of Sale: ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Hi5 Furniture, Inc. until Hi5 Furniture, Inc. issues an order acknowledgment to the customer, which will include price information and an anticipated delivery date.

Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 48 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Sales@Hi5Furniture.com for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order, or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON Hi5 Furniture, Inc. UNTIL Hi5 Furniture, Inc. ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

Orders Approved for Return

An RMA (Return Materials Authorization) will be sent with details for return. All products must be packed as they were originally received and returned Freight prepaid to our factory unless otherwise noted on RMA. Customer is responsible for any additional damages in transit due to improper packaging. No collect shipments will be accepted for any reason. Please clearly mark all packages with RMA# to expedite RMA process.

Valid/Complete Purchase Order

The following information is required in order to process an order with Hi5 Furniture, Inc.:

Dealership and/or Customer Information

- Sold To: Legal name, complete address (if Hi5 Furniture, Inc. is to bill the end user, provide end user Purchase Order made out to Hi5 Furniture, Inc.,) and phone and email address.
- Ship To: Legal name and address.
- Purchase Order Number: From the party Hi5 Furniture, Inc. will be billing.
- Authorized Signature: All Purchase Orders must be signed by a duly authorized representative if a signature line is present.
- Contact Name and Phone Number: Person Hi5 Furniture, Inc. with questions regarding the order.
- Shipping Contact: Name and phone number of person to be contacted regarding shipping and delivery matters.
- Tagging Instructions: This information will appear on all documentation received from Hi5 Furniture, Inc. including cartons, acknowledgments, and invoices.
- Product Total: Net dollars.
- Installation, Design, Project Management, and/or Service Fees (if a contract order)

Product Information

- Quantity
- Product Numbers
- Colors
- Product Model Codes
- Approval Drawings: An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- A deposit may be required for custom materials.
- All orders will be acknowledged via email.
- All orders are acknowledged upon entering as Hi5 Furniture, Inc. interprets them. All acknowledgements are sent via e-mail attention the contact's name on the purchase order received. It is the customer's responsibility to note any discrepancies on the acknowledgement and notify Hi5 Furniture within 48 hours. If Hi5 Furniture, Inc. does not receive a signed approval sheet or notification of any changes within 48 hours, we will assume that the order is correct and are not responsible for changes or errors. Hi5 Furniture, Inc. lists an estimated ship date on every acknowledgement. Any order that is time sensitive or requires any special instructions, please note instructions and/or requirements on purchase order and we will make every attempt to accommodate your request. Hi5 Furniture, Inc. is not responsible for any labor charges or installation fees if the shipping date does not meet your requirements.

Pricing Policies

Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Hi5 Furniture, Inc.. The account balance must be always at or below the credit limit and current (no past-due balances). Hi5 Furniture, Inc. reserves the right to delay or cancel any delivery to a Dealership and/or Customer whose Hi5 Furniture, Inc. account balance is over the credit limit and/or past due. For custom or projects over \$100k NET, a deposit will be required.

Terms of Credit

Customer hereby authorizes Hi5 Furniture, Inc. to obtain such credit reports, financial information or other information as Hi5 Furniture, Inc. may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Dealership and/or Customer. The Dealership and/or Customer hereby authorizes any credit references to answer Hi5 Furniture, Inc.'s inquiries and provide such credit information and documentation as Hi5 Furniture, Inc. may request. The Dealership and/or Customer hereby releases and holds Hi5 Furniture, Inc. harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

Past-Due Charges

Past-due balances will be increased by a maximum of 2% per month, without forfeit of Hi5 Furniture, Inc.'s right to immediate payment.

Applicable Prices

The price of any product sold to a Dealership and/or Customer by Hi5 Furniture, Inc. will be based upon the US Dollar that is Published Price Book and discounts are subject to change without notice or approval. Product Prices do not include storage, installation or Freight charges. Applicable prices are in effect at the time of the RECEIPT of an ORDER; Hi5 Furniture, Inc. reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days.

Forms of payment:

1. Mail a check to: Hi5 Furniture, Inc.
4304 NW Mattox Road, Riverside, MO 64150
2. ACH
Email Accounting@Hi5Furniture.com for information
3. Credit Card - Hi5 accepts VISA and MasterCard
Email Accounting@Hi5Furniture.com for form to complete and processing fee



TERMS + CONDITIONS

Shipping and Delivery

Hi5 Furniture, Inc. will have the right to determine the method of shipment and routing of product. If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

U.S.A. - Contiguous

All deliveries will be FOB Destination from Hi5 Furniture, Inc.'s manufacturing facilities.

Freight Zone #1: Please add 300 net for orders less than 4K net. Freight prepaid otherwise.

Freight Zone #2: Please add 500 net for orders less than 6K net. Freight prepaid otherwise.

Freight Program is within the Continental United States Only. All Freight from that point is the responsibility of the Dealership and/or purchasing customer.

Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction. Claims against Hi5 Furniture, Inc. for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims.

All products are shipped in compliance with the National Motor Freight Classification Code. All products ship unassembled unless otherwise specified by Hi5 Furniture. Hi5 Furniture can not be held accountable for delivery of goods to installation sites that are not equipped with elevators, loading docks that accommodate 53-foot trailers or for the inspection of such its prior to delivery. Freight is dock-to-dock bases using Hi5's carrier.

Additional Freight Charges

All products are shipped FOB origin based on a dock to dock delivery only. Additional expenses will be debited from customer account and billed on as "shipping/handling." Examples of additional expenses are: Inside delivery, Residential delivery and Lift gate requirements all have variable charges.

Delivery Dates and Delay

If Hi5 Furniture, Inc. cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, whether material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Hi5 Furniture, Inc.

Storage

Hi5 Furniture, Inc. may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Hi5 Furniture, Inc. will invoice the Customer for storage fees and the Customer will make payments in accordance with Hi5 Furniture, Inc.'s standard payment terms

Storage fees are based on the net total and are charged as follows: One month 2%, Two months 4%, Three months 6%, Four months 8%, and so

Force Majeure

In the event that the performance of Customer or Hi5 Furniture, Inc. or its participating dealer(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable. "Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Hi5 Furniture, Inc.'s reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

Delays by Customer

Where Hi5 Furniture, Inc. has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Hi5 Furniture, Inc. to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request:

1. Hi5 Furniture, Inc. may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable;
2. the Customer shall pay to Hi5 Furniture, Inc. all reasonable storage, handling and other reasonable incidental expenses incurred by Hi5 Furniture, Inc. in connection with such delay;
3. and the Customer shall bear all risk of loss or damage to the Products being held by Hi5 Furniture, Inc. for the Customer.

Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Missouri.

The parties agree to the exclusive jurisdiction of the courts of Missouri for the purpose of hearing any disputes arising under the Hi5 Furniture, Inc.'s Terms & Conditions or with respect to any Products sold pursuant hereto and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Missouri, as the case may be, shall be excluded.

Taxes

Hi5 Furniture, Inc. prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the Customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Hi5 Furniture, Inc. prior to product shipment. Otherwise, sales tax will be due and payable to Hi5 Furniture, Inc. when such tax is invoiced to Customer.

Termination by Hi5 Furniture, Inc.

Hi5 Furniture, Inc. may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

General Information

Use and Installation of Products

Hi5 Furniture, Inc. recommends that its products be installed by experienced commercial furniture installers according to Hi5 Furniture, Inc.'s written installation procedures. The Customer agrees to use Hi5 Furniture, Inc. products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Hi5 Furniture, Inc., and to instruct employees as to the proper care and use of the products according to printed.

Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at any time including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned.

Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. Hi5 Furniture, Inc. shall not be responsible for obtaining permits or bonds.

WARRANTY

Effective 03/01/2023





WARRANTY

OBSOLESCENCE POLICY

As we develop new products there is an emphasis to provide solutions that are compatible yet allow for enhancement of previous generations of products. This benefits the customer who desires to leverage their existing products but enhance their work environment at the same time. With this mindset, under our obsolescence policy, Hi5 Furniture, Inc. takes reasonable steps to provide our customers with products of comparable form, fit, and function. As with any material or component, supply chain challenges can impact our ability to offer previous or existing products. In addition, fabrics and finishes are significantly impacted by design trends resulting in shorter life cycles. In these situations, we will make reasonable efforts to find coordinating solutions.

Product obsolescence or discontinued announcements are published at least 90 days before the effective date. It includes a recommended alternative where suitable. If materials are available beyond the discontinued date, Hi5 will continue to provide the products as a custom request on a case-by-case basis as long as it is commercially reasonable to do so. Hi5 reserves the right to make modifications to the product line, however such modifications will be made with consideration for the functional and aesthetic characteristics of the product. This commitment to availability does not guarantee lead times, prices or surface materials and will not be extended by the renewal of any agreement between Hi5 Furniture, Inc. or any authorized dealership and the customer, including any automatic renewal provisions.

THE Hi5 Furniture, Inc. WARRANTY

To ensure customer satisfaction and peace of mind, we stand behind our products with the following Hi5 Furniture, Inc. Limited Lifetime Warranty. Please refer to www.Hi5Furniture.com for the applicable Hi5 Furniture, Inc. warranty or contact your local Authorized Commercial Furniture Dealership.

All items should be inspected at two-month intervals for missing glides, levelers, loose screws, broken or cracked welds, lose or unseated columns, etc.

What Products are Covered?

This Limited Lifetime Warranty applies to new products manufactured by Hi5 Furniture, Inc., after **March 1, 2023**, that are sold through an Authorized Commercial Furniture Dealership ("Covered Products"). In this Limited Lifetime Warranty, the terms "us," "we," "our" and similar terms refer to Hi5 Furniture, Inc., and the end-user purchaser refers to the first organization who purchased for their own internal use and not for resale or distribution.

The following products not covered by this Limited Lifetime Warranty, and neither Hi5 Furniture, Inc. nor its affiliates will have any obligation or liability relating to them:

1. software;
2. consumable items, such as bat2eries and bulbs/lamps;
3. the customer's own material (COM), or any material specified by the purchaser that is not a standard Hi5 Furniture, Inc. product offering
4. any item manufactured by a third party from whom Hi5 Furniture, Inc. purchases the item for resale without incorporating it into a Hi5 Furniture, Inc. product as a component or part (in those situations, if the purchaser is not a direct beneficiary of the manufacturer's warranty, then Hi5 Furniture, Inc. will assign to the purchaser any warranty that the manufacturer provides, to the extent the warranty is assignable);

What Problems are Covered?

Subject to the terms of this Limited Lifetime Warranty, Hi5 Furniture, Inc. warrants to the end-user purchaser of a Covered Product that the Covered Product, at the time of purchase, will be free of any defect in design or workmanship that materially impairs the performance or functionality of the Covered Product under normal use (a "Defect"). This warranty is for 24-hour / 7-day multiple shift use of the applicable Covered Product.

In this Limited Lifetime Warranty, normal use means use of a Covered Product in accordance with all the following:

1. Hi5 Furniture, Inc.'s standards instructions, guidelines, and recommendations for that Covered Product;
2. if the Covered Product is part of the Hi5 Furniture, Inc. Collection and not manufactured by Hi5 Furniture, Inc., then the applicable manufacturer's standard instructions, guidelines, and recommendations for that Covered Product; and
3. applicable laws, rules, regulations, and ordinances

A Defect excludes, and Hi5 Furniture, Inc. and its affiliates will not have any responsibility or liability for, the following:

1. normal wear and tear;
2. any damage, wear or failure of the Covered Product that occurs during transport of the Covered Product, or that is caused by improper use, care or maintenance of the Covered Product or by an act of God or other event outside of Hi5 Furniture, Inc.'s reasonable control;
3. the natural variation of color, grain or texture found in wood and leather;
4. the natural aging of materials such as wood, fabric and leather which results in colors changing over time or during use;
5. dye lot variations in fabric and leather;
6. the natural patina of leather during use;
7. "puddling" or wrinkling of fabrics, leather, or faux leather;
8. reverse crocking of dyes from clothing onto seating materials;
9. change in color (including fading) or other surface effects resulting from exposure to chemicals (such as chemicals in cleaning solutions) or
10. exposure to sunlight or other sources of ultraviolet rays;
11. any damage, wear or failure of the Covered Product caused by the integration or use of any non-Hi5 Furniture, Inc. materials, components, devices or other products into or with any Covered Product; or
12. any damage, wear, or scratching to flooring from glides, casters, or other components.

THE Hi5 Furniture, Inc. WARRANTY (continued)

What are the Warranty Periods?

A Covered Product's warranty period begins on the Covered Product's date of manufacture and ends on the expiration of the time period identified below for that Covered Product. In addition, the warranty period will automatically terminate at the time that the end-user purchaser ceases to solely own, possess, control, and use the Covered Product.

The warranty period will automatically terminate if the End User and/or Authorized Commercial Furniture Dealership fails to pay the Hi5 Furniture, Inc. invoice in full within 90 days of shipment.

Lifetime

Except for those Covered Products or related components or materials identified below as having a different warranty period, the warranty period of a Covered Product is as long as the original end-user purchaser continues to solely own the Covered Product.

Ten (10) Years

The following Covered Products have a 10-year warranty period:

- Premium Textured HPL
- Case good mechanisms (hinges, slides, latches, glides, casters, slow-close mechanisms, etc.)
- Products that are at any time used in a classroom or educational environment (other than administrative areas) except as limited or described below

Five (5) Years

The following Covered Products have a 5-year warranty period:

- Electrical power boxes including AV accessories (excluding USB receptacles)
- Accessories (e.g., cup holders and table holders)
- Vertical use markerboard laminates
- User-adjustable work-surface mechanisms
- Hi5 Furniture, Inc. seating products (framework, seating foam, glides & casters, and plastic components)
- Fabric, leathers or faux leather

One (1) Year

The following Covered Products have a 1-year warranty period:

- horizontal use markerboard laminates
- standard glides and levelers
- standard locking casters and non-locking
- gas cylinders
- Folding and Nesting mechanisms
- Outdoor products (including walls, tables, chairs and frames)
- umbrellas and umbrella base
- Union 2.0 table HPL self-edges
- Divider panels
- Height adjustable product mechanisms
 - Troubleshooting procedures provided by Hi5 Furniture, Inc. must be used to determine if a mechanism is defective, the associated error code needs to
 - be included in the Service Notification emailed to Sales@Hi5Furniture.com
- Moving components or parts

No Warranty

The following Products and conditions are excluded from the definition of "Covered Product" and therefore not covered by this Limited Lifetime Warranty. exclusions noted or defined in sections "What Products are Covered" and "What Problems are Covered"

- HPL self-edges (exception of Union 2.0 tables)
- Materials used by custom request

Service Parts – Hi5 Furniture, Inc. authorized service parts installed on a Covered Product will be covered by this Limited Lifetime Warranty for the remaining balance of the warranty period for that Covered Product, so long as the service part was installed by Hi5 Furniture, Inc. or an authorized installer to in install that Covered Product.



WARRANTY

THE Hi5 Furniture, Inc. WARRANTY (continued)

What Remedies are Available?

If a purchaser makes a valid claim under this Limited Lifetime Warranty for a Defect to a Covered Product, Hi5 Furniture, Inc., at its option, will either:

1. repair the Covered Product at Hi5 Furniture, Inc.'s cost;
2. replace the Covered Product at Hi5 Furniture, Inc.'s cost with a new or refurbished product with comparable function and performance, or
3. refund or credit the purchase price of the Covered Product (excluding taxes, duties, fees, and other amounts).

All repair and replacement work will be performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific repair or replacement work relating to the Defect; repair or replacement work performed by any other person will void this Warranty.

Hi5 Furniture, Inc. will not be responsible for any cost or expenses incurred by the purchaser relating to repair or replacement of a Covered Product due to a Defect, including without limitation freight, insurance, inspection, storage and similar costs and expenses. Any Covered Product that is replaced or whose purchase price is refunded or credited will become the sole and exclusive property of Hi5 Furniture, Inc.

What Conditions Apply?

All the following conditions must be satisfied to make a valid claim under this Limited Lifetime Warranty for a Defect to a Covered Product:

1. the Authorized Commercial Dealership or end-user must have notified Hi5 Furniture, Inc. in writing of the Defect within 30 days after the purchaser first learns or has notice of the Defect, and
2. in any event not later than three (3) business days after the last day of the applicable warranty period; all such notices must be sent to Hi5 Furniture, Inc. at Sales@Hi5Furniture.com Attention: Warranty Claims;
3. the purchaser must provide original Hi5 Furniture, Inc. order number and have fully complied with all instructions, requirements, and directions provided by Hi5 Furniture, Inc., the Authorized Commercial Dealership or their respective agents regarding the inspection, preservation or safeguarding of the Covered Product and the transportation and delivery of the Covered Products;
4. the Covered Product must have been installed by Authorized Commercial Dealership installers, per instructions supplied by Hi5 Furniture, Inc.;
5. all prior repairs of the Covered Product must have been performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific repair work;
6. the repair of the Defect of the Covered Product pursuant to this Warranty must be performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific warranty-repair work;
7. at all times the Covered Product must have been in a building that is (a) dry, fully closed-in and protected from the natural elements, and (b) adequately heated, ventilated and air conditioned to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels not to exceed 70% at any time
8. the Covered Product must not have been modified, and the purchaser must have used and maintained the Covered Product in full conformity with all of Hi5 Furniture, Inc.'s written specifications, instructions and guides regarding use, care, and maintenance.
9. if the Covered Product is replaced or its purchase price is refunded, all bills of sale, assignments, releases, consents, approvals, and other documents and/or actions required by Hi5 Furniture, Inc. to assign and transfer to Hi5 Furniture, Inc. sole and exclusive title in the Covered Product, free and clear of all liens, claims and encumbrances, must have been executed, delivered and/or made, as applicable; and
10. all other conditions and requirements in or arising under this Limited Lifetime Warranty, applicable law or a written agreement between Hi5 Furniture, Inc. and the purchaser, must have been fully satisfied.

GENERAL TERMS

This Product Compatibility and Limited Lifetime Warranty Policy extends solely to original end-user purchasers of Covered Products and not to their successors, assigns, employees, agents, or affiliates. This Policy is not assignable or transferable in whole or in part, whether voluntarily, by operation of law or otherwise, and any purported assignment or transfer will be void.

All determinations regarding the scope, applicability, and interpretation of this Policy, including without limitation the satisfaction of and compliance with any of its conditions and requirements, will be made solely by Hi5 Furniture, Inc. in its discretion. All such determinations made by Hi5 Furniture, Inc. will be final, non-appealable and binding on all persons.

EXCEPT FOR THE EXPRESS Limited Lifetime Warranty STATED ABOVE, TO THE EXTENT ALLOWED BY LAW, Hi5 Furniture, Inc. DOES NOT MAKE, AND IT EXPRESSLY DISCLAIMS, ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO ANY PRODUCT OR SERVICE AND, IN PARTICULAR, DOES NOT MAKE, AND EXPRESSLY DISCLAIMS, ANY WARRANTY OR REPRESENTATION OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. ANY LEGALLY REQUIRED WARRANTY THAT MAY NOT BE DISCLAIMED WILL BE LIMITED IN DURATION TO ONE (1) YEAR FROM THE DATE OF MANUFACTURE.

AS SET FORTH IN THIS POLICY, REPAIR OR REPLACEMENT, OR REFUND/CREDIT OF THE PURCHASE PRICE, AT Hi5 Furniture, Inc.'s OPTION, OF A COVERED PRODUCT ARE THE EXCLUSIVE REMEDIES FOR ANY DEFECT TO THAT COVERED PRODUCT OR ANY OTHER ISSUE RELATING TO ITS MANUFACTURE OR INSTALLATION. IN NO EVENT SHALL Hi5 Furniture, Inc. OR ANY OF ITS AFFILIATES HAVE ANY LIABILITY IN TORT OR FOR ANY CONSEQUENTIAL, ECONOMIC, INDIRECT, SPECIAL, PUNITIVE, OR INCIDENTAL DAMAGES, OR FOR LOSS OF PROFITS, REVENUES, USE OR REPUTATION, WITH RESPECT TO ANY COVERED PRODUCT OR ANY OTHER PRODUCT, WHETHER CAUSED BY, ARISING FROM OR RELATING TO A DEFECT OR OTHERWISE.

Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations or exclusions in the immediately preceding paragraph may not apply to a purchaser. This Limited Lifetime Warranty gives the purchaser specific legal rights, and the purchaser may also have other rights which vary from state to state.