



EMPIRE PRICE BOOK

Effective: 03/01/2023 Rev. B

Freight Program - Orders less than \$1500 net are assessed a \$150 net freight fee

Statement of Line



Round



T Base Rectangle



T2 (T2) Base Rectangle



Square



All sizes are nominal sizes.
All tables ship knocked down and require assembly.

NESTING TABLES

NESTING TABLES + HAND CRANK

HAND CRANK SPECS

Adjust with manual crank handle at a rate of 6-1/3 turns per inch for infinite stop positions. Hand Crank Beam Nesting Tables have removable handle that is stored under tabletop. Other hand crank tables allow the handle to slide under table when not in use. Maximum lifting load of 180 pounds for T based tables. Optional locking casters are available which adds 2" to starting height.



PNEUMATIC SPECS

Pneumatic adjustment with easy lever release. Pneumatic cylinder assist with infinite stop positions with no-bounce cylinder stop. Steel roller glide system. Unintentional-release resistant lever with cable release. Table height range of 17.7", 27.25"h to 45"h. Range Lifting force of forty four (44) pounds standard. Additional lifting forces are available, contact factory for information. Available options include Flip-top and Locking Casters. Casters add 2" to starting height.

WARNING

Empire height adjustable tables require a high level of installation and product knowledge. Caution should be taken at all times when assembling adjustable height products. There are warning labels and tags on items that require close attention. Please follow all assembly instructions and warnings when unpacking and assembling adjustable height productions. Misuse or improper handling of product will result in voiding of warranty and possible injury to assembler/end-user. Hi5 Furniture, Inc. does not hold responsibility for any damage to product due to misuse, lack of attention to instructions.

Email PO to Sales@Hi5Furniture.com

LIST PRICE

STEP 1	List Model Code of Table	EET1 3072 REP.104-L3- 3	\$5,390
STEP 2	List Options	WMAB	\$ 80
			\$ 5,470 List Price Per Table
STEP 3	List Finishes		
	Top Laminate Name & Number	WA Designer White D354-60	
	Top Edge Color	Designer White	
	Metal Color	Black [BK]	
STEP 4	List the Quantity of Tables	Qty. 10	x 10
			\$ 54,700 Total List Price

METAL BASE FINISH OPTIONS FOR HEIGHT ADJUSTABLE MODELS




Black




Silver



Designer White



HAND CRANK



PNEUMATIC

ELECTRIC

4' long tables



T Base



Nesting Tables



Height Adjustable Nesting

L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
48 18 29		Nesting	EET1 184829 REBN. ① - ③	3,170	4,780
	29		EET1 184829 RES. ① - ③	1,750	2,890
	36	Nesting	EET1 184836 REBN. ① - ③	3,540	5,280
	36		EET1 184836 RES. ① - ③	2,120	3,380
	42	Nesting	EET1 184842 REBN. ① - ③	3,540	5,280
	42		EET1 184842 RES. ① - ③	2,120	3,380
48 24 29		Nesting	EET1 244829 REBN. ① - ③	2,940	4,160
	29		EET1 244829 RES. ① - ③	1,620	2,510
	36	Nesting	EET1 244836 REBN. ① - ③	3,280	4,590
	36		EET1 244836 RES. ① - ③	1,970	2,940
	42	Nesting	EET1 244842 REBN. ① - ③	3,280	4,590
	42		EET1 244842 RES. ① - ③	1,970	2,940
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 2448 REBNH. ① - ③	4,130	5,680
	27.2-45	Hand Crank	EET1 2448 REH. ① - ③	2,920	4,160
	27.2-46.7	Pneumatic	EET1 2448 REP. ① - ② - ③	5,080	6,890
48 30 29		Nesting	EET1 304829 REBN. ① - ③	3,090	4,410
	29		EET1 304829 RES. ① - ③	1,780	2,760
	36	Nesting	EET1 304836 REBN. ① - ③	3,440	4,840
	36		EET1 304836 RES. ① - ③	2,120	3,190
	42	Nesting	EET1 304842 REBN. ① - ③	3,440	4,840
	42		EET1 304842 RES. ① - ③	2,120	3,190
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3048 REBNH. ① - ③	4,250	5,850
	27.2-45	Hand Crank	EET1 3048 REH. ① - ③	3,030	4,320
	27.2-46.7	Pneumatic	EET1 3048 REP. ① - ② - ③	5,200	7,060
48 36 29		Nesting	EET1 364829 REBN. ① - ③	3,300	4,690
	29		EET1 364829 RES. ① - ③	1,980	3,030
	36	Nesting	EET1 364836 REBN. ① - ③	3,640	5,120
	36		EET1 364836 RES. ① - ③	2,330	3,470
	42	Nesting	EET1 364842 REBN. ① - ③	3,640	5,120
	42		EET1 364842 RES. ① - ③	2,330	3,470
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3648 REBNH. ① - ③	4,350	6,010
	27.2-45	Hand Crank	EET1 3648 REH. ① - ③	3,140	4,470
	27.2-46.7	Pneumatic	EET1 3648 REP. ① - ② - ③	5,310	7,220

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

70	30-70 lbs.
82	42-82 lbs.
93	53-93 lbs.
104	64-104 lbs.
115	75-115 lbs.
138	98-138 lbs.
160	120-160 lbs.
183	143-183 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each


GS Grommet (Silver), add \$40 list each

Select Location Code



QR Leveling Gangers, add \$300 list per table

TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

MODESTY PANELS

- M1 72" long Crossing, add \$330 list each
- M2 72" long Pagoda, add \$330 list each
- M3 72" long Tread, add \$330 list each
- M4 72" long Racetrack, add \$330 list each
- M5 72" long Brickyard, add \$330 list each
- M6 72" long Finish Line, add \$330 list each

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Hand Crank Beam Nesting Tables have removable handle that is stored under Tabletop

5' long tables



L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
60 18 29		Nesting	EET1 186029 REBN. ① - ③	3,260	4,910
	29		EET1 186029 RES. ① - ③	1,830	3,020
	36	Nesting	EET1 186036 REBN. ① - ③	3,620	5,420
	36		EET1 186036 RES. ① - ③	2,210	3,520
	42	Nesting	EET1 186042 REBN. ① - ③	3,620	5,420
	42		EET1 186042 RES. ① - ③	2,210	3,520
60 24 29		Nesting	EET1 246029 REBN. ① - ③	2,940	4,160
	29		EET1 246029 RES. ① - ③	1,620	2,510
	36	Nesting	EET1 246036 REBN. ① - ③	3,280	4,590
	36		EET1 246036 RES. ① - ③	1,970	2,940
	42	Nesting	EET1 246042 REBN. ① - ③	3,280	4,590
	42		EET1 246042 RES. ① - ③	1,970	2,940
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 2460 REBNH. ① - ③	4,130	5,680
	27.2-45	Hand Crank	EET1 2460 REH. ① - ③	2,920	4,160
	27.2-46.7	Pneumatic	EET1 2460 REP. ① - ② - ③	5,080	6,890
60 30 29		Nesting	EET1 306029 REBN. ① - ③	3,180	4,560
	29		EET1 306029 RES. ① - ③	1,870	2,910
	36	Nesting	EET1 306036 REBN. ① - ③	3,280	4,590
	36		EET1 306036 RES. ① - ③	1,970	2,940
	42	Nesting	EET1 306042 REBN. ① - ③	3,280	4,590
	42		EET1 306042 RES. ① - ③	1,970	2,940
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3060 REBNH. ① - ③	4,330	6,010
	27.2-45	Hand Crank	EET1 3060 REH. ① - ③	3,120	4,490
	27.2-46.7	Pneumatic	EET1 3060 REP. ① - ② - ③	5,290	7,220
60 36 29		Nesting	EET1 366029 REBN. ① - ③	3,400	4,860
	29		EET1 366029 RES. ① - ③	2,090	3,210
	36	Nesting	EET1 366036 REBN. ① - ③	3,740	5,300
	36		EET1 366036 RES. ① - ③	2,430	3,650
	42	Nesting	EET1 366042 REBN. ① - ③	3,740	5,300
	42		EET1 366042 RES. ① - ③	2,430	3,650
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3660 REBNH. ① - ③	4,440	6,190
	27.2-45	Hand Crank	EET1 3660 REH. ① - ③	3,230	4,650
	27.2-46.7	Pneumatic	EET1 3660 REP. ① - ② - ③	5,410	7,400

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

70	30-70 lbs.
82	42-82 lbs.
93	53-93 lbs.
104	64-104 lbs.
115	75-115 lbs.
138	98-138 lbs.
160	120-160 lbs.
183	143-183 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each

GS Grommet (Silver), add \$40 list each


Select Location Code



QR Leveling Gangers, add \$300 list per table

TG Table Gangers, add \$200 list per table

Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

MODESTY PANELS

- M1 72" long Crossing, add \$330 list each
- M2 72" long Pagoda, add \$330 list each
- M3 72" long Tread, add \$330 list each
- M4 72" long Racetrack, add \$330 list each
- M5 72" long Brickyard, add \$330 list each
- M6 72" long Finish Line, add \$330 list each

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Hand Crank Beam Nesting Tables have removable handle that is stored under Tabletop

5' long tables



TT Bases

L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
60 42	29	Nesting	EET2 426029 REBN. ① - ③	5,020	7,090
	29		EET2 426029 RES. ① - ③	3,010	4,580
	36	Nesting	EET2 426036 REBN. ① - ③	5,590	7,800
	36		EET2 426036 RES. ① - ③	3,590	5,290
	42	Nesting	EET2 426042 REBN. ① - ③	5,590	7,800
	42		EET2 426042 RES. ① - ③	3,590	5,290
60 48	29	Nesting	EET2 486029 REBN. ① - ③	5,080	7,190
	29		EET2 486029 RES. ① - ③	3,090	4,670
	36	Nesting	EET2 486036 REBN. ① - ③	5,650	7,900
	36		EET2 486036 RES. ① - ③	3,660	5,400
	42	Nesting	EET2 486042 REBN. ① - ③	5,650	7,900
	42		EET2 486042 RES. ① - ③	3,660	5,400


To Order, Specify:

- ① Not Applicable on this Page
- ② List Model Code with either L3 or L11 edges
- ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
*Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors*

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each
GS Grommet (Silver), add \$40 list each
Select Location Code



QR Leveling Gangers, add \$300 list per table
TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

4. Finishes

Laminate Color:

Top Edge Color:


Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Castors increase height of table by 2" on adjustable height models

5.5' long tables



L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
66 24	29	Nesting	EET1 246629 REBN. ① - ③	3,150	4,500
	29		EET1 246629 RES. ① - ③	1,830	2,850
	36	Nesting	EET1 246636 REBN. ① - ③	3,490	4,930
	36		EET1 246636 RES. ① - ③	2,180	3,280
	42	Nesting	EET1 246642 REBN. ① - ③	3,490	4,930
	42		EET1 246642 RES. ① - ③	2,180	3,280
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 2466 REBNH. ① - ③	4,290	5,940
	27.2-45	Hand Crank	EET1 2466 REH. ① - ③	3,080	4,410
	27.2-46.7	Pneumatic	EET1 2466 REP. ① - ② - ③	5,250	7,140
66 30	29	Nesting	EET1 306629 REBN. ① - ③	3,270	4,710
	29		EET1 306629 RES. ① - ③	1,960	3,060
	36	Nesting	EET1 306636 REBN. ① - ③	3,610	5,140
	36		EET1 306636 RES. ① - ③	2,300	3,480
	42	Nesting	EET1 306642 REBN. ① - ③	3,610	5,140
	42		EET1 306642 RES. ① - ③	2,300	3,480
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3066 REBNH. ① - ③	4,410	6,150
	27.2-45	Hand Crank	EET1 3066 REH. ① - ③	3,200	4,620
	27.2-46.7	Pneumatic	EET1 3066 REP. ① - ② - ③	5,380	7,360
66 36	29	Nesting	EET1 366629 REBN. ① - ③	3,620	5,170
	29		EET1 366629 RES. ① - ③	2,310	3,520
	36	Nesting	EET1 366636 REBN. ① - ③	3,970	5,600
	36		EET1 366636 RES. ① - ③	2,650	3,950
	42	Nesting	EET1 366642 REBN. ① - ③	3,970	5,600
	42		EET1 366642 RES. ① - ③	2,650	3,950
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3666 REBNH. ① - ③	4,680	6,500
	27.2-45	Hand Crank	EET1 3666 REH. ① - ③	3,450	4,970
	27.2-46.7	Pneumatic	EET1 3666 REP. ① - ② - ③	5,630	7,710
66 42	29		EET2 426629 RES. ① - ③	3,230	4,780
	36		EET2 426636 RES. ① - ③	3,810	5,500
	42		EET2 426642 RES. ① - ③	3,810	5,500
66 48	29		EET2 486629 RES. ① - ③	3,230	4,880
	36		EET2 486636 RES. ① - ③	3,810	5,600
	42		EET2 486642 RES. ① - ③	3,810	5,600

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

70	30-70 lbs.
82	42-82 lbs.
93	53-93 lbs.
104	64-104 lbs.
115	75-115 lbs.
138	98-138 lbs.
160	120-160 lbs.
183	143-183 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):

CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors


CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each

GS Grommet (Silver), add \$40 list each

Select Location Code


Non-User Side



QR Leveling Gangers, add \$300 list per table

TG Table Gangers, add \$200 list per table

Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

MODESTY PANELS

- M1 72" long Crossing, add \$330 list each
- M2 72" long Pagoda, add \$330 list each
- M3 72" long Tread, add \$330 list each
- M4 72" long Racetrack, add \$330 list each
- M5 72" long Brickyard, add \$330 list each
- M6 72" long Finish Line, add \$330 list each

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Hand Crank Beam Nesting Tables have removable handle that is stored under Tabletop

6' long tables



L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
72 18 29		Nesting	EET1 187229 REBN. ① - ③	3,620	5,470
	29		EET1 187229 RES. ① - ③	1,900	3,170
	36	Nesting	EET1 187236 REBN. ① - ③	3,990	5,980
	36		EET1 187236 RES. ① - ③	2,270	3,670
	42	Nesting	EET1 187242 REBN. ① - ③	3,990	5,980
	42		EET1 187242 RES. ① - ③	2,270	3,670
72 24 29		Nesting	EET1 247229 REBN. ① - ③	3,430	4,880
	29		EET1 247229 RES. ① - ③	1,840	2,420
	36	Nesting	EET1 247236 REBN. ① - ③	3,770	5,300
	36		EET1 247236 RES. ① - ③	2,180	2,850
	42	Nesting	EET1 247242 REBN. ① - ③	3,770	5,300
	42		EET1 247242 RES. ① - ③	2,180	2,850
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 2472 REBNH. ① - ③	4,290	5,950
	27.2-45	Hand Crank	EET1 2472 REH. ① - ③	3,080	4,430
	27.2-46.7	Pneumatic	EET1 2472 REP. ① - ② - ③	5,250	7,160
72 30 29		Nesting	EET1 307229 REBN. ① - ③	3,560	5,080
	29		EET1 307229 RES. ① - ③	1,970	3,070
	36	Nesting	EET1 307236 REBN. ① - ③	3,910	5,510
	36		EET1 307236 RES. ① - ③	2,310	3,510
	42	Nesting	EET1 307242 REBN. ① - ③	3,910	5,510
	42		EET1 307242 RES. ① - ③	2,310	3,510
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3072 REBNH. ① - ③	4,420	6,160
	27.2-45	Hand Crank	EET1 3072 REH. ① - ③	3,210	4,640
	27.2-46.7	Pneumatic	EET1 3072 REP. ① - ② - ③	5,390	7,380
72 36 29		Nesting	EET1 367229 REBN. ① - ③	4,200	5,920
	29		EET1 367229 RES. ① - ③	2,320	3,550
	36	Nesting	EET1 367236 REBN. ① - ③	4,540	6,340
	36		EET1 367236 RES. ① - ③	2,660	3,980
	42	Nesting	EET1 367242 REBN. ① - ③	4,540	6,340
	42		EET1 367242 RES. ① - ③	2,660	3,980
		Nesting + Pneumatic	Coming Soon		
	27.2-41.2	Nesting + Crank	EET1 3672 REBNH. ① - ③	4,690	6,510
	27.2-45	Hand Crank	EET1 3672 REH. ① - ③	3,470	4,990
	27.2-46.7	Pneumatic	EET1 3672 REP. ① - ② - ③	5,390	7,380

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

70	30-70 lbs.
82	42-82 lbs.
93	53-93 lbs.
104	64-104 lbs.
115	75-115 lbs.
138	98-138 lbs.
160	120-160 lbs.
183	143-183 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each


GS Grommet (Silver), add \$40 list each

Select Location Code



QR Leveling Gangers, add \$300 list per table

TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

MODESTY PANELS

- M1 72" long Crossing, add \$330 list each
- M2 72" long Pagoda, add \$330 list each
- M3 72" long Tread, add \$330 list each
- M4 72" long Racetrack, add \$330 list each
- M5 72" long Brickyard, add \$330 list each
- M6 72" long Finish Line, add \$330 list each

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Hand Crank Beam Nesting Tables have removable handle that is stored under Tabletop

6' long tables




TT Bases


L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
72	42	9	EET2 427229 RES. ①-③	3,160	4,810
	36		EET2 427236 RES. ①-③	3,730	5,530
	42		EET2 427242 RES. ①-③	3,730	5,530
72	48	29	EET2 487229 RES. ①-③	3,220	4,900
	36		EET2 487236 RES. ①-③	3,800	5,620
	42		EET2 487242 RES. ①-③	3,800	5,620

To Order, Specify:

- 1. ① Not Applicable on this Page
- 2. ② List Model Code with either L3 or L11 edges
- 3. ③ Options (list in alphabetical order):
 - CS Casters, add \$200 list per table
*Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors*
 - CSH Casters for Hard Floors, add \$200 list per table
 - GB Grommet (Black), add \$40 list each
 - GS Grommet (Silver), add \$40 list each
Select Location Code



- QR Leveling Gangers, add \$300 list per table
- TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

- 4. Finishes
 - Laminate Color:
 - Top Edge Color:
 - Non-Height Adjustable Table Bases:
 - Height Adjustable Bases: Black, Silver or White Only

NOTES:
▪ Casters increase height of table by 2" on adjustable height models

7' long tables



T Base



Nesting Tables



TT Bases

L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
84 18 29	29	Nesting	EET1 188429 REBN. ① - ③	3,880	5,880
	29		EET1 188429 RES. ① - ③	2,150	3,560
	36	Nesting	EET1 188436 REBN. ① - ③	4,260	6,370
	36		EET1 188436 RES. ① - ③	2,530	4,060
	42	Nesting	EET1 188442 REBN. ① - ③	4,260	6,370
	42		EET1 188442 RES. ① - ③	2,530	4,060
84 24 29	29	Nesting	EET1 248429 REBN. ① - ③	3,690	5,250
	29		EET1 248429 RES. ① - ③	2,090	3,240
	36	Nesting	EET1 248436 REBN. ① - ③	4,040	5,680
	36		EET1 248436 RES. ① - ③	2,430	3,670
	42	Nesting	EET1 248442 REBN. ① - ③	4,040	5,680
	42		EET1 248442 RES. ① - ③	2,430	3,670
84 30 29	29	Nesting	EET1 308429 REBN. ① - ③	3,850	5,500
	29		EET1 308429 RES. ① - ③	2,260	3,500
	36	Nesting	EET1 308436 REBN. ① - ③	4,200	5,940
	36		EET1 308436 RES. ① - ③	2,610	3,930
	42	Nesting	EET1 308442 REBN. ① - ③	4,200	5,940
	42		EET1 308442 RES. ① - ③	2,610	3,930
84 36 29	29	Nesting	EET2 368429 REBN. ① - ③	5,030	7,030
	29		EET2 368429 RES. ① - ③	3,040	4,520
	36	Nesting	EET2 368436 REBN. ① - ③	5,380	7,460
	36		EET2 368436 RES. ① - ③	3,380	4,950
	42	Nesting	EET2 368442 REBN. ① - ③	5,380	7,460
	42		EET2 368442 RES. ① - ③	3,380	4,950
84 42 29	29		EET2 428429 RES. ① - ③	3,420	5,210
	36		EET2 428436 RES. ① - ③	3,990	5,940
	42		EET2 428442 RES. ① - ③	3,990	5,940
84 48 29	29		EET2 488429 RES. ① - ③	3,490	5,210
	36		EET2 488436 RES. ① - ③	4,060	5,940
	42		EET2 488442 RES. ① - ③	4,060	5,940


To Order, Specify:

- ① Not Applicable on this Page
- ② List Model Code with either L3 or L11 edges
- ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
*Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors*

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each
GS Grommet (Silver), add \$40 list each
Select Location Code



QR Leveling Gangers, add \$300 list per table
TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Castors increase height of table by 2" on adjustable height models

8' long tables



T Base



Nesting Tables



TT Bases

L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
96 18 29	29	Nesting	EET1 189629 REBN. ① - ③	3,910	5,920
	29		EET1 189629 RES. ① - ③	2,190	3,600
	36	Nesting	EET1 189636 REBN. ① - ③	4,290	6,410
	36		EET1 189636 RES. ① - ③	2,550	4,100
	42	Nesting	EET1 189642 REBN. ① - ③	4,290	6,410
	42		EET1 189642 RES. ① - ③	2,550	4,100
96 24 29	29	Nesting	EET1 249629 REBN. ① - ③	3,710	5,290
	29		EET1 249629 RES. ① - ③	2,110	3,280
	36	Nesting	EET1 249636 REBN. ① - ③	4,050	5,720
	36		EET1 249636 RES. ① - ③	2,450	3,720
	42	Nesting	EET1 249642 REBN. ① - ③	4,050	5,720
	42		EET1 249642 RES. ① - ③	2,450	3,720
96 30 29	29	Nesting	EET1 309629 REBN. ① - ③	3,870	5,550
	29		EET1 309629 RES. ① - ③	2,280	3,540
	36	Nesting	EET1 309636 REBN. ① - ③	4,210	5,980
	36		EET1 309636 RES. ① - ③	2,620	3,970
	42	Nesting	EET1 309642 REBN. ① - ③	4,210	5,980
	42		EET1 309642 RES. ① - ③	2,620	3,970
96 36 29	29	Nesting	EET2 369629 REBN. ① - ③	5,060	7,090
	29		EET2 369629 RES. ① - ③	3,060	4,560
	36	Nesting	EET2 369636 REBN. ① - ③	5,400	7,510
	36		EET2 369636 RES. ① - ③	3,400	5,010
	42	Nesting	EET2 369642 REBN. ① - ③	5,400	7,510
	42		EET2 369642 RES. ① - ③	3,400	5,010
96 42 29	29		EET2 429629 RES. ① - ③	3,440	5,270
	36		EET2 429636 RES. ① - ③	4,020	5,980
	42		EET2 429642 RES. ① - ③	4,020	5,980
96 48 29	29		EET2 489629 RES. ① - ③	3,520	5,270
	36		EET2 489636 RES. ① - ③	4,090	5,980
	42		EET2 489642 RES. ① - ③	4,090	5,980


To Order, Specify:

- ① Not Applicable on this Page
- ② List Model Code with either L3 or L11 edges
- ③ Options (list in alphabetical order):


CS Casters, add \$200 list per table
*Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors*

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each
GS Grommet (Silver), add \$40 list each
Select Location Code



QR Leveling Gangers, add \$300 list per table
TG Table Gangers, add \$200 list per table
Select Location Code



WMAG Magnetic Wire Manager, add \$60 list

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Castors increase height of table by 2" on adjustable height models

Round tables



X Base

L X W	X HEIGHT	FUNCTION	MODEL CODE	L3 PRICE	L11 PRICE
24	29		EEX1 2429 RDS. ①-③	1,910	2,810
	36		EEX1 2436 RDS. ①-③	2,090	3,030
	42		EEX1 2442 RDS. ①-③	2,090	3,030
	29	Nesting	EEX1 2429 RDN. ①-③	2,550	3,610
	36	Nesting	EEX1 2436 RDN. ①-③	2,730	3,820
	42	Nesting	EEX1 2442 RDN. ①-③	2,730	3,820
	27.2-45	Hand Crank	EEX1 24 RDH. ①-③	2,180	3,150
	27.2-45	Pneumatic	EEX1 24 RDP. ①-②-③	2,520	3,560
	18.7-28.5	Pneumatic	EEX1 24 RDP2. ①-②-③	2,520	3,560
		Nesting + Pneumatic	Coming Soon		
30	29		EEX1 3029 RDS. ①-③	1,990	2,950
	36		EEX1 3036 RDS. ①-③	2,170	3,170
	42		EEX1 3042 RDS. ①-③	2,170	3,170
	29	Nesting	EEX1 3029 RDN. ①-③	2,630	3,760
	36	Nesting	EEX1 3036 RDN. ①-③	2,790	3,970
	42	Nesting	EEX1 3042 RDN. ①-③	2,790	3,970
	27.2-45	Hand Crank	EEX1 30 RDH. ①-③	2,260	3,280
	27.2-45	Pneumatic	EEX1 30 RDP. ①-②-③	2,590	3,710
	18.7-28.5	Pneumatic	EEX1 30 RD2P. ①-②-③	2,590	3,710
		Nesting + Pneumatic	Coming Soon		
36	29		EEX1 3629 RDS. ①-③	2,110	3,160
	36		EEX1 3636 RDS. ①-③	2,290	3,370
	42		EEX1 3642 RDS. ①-③	2,290	3,370
	29	Nesting	EEX1 3629 RDN. ①-③	2,750	3,950
	36	Nesting	EEX1 3636 RDN. ①-③	2,930	4,170
	42	Nesting	EEX1 3642 RDN. ①-③	2,930	4,170
	27.2-45	Hand Crank	EEX1 36 RDH. ①-③	2,380	3,480
	27.2-45	Pneumatic	EEX1 36 RDP. ①-②-③	2,710	3,900
	18.7-28.5	Pneumatic	EEX1 36 RD2P. ①-②-③	2,710	3,900
		Nesting + Pneumatic	Coming Soon		
42	29		EEX1 4229 RDS. ①-③	2,170	3,090
	36		EEX1 4236 RDS. ①-③	2,330	3,280
	42		EEX1 4242 RDS. ①-③	2,330	3,280
	29	Nesting	EEX1 4229 RDN. ①-③	2,760	3,790
	36	Nesting	EEX1 4236 RDN. ①-③	2,920	3,980
	42	Nesting	EEX1 4242 RDN. ①-③	2,920	3,980
	27.2-45	Pneumatic	EEX1 42 RDP. ①-②-③	2,720	3,750
	18.7-28.5	Pneumatic	EEX1 42 RDP2. ①-②-③	2,720	3,750
		Nesting + Pneumatic	Coming Soon		
48	29		EEX1 4829 RDS. ①-③	2,220	3,160
	36		EEX1 4836 RDS. ①-③	2,380	3,350
	42		EEX1 4842 RDS. ①-③	2,380	3,350
	29	Nesting	EEX1 4829 RDN. ①-③	2,810	3,850
	36	Nesting	EEX1 4836 RDN. ①-③	2,960	4,040
	42	Nesting	EEX1 4842 RDN. ①-③	2,960	4,040
	27.2-45	Pneumatic	EEX1 48 RDP. ①-②-③	2,770	3,810
	18.7-28.5	Pneumatic	EEX1 48 RDP2. ①-②-③	2,770	3,810

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

- 44 1 - 44 lbs.
- 55 15 - 55 lbs.
- 66 26 - 66 lbs.
- 77 37 - 77 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):

CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each
GS Grommet (Silver), add \$40 list each

WMAG Magnetic Wire Manager, add \$60 list

4. Finishes

Laminate Color:

Top Edge Color:

Non-Height Adjustable Table Bases:

Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Height Adjustable bases available in Black, Silver and White
- Hand Crank Tables have removable handle that is stored under Tabletop

Square tables



T Base

					L3	L11
L X W X HEIGHT	FUNCTION	MODEL CODE	PRICE	PRICE		
24 24 29		EEX1 242429 SQS. ① - ③	1,790	2,670		
36		EEX1 242436 SQS. ① - ③	1,970	2,890		
42		EEX1 242442 SQS. ① - ③	1,970	2,890		
29	Nesting	EEX1 242429 SQN. ① - ③	2,430	3,470		
36	Nesting	EEX1 242436 SQN. ① - ③	2,610	3,680		
42	Nesting	EEX1 242442 SQN. ① - ③	2,610	3,680		
27.2-45	Hand Crank	EEX1 2424 RDH. ① - ③	2,060	3,000		
27.2-45	Pneumatic	EEX1 2424 SQP. ① - ② - ③	2,400	3,420		
18.7-28.5	Pneumatic	EEX1 2424 SQP2. ① - ② - ③	2,400	3,420		
	Nesting + Pneumatic	Coming Soon				
30 30 29		EEX1 303029 SQS. ① - ③	1,910	2,860		
36		EEX1 303036 SQS. ① - ③	2,090	3,080		
42		EEX1 303042 SQS. ① - ③	2,090	3,080		
29	Nesting	EEX1 303029 SQN. ① - ③	2,550	3,670		
36	Nesting	EEX1 303036 SQN. ① - ③	2,730	3,870		
42	Nesting	EEX1 303042 SQN. ① - ③	2,730	3,870		
27.2-45	Hand Crank	EEX1 3030 SQH. ① - ③	2,180	3,200		
27.2-45	Pneumatic	EEX1 3030 SQP. ① - ② - ③	2,510	3,610		
18.7-28.5	Pneumatic	EEX1 3030 SQP2. ① - ② - ③	2,510	3,610		
	Nesting + Pneumatic	Coming Soon				
36 36 29		EEX1 363629 SQS. ① - ③	2,050	3,070		
36		EEX1 363636 SQS. ① - ③	2,220	3,290		
42		EEX1 363642 SQS. ① - ③	2,220	3,290		
29	Nesting	EEX1 363629 SQN. ① - ③	2,680	3,870		
36	Nesting	EEX1 363636 SQN. ① - ③	2,860	4,100		
42	Nesting	EEX1 363642 SQN. ① - ③	2,860	4,100		
27.2-45	Pneumatic	EEX1 3636 SQP. ① - ② - ③	2,650	3,820		
18.7-28.5	Pneumatic	EEX1 3636 SQP2. ① - ② - ③	2,650	3,820		
	Nesting + Pneumatic	Coming Soon				
42 42 29		EEX1 424229 SQS. ① - ③	2,510	4,000		
36		EEX1 424236 SQS. ① - ③	2,700	4,260		
42		EEX1 424242 SQS. ① - ③	2,700	4,260		
29	Nesting	EEX1 424229 SQN. ① - ③	3,200	4,910		
36	Nesting	EEX1 424236 SQN. ① - ③	3,390	5,170		
42	Nesting	EEX1 424242 SQN. ① - ③	3,390	5,170		
27.2-45	Pneumatic	EEX1 4242 SQP. ① - ② - ③	3,150	4,860		
18.7-28.5	Pneumatic	EEX1 4242 SQP2. ① - ② - ③	3,150	4,860		

To Order, Specify:

1. ① Select the Pneumatic Lift Capacity

- 44 1 - 44 lbs.
- 55 15 - 55 lbs.
- 66 26 - 66 lbs.
- 77 37 - 77 lbs.

2. ② List Model Code with either L3 or L11 edges

3. ③ Options (list in alphabetical order):

CS Casters, add \$200 list per table
Nesting Tables come with Locking Casters
Specify Soft Floors or Hard Floors

CSH Casters for Hard Floors, add \$200 list per table

GB Grommet (Black), add \$40 list each
GS Grommet (Silver), add \$40 list each

QR Leveling Gangers, add \$300 list per table
TG Table Gangers, add \$200 list per table

WMAG Magnetic Wire Manager, add \$60 list

4. Finishes

Laminate Color:
Top Edge Color:
Non-Height Adjustable Table Bases:
Height Adjustable Bases: Black, Silver or White Only

NOTES:

- Casters increase height of table by 2" on adjustable height models
- Height Adjustable bases available in Black, Silver and White
- Hand Crank Tables have removable handle that is stored under Tabletop

OPTIONS

Effective: 03/01/2023 Rev. B



Modesty Panel Specification

9" high x 18GA steel laser cut steel panels

Free swinging

Modesty panels are not available on folding tables

Panels are field Installed



Grommet

3" round plastic grommet is provided with table tops that are cut at factory for correct hole size. Field installed.

Available in Black or Silver

Model Code: G

Industrial locking casters

Recommended for: Coby Apron, Coby Post, Coby Square, Lincoln and Union 2.0 tables.

Designed for both hard & soft floors to move table between areas without damaging the floors. Grey polyurethane wheel, 4" diameter with 1/2"-13 x 1.5" threaded stem with a height of 5" and has ball bearings. Weight capacity is 300 lbs. per caster.

Model Code: CSI

Swivel cup holder

Secured with screws, this cup holder is 8" x 5" 14GA steel, has 110° of swivel and fits two sizes of cups: standard 2.75" and larger 3.5". Available in black only

Model Code: CUP

Tablet holder

Secured with screws, this tablet holder is 6" x 8" 16GA steel, has a 2" flange that screws under the top. Available in Black, Silver or White

Model Code: TAB

Table gangers

Simply twist and lock in place. Not available on knife profile edges.

Model Code: TG

Leveling table gangers

3" x 6" 11GA steel plates. Simply loosen the knobs, slide plate over, and tighten knobs. Tops are joined and leveled. Inserts are factory installed, plate and knobs are field installed. Not available on knife edge profiles.

Model Code: QR

Bag Hook

Black 14GA bent steel hook holds up to 100 lbs. and can be placed anywhere under your table. Field installed.

Model Code: HOOK

Floor anchored bracket

Steel bracket provides way to fix the table to the floor. Screws to drill into the floor are not provided. Recommended on 18" wide tables that are taller than 30" high.

Model Code: FA

Apron to accept power

Recommended for: Union 2.0 Tables

3.25" high x 12GA steel apron beam to house power.

(Cove power units are sold separately)

Model Code: APU



Wire Management

Cable Base with holes

Recommended for: Coby Apron, Coby Post, Gateway, and Supreme

1.5" x 2.5" holes cut in the top and bottom of the base column to feed wire(s) in and out of base.

Model Code: WB

Magnetic wire manager

Recommended for: Coby Square, Empire, NiM, Jewel, Lincoln (square or rectangular bases only)

1" deep X 2" wide x 17.75" tall; 22GA steel with open slot to accommodate any cable. It weighs 1 lbs.

Available in Black, White or Silver.

Model Code: WMAG

Snap on vertical wire manager

Recommended for: Gateway "T2" bases and Gateway beam nesting tables

Easy steel Snap-on cover has the capacity for many cables. Standard 17 3/4" length.

Available in Black, Silver or White.



Loop Clips

Four clips are provided with every power box to secure cables under the Tabletop. Sets of 4 may also be purchased.

Model Code WLOOP

Steel Horizontal Cable Trough:

12" x 34" long x 6" high, black 18GA steel trough with side access holes.

Available in Black and field installed.

Model Code: WT

Power box pass through base

Recommended for: Island and Supreme "X" based tables

The base includes a formed steel box under the surface to house the power unit. The column is hollow and the bottom of the base includes an exit hole for the cables.

Model Code: WPP




POWER

Effective: 03/01/2023 Rev. B



Power only sold with Hi5 products

AV PLATE CHOICES



Plate#0

Add \$10 to power unit List Price



Plate#1

Add \$180 to power unit List Price. Includes: (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#21

Add \$380 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached (2) RJ-45 Punch Down Siemen Cat 6 Black



Plate#24

Add \$220 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached



Plate#25

Add \$420 to power unit List Price. Includes: (2) HDMI with 36 patch cord aT2ached



Plate#48

Add \$300 to power unit List Price. Includes: (1) HDMI with 36 patch cord aT2ached (1) RJ-45 Punch Down Siemen Cat 6 Black

	Under Top Edge Mount	Apron Mount	Top Flush Mount	Top Raised Mount	Linking Available	Number of Outlets per Box	Number of USB-A per box	Number of USB-C per box	AV Plates to add HDMI and/or Internet Jacks
Zest	•				•	2			
Chirp	•					2	1 or 2	1 or 2	•
TinyBrite	•				•	1 or 2	1	1	
Slick	•				•	2	2		
Cove		•	•		•	2 or 4	1 or 2	1	•
Pearl			•			1 or 2	2		
Charm			•			2	2		•
Wink			•		•	2 or 3	1	1	
Jazz			•		•	4	2		•
Volt			•		•	6	2		•
Halo				•	•	2 or 3	1	1	
Zing				•	•	2	2		
Spunk				•	•	1 or 2	1	1	
Glow				•	•	1	1	1	
Flare				•	•	4 or 6	2	2	

INTERNET CAT 5, CAT 6

USB TYPE A



NETWORK DATA JACK



USB TYPE C



DISPLAY PORT



HDMI



THUNDER BOLT



USB MICRO B



LIGHTNING



USB MINI B



USB TYPE MINI A



Power only sold with Hi5 products



CHARM

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2			1	PCM2S- 1 - 1 - 3	500
Non-Linking	2	2		1	PCM2USBS- 1 - 1 - 3	700
Hardwired	2			1	PCM2H- 1 - 1 - 3	560
Hardwired	2	2		1	PCM2USBH- 1 - 1 - 3	770

To Order, Specify:

1 List Model Code with the color code

B	Black
S	Silver
W	White

1 List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

3 List the Location Code of your boxes

PbL	PaL	PcL	PeL	PdL	PfL

Hardwire Tip

- When specified with hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source.

FEATURES:

- 15A/120V AC Receptacles
- 2.1A/5V Dual USB Charging Ports
- Convenience Outlet
- Cord Pass throughs for Cord Management
- Standard Cord Lengths: 72"
- ETL Listed for US and Canada

Power only sold with Hi5 products



CHIRP

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PCH1.- 1 -72- 1 - 3	350
Non-Linking	2	2	-	-	PCH2.- 1 -72- 1 - 3	550
Non-Linking	2	1	1	-	PCH3.- 1 -72- 1 - 3	630
Non-Linking	2	1	1	1	PCH4.- 1 -72- 1 - 3	630
Non-Linking	2	-	2	-	PCH5.- 1 -72- 1 - 3	650

60-WAT2 UNITS

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	1	1	-	PCH6.- 1 -72- 1 - 3	770
Non-Linking	2	1	1	1	PCH7.- 1 -72- 1 - 3	770

To Order, Specify:


1 List Model Code with the color code

B	Black
S	Silver
W	White

1 List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

3 List the Location Code of your boxes



FEATURES:

- 15A/120V AC Tamper-Resistant Receptacles
- 5A/5V Shared; USB & USB-C® Charging Ports
- Standard Cord Length: 72"
- ETL Listed for US and Canada

60 WAT2 UNITS FEATURES:

- 15A/120V AC Tamper-Resistant Receptacles
- 2.1A/5V USB Charging Port
- 60 Wat2 USB-C® Power-Delivery Enabled (USB-PD) Charging Port
- Standard Cord Length: 72" NEMA 5-15 Straight Plug
- ETL Listed for US and Canada

Power only sold with Hi5 products



COVE

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PC. ①-108-①-③	400
Non-Linking	2	2	-	-	PCU. ①-108-①-③	600
Non-Linking	2	2	-	1	PCUA. ①-108-①-③	600
Non-Linking	4	2	-	1	PC4UA. ①-108-①-③	770
Non-Linking	2	2	-	-	PCU22. ①-108-①-③	810

ROUND UNITS

Non-Linking	2	-	-	-	PCR2. ①-108-①-③	400
Non-Linking	2	2	-	-	PCR2U. ①-108-①-③	600

60-WAT2 UNITS

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	1	1	-	PC61. ①-108-①-③	880
Non-Linking	2	1	1	1	PC62. ①-108-①-③	880
Non-Linking	4	1	1	-	PC63. ①-108-①-③	1,210
Non-Linking	4	1	1	1	PC64. ①-108-①-③	1,210

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White


① List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



Use edge mounted location s to mount into
Coby Apron Tables



FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- Convenience Outlets on PCU22 Model
- Standard Cord Length: 108"
- ETL Listed for US and Canada

60 WAT2 UNITS FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V USB Charging Port
- 60 Wat2 USB-C® Power-Delivery Enabled (USB-PD) Charging Port
- Standard Cord Length: 108" with 90-Degree Plug
- ETL Listed for US and Canada

Power only sold with Hi5 products



COVE (link power boxes together)

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Linking	2	-	-	-	PCL.- ① - ① - ③ - ④	540
Linking	2	2	-	-	PCUL. ① - ① - ③ - ④	740
Linking	2	2	-	1	PCUAL. ① - ① - ③ - ④	740
Linking	4	2	-	1	PC4UAL. ① - ① - ③ - ④	1,040

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White


① List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



Use edge mounted location s to mount into
Coby Apron Tables



④ List the Qty and Length of Starter Cables

Code: PSTS72F

72" Starter Cable, add \$270 list per cable

Code: PSTS96F

96" Starter Cable, add \$390 list per cable

Code: PSTS120F


120" Starter Cable, add \$430 list per cable

Linking Tip


- No more than 8 units can link together
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

LINKING UNIT'S FEATURES:

- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- ETL Listed for US and Canada



20 amp Receptacle



15 amp Receptacle

Power only sold with Hi5 products



FLARE

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	4	2	2	-	PF. ①-32-①-③	1,740
Non-Linking	6	2	2	-	PF2. ①-32-①-③	1,880
Linking	4	2	2	-	PFL. ①-32-①-③	1,870
Linking	6	2	2	-	PF2L. ①-32-①-③	2,000

To Order, Specify:

① List Model Code with the color code

B Black
S Stainless

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PLUG72

72" Starter Cable, add \$90 list per cable

Code: PLUG108

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Brushed stainless steel frame
- 4 Power Size: 6.1" x 8.6" long x .87" raised off the Tabletop
- 6 Power Size: 6.1" x 11.8" long x .87" raised off the Tabletop
- Secured with 4 x screw clamps, as standard, for surfaces 0.40"-1.18"
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



GLOW



	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	1	1	1		PG. ①-32-①-③	540
Non-Linking	1	1	1		PG. ①-32-①-③	540
Linking	1	1	1		PGL. ①-32-①-③	660
Linking	1	1	1		PGL. ①-32-①-③	660

To Order, Specify:

① List Model Code with the color code

WSL White with Silver Ring

BSL Black with Silver Ring

① List the Location Code of your boxes



PeL PdL Pfl

③ List the Qty and Length of Starter Cables

Code: PLUG72

72" Starter Cable, add \$90 list per cable

Code: PLUG108

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Size: 4.25" diameter x .61" raised off the Tabletop
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- A single cable pass-thru feature is built - up to .35" knock-out in fascia
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



HALO

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	3	-	-		PH1. ①-12-①-③	410
Non-Linking	2	1	1		PH2. ①-12-①-③	660
Linking	3	-	-		PH1L. ①-12-①-③	530
Linking	2	1	1		PH2L. ①-12-①-③	780

To Order, Specify:

① List Model Code with the color code

B Black
W White

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PLUG72

72" Starter Cable, add \$90 list per cable

Code: PLUG108

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Size: 5.5" diameter x 2.85" raised off the Tabletop
- Secured to the table
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Power and cord: 12" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



JAZZ

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	4	2	-	1	PJ. ①-108-①-③	1,510
Linking	4	2	-	1	PJL. ①-①-③-④	2,150

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White

① List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



④ List the Qty and Length of Starter Cables

Code: PSTS72F

72" Starter Cable, add \$270 list per cable

Code: PSTS96F

96" Starter Cable, add \$390 list per cable

Code: PSTS120F

120" Starter Cable, add \$430 list per cable

Non-Linking Tip


- Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately.
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

FEATURES:

- Size: 6.25" x 16.1"
- 15A/120V AC Spill-Resistant Receptacles
- 2A/5V Shared; Dual USB Ports
- Cord Pass through for Cord Management
- ETL Listed for US and Canada



20 amp Receptacle

15 amp Receptacle

Power only sold with Hi5 products



PEARL

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	1	-	-		PP1. 1-72-1	90
Non-Linking	-	2	-		PP2. 1-72-1	260
Non-Linking	2	2	-		PP3. 1-72-1	300

To Order, Specify:

1 List Model Code with the color code

- BBlack
- SSilver
- WWhite

1 List the Location Code of your boxes



FEATURES:

- 15A, 120VAC Tamper Resistant Receptacles
- 2.1A/10.5W USB Charging Ports
- 72" Standard Cord with NEMA 5-15 Straight Plug
- 3" Dimensions: 3.36" x 3.21"
- 2" Dimensions (USB & Power Only): 2.62" x 3.51"
- ETL Listed for US and Canada

Power only sold with Hi5 products



SLICK


	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	2	-	-	PSL1. ①-120-①	450
Linking	2	2	-	-	PSL1L. ①-12-①-③	560

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PER-72
72" Starter Cable, \$650 list per cable
Code: PER-108
108" Starter Cable, \$660 list per cable
Code: PER-120
120" Starter Cable, \$670 list per cable
Code: PER-132
132" Starter Cable, \$680 list per cable
Code: PER-144
144" Starter Cable, \$690 list per cable
Code: PER-168
168" Starter Cable, \$710 list per cable
Code: PER-180
180" Starter Cable, \$730 list per cable
Code: PER-204
204" Starter Cable, \$770 list per cable

Non-Linking Tip

- Comes standard with a 120" soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

FEATURES:

- Size: 2.3" x 6" long x 1.81 high
- 2 - 15A, 120V AC Power Outlets
- 2 - 2.1A/10.5W USB Charging Ports
- UL 962A and UL 111 Listed
- UL 1310 Recognized
- Meets UL Spill Requirements
- Class 2, FCC Part 15 A Approved
- Meets USB.org BaT2ery Charging 1.2 Specifications

Power only sold with Hi5 products



SPUNK

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PSP1.S-32- 1	510
Non-Linking	1	1	1	-	PSP2.S-32- 1	760
Linking	2	-	-	-	PSP1L.S-32- 1 - 1	630
Linking	1	1	1	-	PSP2L.S-32- 1 - 1	880

To Order, Specify:

1 List the Location Code of your boxes



1 List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Construction: Brushed stainless steel
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed – UL962A/CSA22.2

Power only sold with Hi5 products



TINYBRITE


	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PT1. ①-32-①	280
Non-Linking	1	1	1	-	PT2. ①-32-①	530
Linking	2	-	-	-	PT1L. ①-32-①-③	400
Linking	1	1	1	-	PT2L. ①-32-①-③	650

To Order, Specify:

① List Model Code with the color code

B Black
W White

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Construction: polycarbonate & metal
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED - 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 12" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed - UL962A/CSA22.2

Power only sold with Hi5 products



VOLT

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Linking	6	2	-	1	PV. ① - ① - ③ - ④	3,340

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White

① List the AV Plate code, if applicable:

0	Blank Plate to Cover Hole
1	2 Data Jacks
21	2 Data Jacks and 1 HDMI
24	1 HDMI
25	2 HDMI
48	1 Data Jacks and 1 HDMI

③ List the Location Code of your boxes



④ List the Qty and Length of Starter Cables

Code: PSTS72F

72" Starter Cable, add \$270 list per cable

Code: PSTS96F

96" Starter Cable, add \$390 list per cable

Code: PSTS120F

120" Starter Cable, add \$430 list per cable

Non-Linking Tip


- Comes standard as a single-circuit electrical system with 108" long soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately.
- Starter Infeed cables have a 20 amp plug end which requires a 20-amp wall receptacle. A plug adapter is required if using a standard 15-amp receptacle. The adapter is included.

FEATURES:

- 11.2" x 15" x 5.29 high Outer Pan included
- 20A/120V AC Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports
- Circuit 1 and 2 Options - Link Up-to 6 Units across 2 Circuits
- Power Inserts - UL Listed for US and Canada



20 amp Receptacle

15 amp Receptacle

Power only sold with Hi5 products



WINK

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	3	-	-	-	PW1. ①-32-①-③	480
Non-Linking	2	1	1	-	PW2. ①-32-①-③	720
Linking	3	-	-	-	PW1L. ①-32-①-③	600
Linking	2	1	1	-	PW2L. ①-32-①-③	850

To Order, Specify:

① List Model Code with the color code

B	Black
S	Stainless Steel
W	White

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: **PLUG72**

72" Starter Cable, add \$90 list per cable

Code: **PLUG108**

108" Starter Cable, add \$150 list per cable

Tip

- Every non-linking unit needs a starter cable.
- Linking units need one starter cable per run of tables
- No more than 6 units can link together

FEATURES:

- Size: 5.37 – 5.9" diameter
- Secured to table top
- USB Charging: Twin USB Fast Charger maximum combined output of 25W.
- Reversible Type A USB
- Blue LED – 5V Standard Fast Charge
- Patented Replaceable Cartridge
- Power and cord: 32" pigtail to a male GST connector to be used with PLUG LINKING SYSTEM
- Certifications: cETLus Listed – UL962A/CSA22.2

Power only sold with Hi5 products



ZEST


	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	-	-	-	PZE1. ①-108-①	200
Linking	2	-	-	-	PZE1L. ①-12-①-③	360

To Order, Specify:

① List Model Code with the color code

B Black
W White

① List the Location Code of your boxes



③ List the Qty and Length of Starter Cables

Code: PER-72
72" Starter Cable, \$650 list per cable
Code: PER-108
108" Starter Cable, \$660 list per cable
Code: PER-120
120" Starter Cable, \$670 list per cable
Code: PER-132
132" Starter Cable, \$680 list per cable
Code: PER-144
144" Starter Cable, \$690 list per cable
Code: PER-168
168" Starter Cable, \$710 list per cable
Code: PER-180
180" Starter Cable, \$730 list per cable
Code: PER-204
204" Starter Cable, \$770 list per cable

Non-Linking Tip

- Comes standard with a 108" soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

FEATURES:

- Size: 3.70" x 2.30" x 1.80"
- 2- 15A, 120V AC Power Outlets
- UL 962A Listed
- UL 1363 Recognized
- Meets UL Spill Requirements
- Class 2, FCC Part A Approved

Power only sold with Hi5 products



ZING

	# OF OUTLETS	# OF USB-A	# OF USB-C	# OF AV PLATES	MODEL CODE	LIST PRICE
Non-Linking	2	2	-	-	PZ1. ①-120-①	590
Linking	2	2	-	-	PZ1L. ①-12-①-③	810

To Order, Specify:

① List Model Code with the color code

B	Black
S	Silver
W	White

① List the Location Code of your boxes

<div> <div>XX</div> <div>XX</div> <div>XX</div> </div> <div>PbL PaL PcL</div>	<div> <div>XX</div> <div>XX</div> <div>XX</div> </div> <div>PeL PdL PfL</div>
---	---

③ List the Qty and Length of Starter Cables

Code: PER-72

72" Starter Cable, \$650 list per cable

Code: PER-108

108" Starter Cable, \$660 list per cable

Code: PER-120

120" Starter Cable, \$670 list per cable

Code: PER-132

132" Starter Cable, \$680 list per cable

Code: PER-144

144" Starter Cable, \$690 list per cable

Code: PER-168

168" Starter Cable, \$710 list per cable

Code: PER-180

180" Starter Cable, \$730 list per cable

Code: PER-204

204" Starter Cable, \$770 list per cable

Non-Linking Tip

- Comes standard with a 120" soft-wired cord.

Linking Tip

- If ordering linking units, a starter infeed cable is required and ordered separately. If ordering multiple linking units, jumpers come standard, and the lengths are determined by Hi5.

FEATURES:

- Size: 5" x 7" x 1.57" high pop-up
- 2- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- Gas Strut Open/Close Mechanism
- UL 962A and UL 111 Listed
- UL 1310 Recognized
- Meets UL Spill Requirements
- Class 2, FCC Part 15 A Approved
- Meets USB.org BaT2ery Charging 1.2 Specifications

TERMS + CONDITIONS

Effective: 03/01/2023 Rev. B





TERMS + CONDITIONS

Installing Dealership Responsibilities:

1. Designate non-commissioned employees (e.g., Project Manager) to be responsible for coordinating and administering inbound orders.
2. Manage all administrative responsibilities to ensure accuracy, completeness, and proper response time.
3. Provide insurance for public liability, including products, operations, and contractual liability; worker's compensation; property damage with minimum limits of \$1,000,000; transportation vehicles; and occupational disease. Insurance coverage should be maintained for any merchandise in their care or control. This period of responsibility extends from physical receipt of the product to installation and final approval (Sign-Off Agreement) by the customer.
4. Use high quality experienced installers if the Installing Dealer does not maintain their own installation crew and utilizes an outside installation company.
5. Maintain adequate warehouse storage space to accommodate at least one truckload of furniture.
6. Own a delivery vehicle (or available rentals) with appropriate furniture handling tools and equipment.
7. Maintain an inventory of tools and equipment, touch-up paint, wood touch-up capabilities, spare replacement parts, and other hardware normally required to properly install commercial furniture.
8. Maintain and use computer-aided design tools or have access to readily available contractors, if this service is required.
9. Conduct pre- and post-installation meetings with the customer and communicate any delivery requirement changes.
10. Confirm the delivery date with the customer 48 hours before delivery and deliver the product on the scheduled delivery date(s).
11. Communicate any state tax on services to the Selling Dealer as soon as possible.
12. Receive and inspect product. Coordinate and communicate any damaged or replacement product related information.
13. Take field measurements and inspect the site (accessibility, disposal facilities) within one week of receipt of the installation package.
14. Coordinate the involvement of other trades and aT2end construction trade meetings.
15. Install the product using the Hi5 provided installation instructions and dispose of all trash from the job site.
16. If the customer requests product orientation, review the request with the local Sales Rep.
17. Receive less than truckload (LTL) on orders that deliver to the job site.
18. Prepare a punch list.
19. Obtain the signature of the customer on the Sign-Off.
20. Provide any fee-based post-installation service required (e.g., add-on orders, maintenance, reconfiguration, warranty)

Selling Dealership Responsibilities:

1. Help the customer evaluate and specify the furniture.
2. Provide design consultation.
3. Select an Installing Dealer before order entry.
4. Get quote from the agreed upon fee for the installation services.
5. Procure mockups if necessary.
6. Use Hi5 Furniture, Inc.'s Symbols Library and CET Designer, or another equivalent design software to prepare design specifications.
7. Close the sale.
8. Prepare purchase orders, including takeoffs.
9. Coordinate the submission of the purchase order.
10. Review the installation package with the Installing Dealer to ensure a complete understanding of its contents.
11. Verify all purchase orders and acknowledgments for accuracy.
12. Coordinate order changes and, if necessary, obtain and submit revised purchase orders.
13. Coordinate and communicate the shipping schedule with the Installing Dealer.
14. Prepare and forward an installation package to the Installing Dealer two weeks before shipment. The installation package should include:
 - Installation drawings
 - Packaging instructions
 - Copy of purchase order
 - Delivery instructions
 - Electrical plan/requirements
 - Contact names, phone number, and email address for your dealership's Dealer Coordinator and a customer contact person
 - All other information necessary to properly install the project
15. Coordinate any design changes and inform the Installing Dealer within 48 hours of the changes. Provide any backorder or shortage information to the Installing Dealer.
16. Expedite and coordinate add-on orders and, if necessary, obtain and submit revised purchase orders.
17. If the Selling Dealer holds the purchase order, they are to invoice the customer for products and services and pay the vendors.
18. File all freight claims and monitor the claim until complete.
19. File all warranty claims and monitor the claim until complete.

TERMS + CONDITIONS



These Terms of Sale are part of a quotation, bid response, or other sales document issued by Hi5 Furniture, Inc.

Ordering Information

Hi5 Furniture, Inc. sells its products on the terms set forth in these standard Terms of Sale: ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Hi5 Furniture, Inc. until Hi5 Furniture, Inc. issues an order acknowledgment to the customer, which will include price information and an anticipated delivery date.

Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 48 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Sales@Hi5Furniture.com for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order, or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON Hi5 Furniture, Inc. UNTIL Hi5 Furniture, Inc. ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

Orders Approved for Return

An RMA (Return Materials Authorization) will be sent with details for return. All products must be packed as they were originally received and returned Freight prepaid to our factory unless otherwise noted on RMA. Customer is responsible for any additional damages in transit due to improper packaging. No collect shipments will be accepted for any reason. Please clearly mark all packages with RMA# to expedite RMA process.

Valid/Complete Purchase Order

The following information is required in order to process an order with Hi5 Furniture, Inc.:

Dealership and/or Customer Information

- Sold To: Legal name, complete address (if Hi5 Furniture, Inc. is to bill the end user, provide end user Purchase Order made out to Hi5 Furniture, Inc.,) and phone and email address.
- Ship To: Legal name and address.
- Purchase Order Number: From the party Hi5 Furniture, Inc. will be billing.
- Authorized Signature: All Purchase Orders must be signed by a duly authorized representative if a signature line is present.
- Contact Name and Phone Number: Person Hi5 Furniture, Inc. with questions regarding the order.
- Shipping Contact: Name and phone number of person to be contacted regarding shipping and delivery matters.
- Tagging Instructions: This information will appear on all documentation received from Hi5 Furniture, Inc. including cartons, acknowledgments, and invoices.
- Product Total: Net dollars.
- Installation, Design, Project Management, and/or Service Fees (if a contract order)

Product Information

- Quantity
- Product Numbers
- Colors
- Product Model Codes
- Approval Drawings: An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- A deposit may be required for custom materials.
- All orders will be acknowledged via email.
- All orders are acknowledged upon entering as Hi5 Furniture, Inc. interprets them. All acknowledgements are sent via e-mail attention the contact's name on the purchase order received. It is the customer's responsibility to note any discrepancies on the acknowledgement and notify Hi5 Furniture within 48 hours. If Hi5 Furniture, Inc. does not receive a signed approval sheet or notification of any changes within 48 hours, we will assume that the order is correct and are not responsible for changes or errors. Hi5 Furniture, Inc. lists an estimated ship date on every acknowledgement. Any order that is time sensitive or requires any special instructions, please note instructions and/or requirements on purchase order and we will make every attempt to accommodate your request. Hi5 Furniture, Inc. is not responsible for any labor charges or installation fees if the shipping date does not meet your requirements.

Pricing Policies

Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Hi5 Furniture, Inc.. The account balance must be always at or below the credit limit and current (no past-due balances). Hi5 Furniture, Inc. reserves the right to delay or cancel any delivery to a Dealership and/or Customer whose Hi5 Furniture, Inc. account balance is over the credit limit and/or past due. For custom or projects over \$100k NET, a deposit will be required.

Terms of Credit

Customer hereby authorizes Hi5 Furniture, Inc. to obtain such credit reports, financial information or other information as Hi5 Furniture, Inc. may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Dealership and/or Customer. The Dealership and/or Customer hereby authorizes any credit references to answer Hi5 Furniture, Inc.'s inquiries and provide such credit information and documentation as Hi5 Furniture, Inc. may request. The Dealership and/or Customer hereby releases and holds Hi5 Furniture, Inc. harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

Past-Due Charges

Past-due balances will be increased by a maximum of 2% per month, without forfeit of Hi5 Furniture, Inc.'s right to immediate payment.

Applicable Prices

The price of any product sold to a Dealership and/or Customer by Hi5 Furniture, Inc. will be based upon the US Dollar that is Published Price Book and discounts are subject to change without notice or approval. Product Prices do not include storage, installation or Freight charges. Applicable prices are in effect at the time of the RECEIPT of an ORDER; Hi5 Furniture, Inc. reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days.

Forms of payment:

1. Mail a check to: Hi5 Furniture, Inc.
4304 NW Mattox Road, Riverside, MO 64150
2. ACH
Email Accounting@Hi5Furniture.com for information
3. Credit Card - Hi5 accepts VISA and MasterCard
Email Accounting@Hi5Furniture.com for form to complete and processing fee



TERMS + CONDITIONS

Shipping and Delivery

Hi5 Furniture, Inc. will have the right to determine the method of shipment and routing of product. If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

U.S.A. - Contiguous

All deliveries will be FOB Destination from Hi5 Furniture, Inc.'s manufacturing facilities.

Orders less than \$1500 net are assessed a \$150 net freight fee

Freight Program is within the Continental United States Only. All Freight from that point is the responsibility of the Dealership and/or purchasing customer.

Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction. Claims against Hi5 Furniture, Inc. for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims.

All products are shipped in compliance with the National Motor Freight Classification Code. All products ship unassembled unless otherwise specified by Hi5 Furniture. Hi5 Furniture can not be held accountable for delivery of goods to installation sites that are not equipped with elevators, loading docks that accommodate 53-foot trailers or for the inspection of such its prior to delivery. Freight is dock-to-dock bases using Hi5's carrier.

Additional Freight Charges

All products are shipped FOB origin based on a dock to dock delivery only. Additional expenses will be debited from customer account and billed on as "shipping/handling." Examples of additional expenses are: Inside delivery, Residential delivery and Lift gate requirements all have variable charges.

Delivery Dates and Delay

If Hi5 Furniture, Inc. cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, whether material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Hi5 Furniture, Inc.

Storage

Hi5 Furniture, Inc. may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Hi5 Furniture, Inc. will invoice the Customer for storage fees and the Customer will make payments in accordance with Hi5 Furniture, Inc.'s standard payment terms

Storage fees are based on the net total and are charged as follows: One month 2%, Two months 4%, Three months 6%, Four months 8%, and so

Force Majeure

In the event that the performance of Customer or Hi5 Furniture, Inc. or its participating dealer(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable. "Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Hi5 Furniture, Inc.'s reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

Delays by Customer

Where Hi5 Furniture, Inc. has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Hi5 Furniture, Inc. to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request:

1. Hi5 Furniture, Inc. may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable;
2. the Customer shall pay to Hi5 Furniture, Inc. all reasonable storage, handling and other reasonable incidental expenses incurred by Hi5 Furniture, Inc. in connection with such delay;
3. and the Customer shall bear all risk of loss or damage to the Products being held by Hi5 Furniture, Inc. for the Customer.

Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Missouri.

The parties agree to the exclusive jurisdiction of the courts of Missouri for the purpose of hearing any disputes arising under the Hi5 Furniture, Inc.'s Terms & Conditions or with respect to any Products sold pursuant hereto and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Missouri, as the case may be, shall be excluded.

Taxes

Hi5 Furniture, Inc. prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the Customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Hi5 Furniture, Inc. prior to product shipment. Otherwise, sales tax will be due and payable to Hi5 Furniture, Inc. when such tax is invoiced to Customer.

Termination by Hi5 Furniture, Inc.

Hi5 Furniture, Inc. may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

General Information

Use and Installation of Products

Hi5 Furniture, Inc. recommends that its products be installed by experienced commercial furniture installers according to Hi5 Furniture, Inc.'s written installation procedures. The Customer agrees to use Hi5 Furniture, Inc. products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Hi5 Furniture, Inc., and to instruct employees as to the proper care and use of the products according to printed.

Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at any time including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned.

Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. Hi5 Furniture, Inc. shall not be responsible for obtaining permits or bonds.

WARRANTY

Effective: 03/01/2023 Rev. B





WARRANTY

OBSOLESCENCE POLICY

As we develop new products there is an emphasis to provide solutions that are compatible yet allow for enhancement of previous generations of products. This benefits the customer who desires to leverage their existing products but enhance their work environment at the same time. With this mindset, under our obsolescence policy, Hi5 Furniture, Inc. takes reasonable steps to provide our customers with products of comparable form, fit, and function. As with any material or component, supply chain challenges can impact our ability to offer previous or existing products. In addition, fabrics and finishes are significantly impacted by design trends resulting in shorter life cycles. In these situations, we will make reasonable efforts to find coordinating solutions.

Product obsolescence or discontinued announcements are published at least 90 days before the effective date. It includes a recommended alternative where suitable. If materials are available beyond the discontinued date, Hi5 will continue to provide the products as a custom request on a case-by-case basis as long as it is commercially reasonable to do so. Hi5 reserves the right to make modifications to the product line, however such modifications will be made with consideration for the functional and aesthetic characteristics of the product. This commitment to availability does not guarantee lead times, prices or surface materials and will not be extended by the renewal of any agreement between Hi5 Furniture, Inc. or any authorized dealership and the customer, including any automatic renewal provisions.

THE Hi5 Furniture, Inc. WARRANTY

To ensure customer satisfaction and peace of mind, we stand behind our products with the following Hi5 Furniture, Inc. Limited Lifetime Warranty. Please refer to www.Hi5Furniture.com for the applicable Hi5 Furniture, Inc. warranty or contact your local Authorized Commercial Furniture Dealership.

All items should be inspected at two-month intervals for missing glides, levelers, loose screws, broken or cracked welds, lose or unseated columns, etc.

What Products are Covered?

This Limited Lifetime Warranty applies to new products manufactured by Hi5 Furniture, Inc., after **March 1, 2023**, that are sold through an Authorized Commercial Furniture Dealership ("Covered Products"). In this Limited Lifetime Warranty, the terms "us," "we," "our" and similar terms refer to Hi5 Furniture, Inc., and the end-user purchaser refers to the first organization who purchased for their own internal use and not for resale or distribution.

The following products not covered by this Limited Lifetime Warranty, and neither Hi5 Furniture, Inc. nor its affiliates will have any obligation or liability relating to them:

1. software;
2. consumable items, such as bat2series and bulbs/lamps;
3. the customer's own material (COM), or any material specified by the purchaser that is not a standard Hi5 Furniture, Inc. product offering
4. any item manufactured by a third party from whom Hi5 Furniture, Inc. purchases the item for resale without incorporating it into a Hi5 Furniture, Inc. product as a component or part (in those situations, if the purchaser is not a direct beneficiary of the manufacturer's warranty, then Hi5 Furniture, Inc. will assign to the purchaser any warranty that the manufacturer provides, to the extent the warranty is assignable);

What Problems are Covered?

Subject to the terms of this Limited Lifetime Warranty, Hi5 Furniture, Inc. warrants to the end-user purchaser of a Covered Product that the Covered Product, at the time of purchase, will be free of any defect in design or workmanship that materially impairs the performance or functionality of the Covered Product under normal use (a "Defect"). This warranty is for 24-hour / 7-day multiple shift use of the applicable Covered Product.

In this Limited Lifetime Warranty, normal use means use of a Covered Product in accordance with all the following:

1. Hi5 Furniture, Inc.'s standards instructions, guidelines, and recommendations for that Covered Product;
2. if the Covered Product is part of the Hi5 Furniture, Inc. Collection and not manufactured by Hi5 Furniture, Inc., then the applicable manufacturer's standard instructions, guidelines, and recommendations for that Covered Product; and
3. applicable laws, rules, regulations, and ordinances

A Defect excludes, and Hi5 Furniture, Inc. and its affiliates will not have any responsibility or liability for, the following:

1. normal wear and tear;
2. any damage, wear or failure of the Covered Product that occurs during transport of the Covered Product, or that is caused by improper use, care or maintenance of the Covered Product or by an act of God or other event outside of Hi5 Furniture, Inc.'s reasonable control;
3. the natural variation of color, grain or texture found in wood and leather;
4. the natural aging of materials such as wood, fabric and leather which results in colors changing over time or during use;
5. dye lot variations in fabric and leather;
6. the natural patina of leather during use;
7. "puddling" or wrinkling of fabrics, leather, or faux leather;
8. reverse crocking of dyes from clothing onto seating materials;
9. change in color (including fading) or other surface effects resulting from exposure to chemicals (such as chemicals in cleaning solutions) or
10. exposure to sunlight or other sources of ultraviolet rays;
11. any damage, wear or failure of the Covered Product caused by the integration or use of any non-Hi5 Furniture, Inc. materials, components, devices or other products into or with any Covered Product; or
12. any damage, wear, or scratching to flooring from glides, casters, or other components.

THE Hi5 Furniture, Inc. WARRANTY (continued)

What are the Warranty Periods?

A Covered Product's warranty period begins on the Covered Product's date of manufacture and ends on the expiration of the time period identified below for that Covered Product. In addition, the warranty period will automatically terminate at the time that the end-user purchaser ceases to solely own, possess, control, and use the Covered Product.

The warranty period will automatically terminate if the End User and/or Authorized Commercial Furniture Dealership fails to pay the Hi5 Furniture, Inc. invoice in full within 90 days of shipment.

Lifetime

Except for those Covered Products or related components or materials identified below as having a different warranty period, the warranty period of a Covered Product is as long as the original end-user purchaser continues to solely own the Covered Product.

Ten (10) Years

The following Covered Products have a 10-year warranty period:

- Premium Textured HPL
- Case good mechanisms (hinges, slides, latches, glides, casters, slow-close mechanisms, etc.)
- Products that are at any time used in a classroom or educational environment (other than administrative areas) except as limited or described below

Five (5) Years

The following Covered Products have a 5-year warranty period:

- Electrical power boxes including AV accessories (excluding USB receptacles)
- Accessories (e.g., cup holders and table holders)
- Vertical use markerboard laminates
- User-adjustable work-surface mechanisms
- Hi5 Furniture, Inc. seating products (framework, seating foam, glides & casters, and plastic components)
- Fabric, leathers or faux leather

One (1) Year

The following Covered Products have a 1-year warranty period:

- horizontal use markerboard laminates
- standard glides and levelers
- standard locking casters and non-locking
- gas cylinders
- Folding and Nesting mechanisms
- Outdoor products (including walls, tables, chairs and frames)
- umbrellas and umbrella base
- Union 2.0 table HPL self-edges
- Divider panels
- Height adjustable product mechanisms
 - Troubleshooting procedures provided by Hi5 Furniture, Inc. must be used to determine if a mechanism is defective, the associated error code needs to
 - be included in the Service Notification emailed to Sales@Hi5Furniture.com
- Moving components or parts

No Warranty

The following Products and conditions are excluded from the definition of "Covered Product" and therefore not covered by this Limited Lifetime Warranty. exclusions noted or defined in sections "What Products are Covered" and "What Problems are Covered"

- HPL self-edges (exception of Union 2.0 tables)
- Materials used by custom request

Service Parts – Hi5 Furniture, Inc. authorized service parts installed on a Covered Product will be covered by this Limited Lifetime Warranty for the remaining balance of the warranty period for that Covered Product, so long as the service part was installed by Hi5 Furniture, Inc. or an authorized installer to in install that Covered Product.



WARRANTY

THE Hi5 Furniture, Inc. WARRANTY (continued)

What Remedies are Available?

If a purchaser makes a valid claim under this Limited Lifetime Warranty for a Defect to a Covered Product, Hi5 Furniture, Inc., at its option, will either:

1. repair the Covered Product at Hi5 Furniture, Inc.'s cost;
2. replace the Covered Product at Hi5 Furniture, Inc.'s cost with a new or refurbished product with comparable function and performance, or
3. refund or credit the purchase price of the Covered Product (excluding taxes, duties, fees, and other amounts).

All repair and replacement work will be performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific repair or replacement work relating to the Defect; repair or replacement work performed by any other person will void this Warranty.

Hi5 Furniture, Inc. will not be responsible for any cost or expenses incurred by the purchaser relating to repair or replacement of a Covered Product due to a Defect, including without limitation freight, insurance, inspection, storage and similar costs and expenses. Any Covered Product that is replaced or whose purchase price is refunded or credited will become the sole and exclusive property of Hi5 Furniture, Inc.

What Conditions Apply?

All the following conditions must be satisfied to make a valid claim under this Limited Lifetime Warranty for a Defect to a Covered Product:

1. the Authorized Commercial Dealership or end-user must have notified Hi5 Furniture, Inc. in writing of the Defect within 30 days after the purchaser first learns or has notice of the Defect, and
2. in any event not later than three (3) business days after the last day of the applicable warranty period; all such notices must be sent to Hi5 Furniture, Inc. at Sales@Hi5Furniture.com Attention: Warranty Claims;
3. the purchaser must provide original Hi5 Furniture, Inc. order number and have fully complied with all instructions, requirements, and directions provided by Hi5 Furniture, Inc., the Authorized Commercial Dealership or their respective agents regarding the inspection, preservation or safeguarding of the Covered Product and the transportation and delivery of the Covered Products;
4. the Covered Product must have been installed by Authorized Commercial Dealership installers, per instructions supplied by Hi5 Furniture, Inc.;
5. all prior repairs of the Covered Product must have been performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific repair work;
6. the repair of the Defect of the Covered Product pursuant to this Warranty must be performed by Hi5 Furniture, Inc. or a third party engaged by Hi5 Furniture, Inc. to perform the specific warranty-repair work;
7. at all times the Covered Product must have been in a building that is (a) dry, fully closed-in and protected from the natural elements, and (b) adequately heated, ventilated and air conditioned to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels not to exceed 70% at any time
8. the Covered Product must not have been modified, and the purchaser must have used and maintained the Covered Product in full conformity with all of Hi5 Furniture, Inc.'s written specifications, instructions and guides regarding use, care, and maintenance.
9. if the Covered Product is replaced or its purchase price is refunded, all bills of sale, assignments, releases, consents, approvals, and other documents and/or actions required by Hi5 Furniture, Inc. to assign and transfer to Hi5 Furniture, Inc. sole and exclusive title in the Covered Product, free and clear of all liens, claims and encumbrances, must have been executed, delivered and/or made, as applicable; and
10. all other conditions and requirements in or arising under this Limited Lifetime Warranty, applicable law or a written agreement between Hi5 Furniture, Inc. and the purchaser, must have been fully satisfied.

GENERAL TERMS

This Product Compatibility and Limited Lifetime Warranty Policy extends solely to original end-user purchasers of Covered Products and not to their successors, assigns, employees, agents, or affiliates. This Policy is not assignable or transferable in whole or in part, whether voluntarily, by operation of law or otherwise, and any purported assignment or transfer will be void.

All determinations regarding the scope, applicability, and interpretation of this Policy, including without limitation the satisfaction of and compliance with any of its conditions and requirements, will be made solely by Hi5 Furniture, Inc. in its discretion. All such determinations made by Hi5 Furniture, Inc. will be final, non-appealable and binding on all persons.

EXCEPT FOR THE EXPRESS Limited Lifetime Warranty STATED ABOVE, TO THE EXTENT ALLOWED BY LAW, Hi5 Furniture, Inc. DOES NOT MAKE, AND IT EXPRESSLY DISCLAIMS, ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO ANY PRODUCT OR SERVICE AND, IN PARTICULAR, DOES NOT MAKE, AND EXPRESSLY DISCLAIMS, ANY WARRANTY OR REPRESENTATION OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. ANY LEGALLY REQUIRED WARRANTY THAT MAY NOT BE DISCLAIMED WILL BE LIMITED IN DURATION TO ONE (1) YEAR FROM THE DATE OF MANUFACTURE.

AS SET FORTH IN THIS POLICY, REPAIR OR REPLACEMENT, OR REFUND/CREDIT OF THE PURCHASE PRICE, AT Hi5 Furniture, Inc.'s OPTION, OF A COVERED PRODUCT ARE THE EXCLUSIVE REMEDIES FOR ANY DEFECT TO THAT COVERED PRODUCT OR ANY OTHER ISSUE RELATING TO ITS MANUFACTURE OR INSTALLATION. IN NO EVENT SHALL Hi5 Furniture, Inc. OR ANY OF ITS AFFILIATES HAVE ANY LIABILITY IN TORT OR FOR ANY CONSEQUENTIAL, ECONOMIC, INDIRECT, SPECIAL, PUNITIVE, OR INCIDENTAL DAMAGES, OR FOR LOSS OF PROFITS, REVENUES, USE OR REPUTATION, WITH RESPECT TO ANY COVERED PRODUCT OR ANY OTHER PRODUCT, WHETHER CAUSED BY, ARISING FROM OR RELATING TO A DEFECT OR OTHERWISE.

Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations or exclusions in the immediately preceding paragraph may not apply to a purchaser. This Limited Lifetime Warranty gives the purchaser specific legal rights, and the purchaser may also have other rights which vary from state to state.